

| SIN      | MFR_Name   | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Unit_Of_Issue | Retail   |
|----------|------------|-----------------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------|
| 246 35 2 | ALARM LOCK | AL-IM80211      |              | AL-IM80211 Trilogy Networx hardwire/wireless Gateway Interface Module, with integral bi-directional radio, interfaces Networx locks w/PC network via hardwired Ethernet or wireless 802.11, supports up to 63 Networx locks, class 2 6VAC transformer (supplied), ceiling or wall mountable.                                                                                                                                                                                                                                                                                                                                                                                                             | EA            | \$690.00 |
| 246 35 2 | ALARM LOCK | AL-IME          |              | AL-IME Trilogy Networx hardwired Gateway Interface Module, supports up to 63 Networx locks, hardwire connection via RJ45 Ethernet cable, one antenna, class 2 6VAC transformer (supplied), ceiling or wall mountable.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA            | \$490.00 |
| 246 35 2 | ALARM LOCK | AL-IMEPOEP      |              | AL-IME Trilogy Networx hardwired Gateway Interface Module + POE, supports up to 63 Networx locks, hardwire connection via Ethernet and POE (power over Ethernet) connects directly to a network via Ethernet cable, one antenna, class 2 6VAC transformer (supplied), ceiling or wall mountable.                                                                                                                                                                                                                                                                                                                                                                                                         | EA            | \$590.00 |
| 246 35 2 | ALARM LOCK | AL-PCI12U       |              | PCI12U Trilogy Lock Interface Cable For Serial Connection. Interconnects Lock and PC For Data Transfer (includes DL-Windows Software).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA            | \$230.00 |
| 246 35 2 | ALARM LOCK | AL-PRE          |              | PRE Trilogy Proximity Reader/Enroller (For Proximity Lock). Supports All Proximity Cards and Fobs, 9V Battery Operated.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA            | \$575.00 |
| 246 35 2 | ALARM LOCK | DK3000-US26D    |              | DK3000 Trilogy T3 Digital Vandal-Resistant All Metal 12-Button Keypad, Wall Mount or Single Gang Box. Ideal For Use With 12/24V (AC or DC) Electric Strike or Mag Lock. 2000 PIN User Codes, 40,000 Event Audit Trail Report/Print to PC or Hand Held Printer (AL-IR1) or DTMIH Data Transfer Module, Keypad or PC Programmable, Real Time Clock With Time Zone Adjustments Enables 500 Scheduled or Holiday Events, Tamper Supervised (Reportable to Alarm System), Two High-Current Rated 8A Relays For Entry, Alarm Zone Shunting or Lock Release By Real-Time Schedule, Timed Egress Input-Selectable Door Open Times 5-10 or 15 /Seconds, Weatherproof -31° to 151° F, Satin Chrome (US26D) Finish. | EA            | \$730.00 |
| 246 35 2 | ALARM LOCK | DL1200-US26D1   |              | DL1200 Trilogy Electronic Narrow Stile, Battery Operated Digital Lock, For Use With Adams Rite Narrow Stile Hardware, All Metal Vandal-Resistant 12-Button Keypad, 100 user 3-6 digit PIN User Codes, Fingertip Programmable, Long-Life 3V Lithium Batteries (Supplied), Low Battery Alert, Non Handed (Field-Reversible), Key Override: 1-1/4" Mortise Cylinder w/Schlage SC1 Keyway (Will Accept Most 1-1/4" Mortise Cylinders), Weatherproof -31° to 151° F, Satin Chrome (US26D) Finish.                                                                                                                                                                                                             | EA            | \$585.00 |

| SIN      | MFR_Name   | MFR_Part_Number  | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Unit_of_Issue | Retail   |
|----------|------------|------------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------|
| 246 35 2 | ALARM LOCK | DL1300-US26D1    |              | DL1300 Trilogy Electronic Narrow Stile, Battery Operated Digital Lock, For Use With Adams Rite Narrow Stile Hardware , All Metal Vandal-Resistant 12-Button Keypad, 2000 user 3-6 digit PIN User Codes, 40,000 Event Audit Trail, Real Time Clock With Time Zone Adjustments Enables 500 Scheduled or Holiday Events, Fingertip Programmable, Long-Life 3V Lithium Batteries (Supplied), Low Battery Alert, Non Handed (Field-Reversible), Key Override: 1-1/4" Mortise Cylinder w/Schlage SC1 Keyway (Will Accept Most 1-1/4" Mortise Cylinders), Weatherproof - 31° to 151° F, Satin Chrome (US26D) Finish. | EA            | \$735.00 |
| 246 35 2 | ALARM LOCK | DL2700IC-US26D   |              | Trilogy T2 Electronic Cylindrical Digital Lock, Grade 1 Standalone Pushbutton; Access Control, Rugged Clutch Mechanism with Vandal-Proof all Metal Keypad. Up to 100, 3-5 digit user codes. 1 Master Code, 10 Manager Codes & up to Three one Time User Codes. Key Override: Small Format; Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included.                                                                                                                                                                                                                                       | EA            | \$810.00 |
| 246 35 2 | ALARM LOCK | DL2700-US26D     |              | Trilogy T2 Electronic Cylindrical Digital Lock, Grade 1 Standalone Pushbutton; Access Control, Rugged Clutch Mechanism with Vandal-Proof all Metal Keypad. Up to 100, 3-5 digit user codes. 1 Master Code, 10 Manager Codes & up to Three one Time User Codes. Key Override: Schlage "C".                                                                                                                                                                                                                                                                                                                     | EA            | \$795.00 |
| 246 35 2 | ALARM LOCK | DL2700WPIC-US26D |              | Trilogy T2 Electronic Cylindrical Digital Weatherproof Lock, Grade 1 Standalone Pushbutton; Access Control, Rugged Clutch Mechanism with Vandal-Proof all Metal Keypad. Up to 100, 3-5 digit user codes. 1 Master Code, 10 Manager Codes & up to Three one Time User Codes. Key Override: Small Format; Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included.                                                                                                                                                                                                                          | EA            | \$880.00 |
| 246 35 2 | ALARM LOCK | DL2700WP-US26D   |              | Trilogy T2 Electronic Cylindrical Digital Weatherproof Lock, Grade 1 Standalone Pushbutton; Access Control, Rugged Clutch Mechanism with Vandal-Proof all Metal Keypad. Up to 100, 3-5 digit user codes. 1 Master Code, 10 Manager Codes & up to Three one Time User Codes. Key Override: Schlage "C".                                                                                                                                                                                                                                                                                                        | EA            | \$865.00 |
| 246 35 2 | ALARM LOCK | DL2800IC-US26D   |              | Trilogy T3 Electronic Cylindrical Digital Weatherproof Lock, Grade 1 Standalone Pushbutton; Access Control, Rugged Clutch Mechanism with Vandal-Proof all Metal Keypad. Up to 100, 3-5 digit user codes. 1 Master Code, 10 Manager Codes & up to Three one Time User Codes. Key Override Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included.                                                                                                                                                                                                                            | EA            | \$960.00 |

| SIN      | MFR_Name   | MFR_Part_Number  | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Unit_of_Issue | Retail     |
|----------|------------|------------------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|
| 246 35 2 | ALARM LOCK | DL2800-US26D     |              | Trilogy T3 Electronic Cylindrical Digital Weatherproof Lock, Grade 1 Standalone Pushbutton; Access Control, Rugged Clutch Mechanism with Vandal-Proof all Metal Keypad. Up to 100, 3-5 digit user codes. 1 Master Code, 10 Manager Codes & up to Three one Time User Codes. Key Override: Schlage "C"                                                                                                                                                                                                                                                                             | EA            | \$940.00   |
| 246 35 2 | ALARM LOCK | DL3000-US26D     |              | DL3000 Trilogy Electronic Battery Operated (5AA's) Cylindrical Digital Lock With Privacy and Residency Feature. 300 3-6 Digit User Codes, 1600 Event Audit Trail, BHMA Grade 1, 2-3/4" 3 Hour Fire Rated Latch, All Metal 12 Button Keypad, Keypad or Windows PC Programmable, Non-Handed, 2-3/4" Backset, Audit Trail Feature Requires Optional ALDTMIII Data Transfer Module and ALPCI12-U Software Kit, Key Override: Schlage "C" Keyway, Two Keys Per Lock, Satin Chrome (US26D) Finish.                                                                                      | EA            | \$1,140.00 |
| 246 35 2 | ALARM LOCK | DL3000WPIC-US26D |              | DL3000 Trilogy Electronic Battery Operated (5 AA's) Cylindrical Digital Lock With Privacy and Residency Feature. 300 3-6 Digit User Codes, 1600 Event Audit Trail, BHMA Grade 1, 2-3/4" 3 Hour Fire Rated Latch, All Metal 12 Button Keypad, Keypad or Windows PC Programmable, Non-Handed, 2-3/4" Backset, Audit Trail Feature Requires Optional ALDTMIII Data Transfer Module and ALPCI12-U Software Kit, Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP, etc, Core Not Included, Weatherproof (-31° to 151° F), Satin Chrome, (US26D) Finish. | EA            | \$1,175.00 |
| 246 35 2 | ALARM LOCK | DL3200-US26D     |              | Trilogy T3 Electronic Cylindrical Digital Weatherproof Lock, Grade 1 Standalone Pushbutton; Access Control, Rugged Clutch Mechanism with Vandal-Proof all Metal Keypad. Up to 2000, 3-5 digit user codes, Master, Management, Supervisor & Basic User. 500 Event Schedule, Multiple "One-Time" User Codes & 40,000 Event Audit Trail. Key Override: Schlage "C".                                                                                                                                                                                                                  | EA            | \$1,175.00 |
| 246 35 2 | ALARM LOCK | DL3500CRL-US26D  |              | Trilogy T3 Electronic Cylindrical Digital Mortise Lock, Grade 1 Standalone Pushbutton; Access Control, Rugged Clutch Mechanism with Vandal-Proof all Metal Keypad. Up to 300, 3-5 digit user codes. Master, Management, Supervisor & Basic. 500 Event Schedule, Real-Time Clock & 40,000 Event Audit Trail. Key Override: Schlage "C" Left Hand                                                                                                                                                                                                                                   | EA            | \$1,320.00 |
| 246 35 2 | ALARM LOCK | DL3500CRR-US26D  |              | Trilogy T3 Electronic Cylindrical Digital Mortise Lock, Grade 1 Standalone Pushbutton; Access Control, Rugged Clutch Mechanism with Vandal-Proof all Metal Keypad. Up to 300, 3-5 digit user codes. Master, Management, Supervisor & Basic. 500 Event Schedule, Real-Time Clock & 40,000 Event Audit Trail. Key Override: Schlage "C" Right Hand                                                                                                                                                                                                                                  | EA            | \$1,320.00 |

| SIN      | MFR_Name   | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Unit_of_Issue | Retail     |
|----------|------------|-----------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|
| 246 35 2 | ALARM LOCK | DL4100IC-US26D  |              | DL4100 Trilogy Electronic Battery Operated Cylindrical Digital Lock With Privacy and Residency Feature, All Metal 12 Button Keypad, 2000 3-6 Digit User Codes, 40,000 Event Audit Trail, Real Time Clock, BHMA Grade 1, 3 Hour Fire Rated Latch, Code Length 3-6 Digits, Keypad or Windows PC Programmable, Non-Handed, 2-3/4" Backset, Audit Trail Feature Requires Optional ALDTMIII Data Transfer Module and ALPCI12-U Software Kit, Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP, etc, Core Not Included. Weatherproof (-31° to 151° F), Satin Chrome (US26D) Finish. | EA            | \$915.00   |
| 246 35 2 | ALARM LOCK | DL4100-US26D    |              | DL4100 Trilogy Electronic Battery Operated Cylindrical Digital Lock With Privacy and Residency Feature, All Metal 12 Button Keypad, 2000 3-6 Digit User Codes, 40,000 Event Audit Trail, Real Time Clock, BHMA Grade 1, 3 Hour Fire Rated Latch, Code Length 3-6 Digits, Keypad or Windows PC Programmable, Non-Handed, 2-3/4" Backset, Audit Trail Feature Requires Optional ALDTMIII Data Transfer Module and ALPCI12-U Software Kit, Key Override: Schlage "C" Keyway, Two Keys Per Lock, Weatherproof (-31° to 151° F), Satin Chrome (US26D) Finish.                                                     | EA            | \$895.00   |
| 246 35 2 | ALARM LOCK | DL5200IC-US26D  |              | DL5200 Trilogy Double Sided Electronic Battery Operated (SAA's) Cylindrical Digital Lock, 100 3-6 Digit User Codes, BHMA Grade 1, 3 Hour Fire Rated Latch, All Metal 12 Button Keypad, Programmable By Keypad Only, Programmable Keypad on Both Sides of Door, Key Override is Only Operable on the Primary Side, The Key on the Secondary Side is Used Only to Remove the Lever and Access the Batteries, Non-Handed, 2-3/4" Backset, Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP, etc, Core Not Included, Weatherproof (-31° to 151° F), Satin Chrome (US26D) Finish.  | EA            | \$1,340.00 |
| 246 35 2 | ALARM LOCK | DL5200-US26D    |              | DL5200 Trilogy Double Sided Electronic Battery Operated (SAA's) Cylindrical Digital Lock, 100 3-6 Digit User Codes, BHMA Grade 1, 3 Hour Fire Rated Latch, All Metal 12 Button Keypad, Programmable By Keypad Only, Programmable Keypad on Both Sides of Door, Key Override is Only Operable on the Primary Side, The Key on the Secondary Side is Used Only to Remove the Lever and Access the Batteries, Non-Handed, 2-3/4" Backset, Key Override: Schlage "C", Two Keys Per Lock, Weatherproof (-31° to 151° F), Satin Chrome (US26D) Finish.                                                             | EA            | \$1,320.00 |

| SIN      | MFR_Name   | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Unit_Of_Issue | Retail     |
|----------|------------|-----------------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|
| 246 35 2 | ALARM LOCK | DL6100IC-US26D  |              | DL6100 Trilogy Networx Wireless Networking Cylindrical Lock, 802.11 or Ethernet Wireless Specifications, Up to 2000 Doors and 5000, 3-6 digit user codes, Master, Management, Supervisor & Basic User, retrieve up to 40,000 events from any networked PC, emergency global lockdown from the Networx PC or any Networx lock, DL-Windows software included, 5+ year battery life, Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included, Weatherproof (-31° to 151° F), Satin Chrome (US26D) Finish.                                                                                 | EA            | \$1,430.00 |
| 246 35 2 | ALARM LOCK | DL6100-US26D    |              | DL6100 Trilogy Networx wireless networking cylindrical lock, 802.11 or Ethernet wireless specifications, up to 2000 doors and 5000, 3-5 digit user codes, Master, Management, Supervisor & Basic User, weatherproof (-31 to 151 F), retrieve up to 40,000 events from any networked PC, emergency global lockdown from the Networx PC or any Networx lock, DL-Windows software included, 5+ year battery life, Override: Schlage "C", Two Keys Per Lock.                                                                                                                                                                          | EA            | \$1,410.00 |
| 246 35 2 | ALARM LOCK | DTMIII          |              | DTMIII Data Transfer Module Used To Transfer Program Data From PC to Trilogy Lock and Receive Audit Trail From Lock. Can Transfer Program Data For Up To 200 Locks.                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EA            | \$435.00   |
| 246 35 2 | ALARM LOCK | ET-BIC-US26D    |              | ET-BIC Alarm Lock Cylinder Adapter Kit For 6/7 Pin Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP, etc, Core Not Included.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA            | \$70.00    |
| 246 35 2 | ALARM LOCK | ETDLS1-US26DV99 |              | ETDL Trilogy Networx Wireless Networking Exit Device Trim For Von Duprin 99-Series Exit Device (device not included), Rugged All Metal 12-Button Keypad, 802.11 or Ethernet Wireless Specifications, Up 2000 3-6 Digit User Codes, 500 Scheduled Events, Master-Management-Supervisor & Basic User, Retrieve Up to 40,000 Events From any networked PC, emergency global lockdown from the Networx PC or Any Networx Lock, DL-Windows Software Included, 5+ Year Battery Life, Key Override: Accepts Most Standard Rim Cylinders, Non-Handed: Fully Field Reversible, Weatherproof (-31° to 151° F), Satin Chrome (US26D) Finish. | EA            | \$1,385.00 |
| 246 35 2 | ALARM LOCK | ETDLS1-US26DV99 |              | Trilogy For Panic Exit Device, Weather-Resistant Trilogy Outside, Von Duprin 99 Inside. Grade 1 Standalone Pushbutton; Access Control, Rugged Clutch Mechanism with Vandal-Proof all Metal Keypad. 2000 user codes, 500 Scheduled Events & 40,000 Event Audit Trail. Key Override: Accepts most Standard Rim Cylinders.                                                                                                                                                                                                                                                                                                           | EA            | \$1,150.00 |

| SIN      | MFR_Name   | MFR_Part_Number  | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Unit_Of_Issue | Retail     |
|----------|------------|------------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|
| 246 35 2 | ALARM LOCK | ETPDL51-US26DV99 |              | ETPDL Trilogy T3 Electronic Grade 1 Standalone Battery Operated (5 AA), Pushbutton/Proximity, Access Control, Exit Device Trim For Von/Duprin 99-Series Exit Device (Exit Device Not Included). Rugged Clutch Mechanism w/ Vandal-Proof all Metal 12-Button Keypad. 2000 User Codes, 500 Scheduled Events, And 40,000 Event Audit Trail. Key Override: Accepts Most Standard Rim Cylinders (not included). Non-Handed: Fully Field Reversible, Weatherproof (-31o to 151o F), Satin Chrome (US26D) Finish.                                                                                                                                                                     | EA            | \$1,500.00 |
| 246 35 2 | ALARM LOCK | ETPDNS1-US26DV99 |              | ETPDL Trilogy Network Wireless Networking Exit Device Trim For Von Duprin 99-Series Exit Device (device not included), Rugged All Metal 12-Button Keypad Plus Proximity Reader, 802.11 or Ethernet Wireless Specifications, Up 2000, 3-6 Digit User Codes, 500 Scheduled Events, Master-Management-Supervisor & Basic User, Retrieve Up to 40,000 Events From any networked PC, emergency global lockdown from the Network PC or Any Network Lock, DL-Windows Software Included, 5+ Year Battery Life, Key Override: Accepts Most Standard Rim Cylinders, Non-Handed: Fully Field Reversible, Weatherproof (-31° to 151° F), Satin Chrome (US26D) Finish.                      | EA            | \$1,715.00 |
| 246 35 2 | ALARM LOCK | HID1326          |              | HID1326 Trilogy Proximity Access Cards, 100 Per Box.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA            | \$490.00   |
| 246 35 2 | ALARM LOCK | HID1346          |              | HID1346 Trilogy Proximity Key Fobs, 10 Per Box                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EA            | \$115.00   |
| 246 35 2 | ALARM LOCK | PDK3000-US26D    |              | PDK3000 Trilogy T3 Proximity Vandal-Resistant All Metal 12-Button Keypad, Wall Mount or Single Gang Box. Ideal For Use With 12/24V (AC or DC) Electric Strike or Mag Lock. 2000 PIN User Codes, 40,000 Event Audit Trail Report/Print to PC or Hand Held Printer (AL-IR1) or DTMIH Data Transfer Module, Keypad or PC Programmable, Real Time Clock With Time Zone Adjustments Enables 500 Scheduled or Holiday Events, Tamper Supervised (Reportable to Alarm System), Two High-Current Rated 8A Relays For Entry, Alarm Zone Shunting or Lock Release By Real-Time Schedule, Timed Egress Input-Selectable Door Open Times 5-10 or 15 /seconds, Weatherproof -31o to 151o F. | EA            | \$1,055.00 |

| SIN      | MFR_Name   | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Unit_Of_Issue | Retail     |
|----------|------------|-----------------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|
| 246 35 2 | ALARM LOCK | PDL1300-US26D1  |              | PDL1200 Trilogy Proximity Narrow Stile, Battery Operated Digital Lock, For Use With Adams Rite Narrow Stile Hardware, All Metal Vandal-Resistant 12-Button Keypad, 2000 user 3-6 digit PIN User Codes or HID Prox ID Cards or Key fobs, 40,000 Event Audit Trail, Real Time Clock With Time Zone Adjustments Enables 500 Scheduled or Holiday Events, Fingertip Programmable, Long-Life 3V Lithium Batteries (Supplied), Low Battery Alert, Non Handed (Field-Reversible), Key Override: 1-1/4" Mortise Cylinder w/Schlage SC1 Keyway (Will Accept Most 1-1/4" Mortise Cylinders), Weatherproof - 31° to 151° F, Satin Chrome (US26D) Finish. | EA            | \$1,035.00 |

| SIN      | MFR_Name   | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Unit_of_Issue | Retail     |
|----------|------------|-----------------|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|
| 246 35 2 | ALARM LOCK | PDL3000IC-US26D |              | Trilogy Pin/Prox Electronic Cylindrical Digital Weatherproof Lock, Standalone Pushbutton Access Control. 2000 user codes, 500 Scheduled Events & 40,000 Event Audit Trail. Will Read Most HID Card & Keyfob Formats. Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included.                                                                                                                                                                                                                                                                                           | EA            | \$1,625.00 |
| 246 35 2 | ALARM LOCK | PDL3000-US26D   |              | Trilogy Pin/Prox Electronic Cylindrical Digital Weatherproof Lock, Standalone Pushbutton Access Control. 2000 user codes, 500 Scheduled Events & 40,000 Event Audit Trail. Will Read Most HID Card & Keyfob Formats. Key Override: Schlage "C".                                                                                                                                                                                                                                                                                                                                                                        | EA            | \$1,600.00 |
| 246 35 2 | ALARM LOCK | PDL4100IC-US26D |              | PDL4100 Trilogy Electronic Battery Operated Cylindrical Proximity/Digital Lock With Privacy and Residency Feature. 2000 3-6 Digit User Codes, 40,000 Event Audit Trail, Real Time Clock, BHMA Grade 1, 3 Hour Fire Rated Latch, Code Length 3-6 Digits, All Metal 12 Button Keypad, Keypad or Windows PC Programmable, Non-Handed, 2-3/4" Backset, Audit Trail Feature Requires Optional ALDTMIII Data Transfer Module and ALPC12-U Software Kit, Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP, etc. Core Not Included, Weatherproof (-31° to 151° F), Satin Chrome (US26D) Finish. | EA            | \$1,315.00 |
| 246 35 2 | ALARM LOCK | PDL4100-US26D   |              | PDL4100 Trilogy Electronic Battery Operated Cylindrical Proximity/Digital Lock With Privacy and Residency Feature. 2000 3-6 Digit User Codes, 40,000 Event Audit Trail, Real Time Clock, BHMA Grade 1, 3 Hour Fire Rated Latch, Code Length 3-6 Digits, All Metal 12 Button Keypad, Keypad or Windows PC Programmable, Non-Handed, 2-3/4" Backset, Audit Trail Feature Requires Optional ALDTMIII Data Transfer Module and ALPC12-U Software Kit, Key Override: Schlage "C", Two Keys Per Lock, Weatherproof (-31° to 151° F), Satin Chrome (US26D) Finish.                                                            | EA            | \$1,300.00 |
| 246 35 2 | ALARM LOCK | PDL6100IC-US26D |              | PDL6100 Trilogy Network Wireless Networking Cylindrical Lock, 802.11 or Ethernet Wireless Specifications, Up to 2000 Doors And 5000, 3-6 Digit User Codes, Plus Proximity Reader, Master-Management-Supervisor & Basic User, Retrieve Up to 35,000 Events From Any Networked PC, Emergency Global Lockdown From The Network PC or Any Network Lock, DL-Windows Software Included, 5+ Year Battery Life Using 4 C-Cell Batteries (supplied), Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included, Weatherproof (-31° to 151° F), Satin Chrome (US26D) Finish.            | EA            | \$1,825.00 |

| SIN      | MFR_Name            | MFR_Part_Number  | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Unit_of_Issue | Retail     |
|----------|---------------------|------------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|
| 246 35 2 | ALARM LOCK          | PDL6100-US26D    |              | PDL6100 Trilogy Networx Wireless Networking Cylindrical Lock, 802.11 or Ethernet Wireless Specifications, Up to 2000 Doors And 5000, 3-6 Digit User Codes, Plus Proximity Reader, Master-Management-Supervisor & Basic User, Retrieve Up to 35,000 Events From Any Networked PC, Emergency Global Lockdown From The Networx PC or Any Networx Lock, DL-Windows Software Included, 5-year+ Battery Life Using 4 C-Cell Batteries (supplied), Override: Schlage "C", Two Keys Per Lock, Weatherproof (-31° to 151° F), Satin Chrome (US26D) Finish. | EA            | \$1,810.00 |
| 246 35 2 | ALARM LOCK          | S6061            |              | S6061 Trilogy Replacement Battery Pack For Cylindrical Locks.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | EA            | \$45.00    |
| 246 35 2 | ALARM LOCK          | S6065            |              | S6065 Trilogy Replacement Battery Pack For Mortise Locks.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EA            | \$35.00    |
| 246 35 2 | ALARM LOCK          | S6181            |              | S6181 Trilogy Networx Replacement Battery Pack.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | BX            | \$44.00    |
| 246 35 2 | Kaba Access Control | 1011-26D-41      |              | Mechanical Pushbutton Cylindrical Knob Lock, PIN Access, Combination only, no key override. Access Control                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA            | \$425.00   |
| 246 35 2 | Kaba Access Control | 1021B-26D-41     |              | Mechanical Pushbutton Cylindrical Knob Lock, PIN Access. Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. Access Control                                                                                                                                                                                                                                                                                                                                                                   | EA            | \$495.00   |
| 246 35 2 | Kaba Access Control | 1031-26D-41      |              | Mechanical Pushbutton Cylindrical Knob Lock, PIN Access & Passage Only. No Key Override.                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA            | \$475.00   |
| 246 35 2 | Kaba Access Control | 1041B-26D-41     |              | Mechanical Pushbutton Cylindrical Knob Lock, PIN Access. Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. Access Control & Passage                                                                                                                                                                                                                                                                                                                                                         | EA            | \$545.00   |
| 246 35 2 | Kaba Access Control | 120-ENFIPS-000   |              | E-Plex USB FIPS/DES Fire Card Reader/Enroller.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA            | \$255.00   |
| 246 35 2 | Kaba Access Control | 5021-BWL-26D-41  |              | Heavy-Duty Mechanical Pushbutton Cylindrical Lever Lock, PIN Access. Key                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EA            | \$498.00   |
| 246 35 2 | Kaba Access Control | 5021-XSWL-26D-41 |              | Heavy-Duty Mechanical Pushbutton Cylindrical Lever Lock, PIN Access. Key Override: Schlage "C".                                                                                                                                                                                                                                                                                                                                                                                                                                                   | EA            | \$498.00   |
| 246 35 2 | Kaba Access Control | 5031-R-WK-26D-41 |              | 5051 Kaba Access Control Grade 1 Extra Heavy Duty Combination Pushbutton Lock, Prep for Sargent Removable Core, Core not Included, Interior Combination Change (DOD), Vandal Resistant, Solid Metal Pushbuttons, Non Handed (Field Reversible), Cylindrical 3/4" Throw Latch, Beveled Face Plate, 2-3/4" Backset (UL Listed), Satin Chrome US26D/626 Finish.                                                                                                                                                                                      | EA            | \$548.00   |
| 246 35 2 | Kaba Access Control | 5051-R-WK-26D-41 |              | 5051 Kaba Access Control Grade 1 Extra Heavy Duty Combination Pushbutton Lock, Prep for Sargent Removable Core, Core not Included, Passage, Interior Combination Change (DOD), Vandal Resistant, Solid Metal Pushbuttons, Non Handed (Field Reversible), Cylindrical 3/4" Throw Latch, Beveled Face Plate, 2-3/4" Backset (UL Listed), Satin Chrome US26D/626 Finish.                                                                                                                                                                             | EA            | \$598.00   |

| SIN      | MFR_Name            | MFR_Part_Number   | Product_Name | Product_Description                                                                                                                                                                                                                                                                        | Unit_of_Issue | Retail   |
|----------|---------------------|-------------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------|
| 246 35 2 | Kaba Access Control | 54561-000-41      |              | E-Plex USB Proximity Enroller, Requires EP-EPRISE software, (not included).                                                                                                                                                                                                                | EA            | \$480.00 |
| 246 35 2 | Kaba Access Control | 74366-00-001      |              | Replacement combination chamber for models 1000, L1000, 3000.                                                                                                                                                                                                                              | EA            | \$82.00  |
| 246 35 2 | Kaba Access Control | 74832-000-02      |              | Replacement combination chamber for model 5000.                                                                                                                                                                                                                                            | EA            | \$82.00  |
| 246 35 2 | Kaba Access Control | 9020000-04-41     |              | 900 Series Kaba Access Control Mechanical Push Button Deadbolt, Fits 1-3/8"-1-1/2" Thick Doors, 1" Throw Deadbolt, Satin Brass Finish, US4D (606).                                                                                                                                         | EA            | \$144.00 |
| 246 35 2 | Kaba Access Control | 9020000-26D-41    |              | 900 Series Kaba Access Control Mechanical Push Button Deadbolt, Fits 1-3/8"-1-1/2" Thick Doors, 1" Throw Deadbolt, Satin Chrome Finish, US26D (626).                                                                                                                                       | EA            | \$144.00 |
| 246 35 2 | Kaba Access Control | 9040000-04-41     |              | 900 Series Kaba Access Control Mechanical Push Button Deadbolt, Fits 1-3/4"-2-1/8" Thick Doors, 1" Throw Deadbolt, Satin Brass Finish, US4D (606).                                                                                                                                         | EA            | \$144.00 |
| 246 35 2 | Kaba Access Control | 9040000-26D-41    |              | 900 Series Kaba Access Control Mechanical Push Button Deadbolt, Fits 1-3/4"-2-1/8" Thick Doors, 1" Throw Deadbolt, Satin Chrome Finish, US26D (626).                                                                                                                                       | EA            | \$144.00 |
| 246 35 2 | Kaba Access Control | E20318-LL-626-41  |              | E-Plex Light Duty Commercial Cylindrical Electronic Pushbutton Lock, 2-3/4" Backset, Non-Handed (Field Reversible), 100 Access Codes, Key Override: Small Format Interchangeable Core (SFIC) 6 or 7 Pin, Arrow, Best, Falcon, KSP etc. Core not included, Satin Chrome Finish US26D (626). | EA            | \$144.00 |
| 246 35 2 | Kaba Access Control | E2031XS-LL-626-42 |              | E-Plex Light Duty Commercial Cylindrical Electronic Pushbutton Lock, 2-3/4" Backset, Non-Handed (Field Reversible), 100 Access Codes, Key Override: Small Format Interchangeable Core (SFIC) 6 or 7 Pin, Arrow, Best, Falcon, KSP etc. Core not included, Satin Chrome Finish US26D (626). | EA            | \$475.00 |
| 246 35 2 | Kaba Access Control | E5010-BWL-626-41  |              | E-Plex Electronic Digital Exit Trim, Standalone Pushbutton Access Control, Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Exit Device Not included. 3000 users, Satin Chrome US26D/626 Finish.                                    | EA            | \$815.00 |
| 246 35 2 | Kaba Access Control | E5010-MWL-626-41  |              | E-Plex Electronic Digital Exit Trim, Standalone Pushbutton Access Control, Prep For Medeco Removable Core, Core Not Included, Exit Device Not included. 3000 users, Satin Chrome US26D/626 Finish.                                                                                         | EA            | \$815.00 |
| 246 35 2 | Kaba Access Control | E5010-XSWL-626-41 |              | E-Plex Electronic Digital Exit Trim, Standalone Pushbutton Access Control, Key Override: Schlage C keyway, Two Keys Per Lock, Exit Device Not included. 3000 users, Satin Chrome US26D/626 Finish.                                                                                         | EA            | \$815.00 |

| SIN      | MFR_Name            | MFR_Part_Number   | Product_Name | Product_Description                                                                                                                                                                                                                                                                         | Unit_of_Issue | Retail     |
|----------|---------------------|-------------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|
| 246 35 2 | Kaba Access Control | E5031-BWK-626     |              | E-Plex Electronic Cylindrical Digital Knob Lock, Standalone Pushbutton Access Control, Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. Access Control                                                                               | EA            | \$715.00   |
| 246 35 2 | Kaba Access Control | E5031-BWL-626     |              | E-Plex Electronic Cylindrical Digital Lever Lock, Standalone pushbutton access control. Key override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. Access Control                                                                              | EA            | \$715.00   |
| 246 35 2 | Kaba Access Control | E5031-XSWL-626    |              | E-Plex Electronic Cylindrical Digital Lever Lock, Standalone pushbutton access control. Key override: Schlage "C".                                                                                                                                                                          | EA            | \$715.00   |
| 246 35 2 | Kaba Access Control | E5070-626-41      |              | E-Plex Electronic Digital Stand-Alone Pushbutton Access Controller, Wall Mount-Single Gang, Requires 12-24VDC Power (Not Included), 100 Access Codes, 3,000 Event Audit Trail (EP-0300-SW Software Required for Audit, Not Included), Satin Chrome US26D/626 Finish.                        | EA            | \$705.00   |
| 246 35 2 | Kaba Access Control | E5086-BWL-626-41  |              | E-Plex Electronic Digital Standalone Double-Sided Pushbutton Access Control (Pushbutton Access on Both Sides), Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Exit Device Not included. 3000 users, Satin Chrome US26D/626 Finish. | EA            | \$1,325.00 |
| 246 35 2 | Kaba Access Control | E5086-MWL-626-41  |              | E-Plex Electronic Digital Standalone Double-Sided Pushbutton Access Control (Pushbutton Access on Both Sides), Prep For Medeco Removable Core, Core Not Included, Exit Device Not included. 3000 users, Satin Chrome US26D/626 Finish.                                                      | EA            | \$1,325.00 |
| 246 35 2 | Kaba Access Control | E5086-XSWL-626-41 |              | E-Plex Electronic Digital Standalone Double-Sided Pushbutton Access Control (Pushbutton Access on Both Sides),Key Override: Schlage C keyway, Exit Device Not included. 3000 users, Satin Chrome US26D/626 Finish.                                                                          | EA            | \$1,325.00 |
| 246 35 2 | Kaba Access Control | E5710-BWL-626-41  |              | E-Plex Electronic Digital Exit Trim, Proximity Standalone Pushbutton Access Control, Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Exit Device Not included. 3000 users, Satin Chrome US26D/626 Finish.                           | EA            | \$1,225.00 |
| 246 35 2 | Kaba Access Control | E5710-MWL-626-41  |              | E-Plex Electronic Digital Exit Trim, Proximity Standalone Pushbutton Access Control, Prep For Medeco Removable Core, Core Not Included, Exit Device Not included. 3000 users, Satin Chrome US26D/626 Finish.                                                                                | EA            | \$1,225.00 |

| SIN      | MFR_Name            | MFR_Part_Number   | Product_Name | Product_Description                                                                                                                                                                                                                                                                  | Unit_O<br>f_Issue | Retail     |
|----------|---------------------|-------------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------|
| 246 35 2 | Kaba Access Control | E5710-XSWL-626-41 |              | E-Plex Electronic Digital Exit Trim, Proximity Standalone Pushbutton Access Control, Key Override: Schlage C keyway, Two Keys Per Lock, Exit Device Not included. 3000 users, Satin Chrome US26D/626 Finish.                                                                         | EA                | \$1,225.00 |
| 246 35 2 | Kaba Access Control | E5731-BWL-626-41  |              | E-Plex Electronic Cylindrical Digital Lever Locks, Proximity Standalone Pushbutton Access Control, Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included . 3000 users, Satin Chrome US26D/626 Finish.                               | EA                | \$1,125.00 |
| 246 35 2 | Kaba Access Control | E5731-MWL-626-41  |              | E-Plex Electronic Cylindrical Digital Lever Locks, Proximity Standalone Pushbutton Access Control, Prep For Medeco Removable Core, Core Not Included. 3000 users, Satin Chrome US26D/626 Finish.                                                                                     | EA                | \$1,125.00 |
| 246 35 2 | Kaba Access Control | E5731-XKWL-626-41 |              | E-Plex Electronic Cylindrical Digital Lever Locks, Proximity Standalone Pushbutton Access Control, Key Override: Kaba 90 keyway. 3000 users, Satin Chrome US26D/626 Finish                                                                                                           | EA                | \$1,125.00 |
| 246 35 2 | Kaba Access Control | E5731-XSWL-626-41 |              | E-Plex Electronic Cylindrical Digital Lever Locks, Proximity Standalone Pushbutton Access Control, Key Override: Schlage C keyway, Two Keys Per Lock. 3000 users, Satin Chrome US26D/626 Finish.                                                                                     | EA                | \$1,125.00 |
| 246 35 2 | Kaba Access Control | E5770-626-41      |              | E-Plex Electronic Digital Stand-Alone Pushbutton Plus Proximity Access Controller, Wall Mount-Single Gang, Requires 12-24VDC Power (Not Included), 100 Access Codes, 3,000 Event Audit Trail (EP-0300-SW Software Required for Audit, Not Included), Satin Chrome US26D/626 Finish.  | EA                | \$980.00   |
| 246 35 2 | Kaba Access Control | E5810-BWL-626-41  |              | E-Plex Electronic Digital Exit Trim, Proximity FIPS201 Compliant, Standalone Pushbutton Access Control, Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Exit Device Not included. 3000 users, Satin Chrome US26D/626 Finish. | EA                | \$1,425.00 |
| 246 35 2 | Kaba Access Control | E5810-MWL-626-41  |              | E-Plex Electronic Digital Exit Trim, Proximity FIPS201 Compliant, Standalone Pushbutton Access Control, Prep For Medeco Removable Core, Core Not Included .Exit Device Not included. 3000 users, Satin Chrome US26D/626 Finish.                                                      | EA                | \$1,425.00 |
| 246 35 2 | Kaba Access Control | E5810-XSWL-626-41 |              | E-Plex Electronic Digital Exit Trim, Proximity FIPS201 Compliant, Standalone Pushbutton Access Control, Key Override: Schlage C keyway, Two Keys Per Lock, Exit Device Not included. 3000 users, Satin Chrome US26D/626 Finish.                                                      | EA                | \$1,425.00 |

| SIN      | MFR_Name            | MFR_Part_Number    | Product_Name | Product_Description                                                                                                                                                                                                                                                                     | Unit_O<br>f_Issue | Retail     |
|----------|---------------------|--------------------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------|
| 246 35 2 | Kaba Access Control | E5831B-WL-626      |              | E-Plex Electronic Cylindrical Digital Lever Locks, FIPS201 Compatible PACS Standalone Pushbutton Access Control, Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. Access Control                                                 | EA                | \$1,325.00 |
| 246 35 2 | Kaba Access Control | E5831MWL26D-41     |              | E-Plex Electronic Cylindrical Digital Lever Lock, FIPS201 Compatible, Standalone pushbutton access control. Key override: Medeco, ASSA, Yale. Core Not Included. Access Control                                                                                                         | EA                | \$1,325.00 |
| 246 35 2 | Kaba Access Control | E5831S-WL-626      |              | E-Plex Electronic Cylindrical Digital Lever Locks, FIPS201 Compatible PACS Standalone Pushbutton Access Control, Key Override: Schlage Large Format Interchangeable Core (LFIC).                                                                                                        | EA                | \$1,325.00 |
| 246 35 2 | Kaba Access Control | E5831-XKWL-626-41  |              | E-Plex Electronic Cylindrical Digital Lever Lock, FIPS201 Compatible, Standalone pushbutton access control. Key override: Kaba 90 Keyway Cylinder. Access Control, Satin Chrome US26D/626 Finish.                                                                                       | EA                | \$1,325.00 |
| 246 35 2 | Kaba Access Control | E5868-XKWL-626-41  |              | E-Plex Electronic Mortise Digital Lever Lock, FIPS201 Compatible, American Steel Mortise, Standalone pushbutton access control. Key override: Kaba 90 Keyway Cylinder. Access Control, Satin Chrome US26D/626 Finish.                                                                   | EA                | \$1,475.00 |
| 246 35 2 | Kaba Access Control | E5870-626-41       |              | E-Plex Electronic Digital Stand-Alone Pushbutton Access Controller, FIPS201 Compliant, Wall Mount-Single Gang, Requires 12-24VDC Power (Not Included), 100 Access Codes, 3,000 Event Audit Trail (EP-0300-SW Software Required for Audit, Not Included), Satin Chrome US26D/626 Finish. | EA                | \$1,185.00 |
| 246 35 2 | Kaba Access Control | EE21B/21B26D-41    |              | Mechanical Pushbutton Cylindrical Knob Lock, Entry/Egress (Back to Back) PIN Access. Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. Access Control                                                                             | EA                | \$1,060.00 |
| 246 35 2 | Kaba Access Control | EP-EPRISE XX-001   |              | E-Plex Enterprise Software Implementation Kit, SQL Database with Data Encryption for Ultimate Database Security, Manages Up to 3000 Users per door and 10,000 Users Doors Per Site, Manages Multiple Sites.                                                                             | EA                | \$700.00   |
| 246 35 2 | Kaba Access Control | EP-GEN-FIPS-xx-001 |              | E-Plex General FIPS Software Implementation Kit. xx = version                                                                                                                                                                                                                           | EA                | \$1,000.00 |
| 246 35 2 | Kaba Access Control | EPS201UBLL-626     |              | EPS2000 Power Star, works with exit device trim Rim & vertical rod device. SFIC I/C Core Key override. Power Star locks are self-powered electronic locks that do not require batteries. Power is generated with the turn of the lever.                                                 | EA                | \$825.00   |
| 246 35 2 | Kaba Access Control | EPS201UXSLL-626    |              | EPS2000 Power Star, works with exit device trim Rim & vertical rod device. SC1 key override. Power Star locks are self-powered electronic locks that do not require batteries. Power is generated with the turn of the lever.                                                           | EA                | \$825.00   |

| SIN      | MFR_Name            | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                                               | Unit_O<br>f_Issue | Retail   |
|----------|---------------------|-----------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------|
| 246 35 2 | Kaba Access Control | EPS2031B-LL-626 |              | EPS2000 Power Star, SFIC I/C Core Key override. Power Star locks are self-powered electronic locks that do not require batteries. Power is generated with the turn of the lever.                                                                                                                  | EA                | \$725.00 |
| 246 35 2 | Kaba Access Control | EPS2031S-LL-626 |              | EPS2000 Power Star, SC1 key override. Power Star locks are self-powered electronic locks that do not require batteries. Power is generated with the turn of the lever.                                                                                                                            | EA                | \$725.00 |
| 246 35 2 | Kaba Access Control | L8146B-26D-41   |              | Mechanical Pushbutton Mortise Lever Lock, Left-Hand, PIN Access. Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. Access Control                                                                                                           | EA                | \$655.00 |
| 246 35 2 | Kaba Access Control | L8148B-26D-41   |              | Mechanical Pushbutton Mortise Lever Lock With 1" Throw Deadbolt, Left-Hand, PIN Access. Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. Access Control                                                                                    | EA                | \$685.00 |
| 246 35 2 | Kaba Access Control | LL1011-26D-41   |              | Left Hand, Mechanical Pushbutton Cylindrical Lever Lock, PIN Access, Factory handed, not field reversible, Combination only, no key override. Access Control                                                                                                                                      | EA                | \$510.00 |
| 246 35 2 | Kaba Access Control | LL1021B-03-41   |              | L1000 Series Kaba Access Control, Mechanical Pushbutton Cylindrical Lever Lock, Left Hand, PIN Access, Factory handed, Not field reversible. Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. Access Control. Bright Brass 605/US3 finish. | EA                | \$605.00 |
| 246 35 2 | Kaba Access Control | LL1021B-26D-41  |              | Left Hand, Mechanical Pushbutton Cylindrical Lever Lock, PIN Access, Factory handed, Not field reversible. Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. Access Control                                                                 | EA                | \$580.00 |
| 246 35 2 | Kaba Access Control | LL1021M26D-41   |              | Left Hand or Left Hand Reverse Mechanical Pushbutton Cylindrical Lever Lock, PIN Access. Key Override: Medeco, ASSA, Yale. Access Control.                                                                                                                                                        | EA                | \$580.00 |
| 246 35 2 | Kaba Access Control | LL1041B-26D-41  |              | Mechanical Pushbutton Cylindrical Lever Lock With Passage Feature, PIN Access, Left-Hand, Not field reversible. Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. Access Control                                                            | EA                | \$630.00 |
| 246 35 2 | Kaba Access Control | LL1041C-26D-42  |              | Mechanical Pushbutton Cylindrical Lever Lock With Passage Feature, PIN Access, Left-Hand, Not field reversible. Key Override: Corbin Russwin Large Format Removable Core. Core not included. Access Control                                                                                       | EA                | \$630.00 |

| SIN      | MFR_Name            | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                                                | Unit_of_Issue | Retail   |
|----------|---------------------|-----------------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------|
| 246 35 2 | Kaba Access Control | LR1011-26D-41   |              | Right Hand, Mechanical Pushbutton Cylindrical Lever Lock, PIN Access, Factory handed, not field reversible, Combination only, no key override. Access Control                                                                                                                                      | EA            | \$510.00 |
| 246 35 2 | Kaba Access Control | LR1021B-03-41   |              | L1000 Series Kaba Access Control, Mechanical Pushbutton Cylindrical Lever Lock, Right Hand, PIN Access, Factory handed, Not field reversible. Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. Access Control. Bright Brass 605/US3 finish. | EA            | \$605.00 |
| 246 35 2 | Kaba Access Control | LR1021B-26D-41  |              | Right Hand, Mechanical Pushbutton Cylindrical Lever Lock, PIN Access, Factory handed, Not field reversible. Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. Access Control                                                                 | EA            | \$580.00 |
| 246 35 2 | Kaba Access Control | LR1021M26D-41   |              | Right Hand or Right Hand Reverse Mechanical Pushbutton Cylindrical Lever Lock, PIN Access. Key Override: Medeco, ASSA, Yale. Access Control.                                                                                                                                                       | EA            | \$580.00 |
| 246 35 2 | Kaba Access Control | LR1041B-26D-41  |              | Right Hand, Mechanical Pushbutton Cylindrical Lever Lock, PIN Access, Factory handed, Not field reversible. Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. Access Control                                                                 | EA            | \$630.00 |
| 246 35 2 | Kaba Access Control | LR1041C-26D-42  |              | Mechanical Pushbutton Cylindrical Lever Lock With Passage Feature, PIN Access, Right-Hand, Not field reversible. Key Override: Corbin Russwin Large Format Removable Core. Core not included. Access Control                                                                                       | EA            | \$630.00 |
| 246 35 2 | Kaba Access Control | LR8146B-26D-41  |              | Mechanical Pushbutton Mortise Lever Lock, Left-Hand Reverse, PIN Access. Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. Access Control                                                                                                    | EA            | \$655.00 |
| 246 35 2 | Kaba Access Control | LR8148B-26D-41  |              | Mechanical Pushbutton Mortise Lever Lock With 1" Throw Deadbolt, Left-Hand Reverse, PIN Access. Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. Access Control                                                                             | EA            | \$685.00 |
| 246 35 2 | Kaba Access Control | R8146B-26D-41   |              | Mechanical Pushbutton Mortise Lever Lock, Right-Hand, PIN Access. Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. Access Control                                                                                                           | EA            | \$655.00 |

| SIN      | MFR_Name            | MFR_Part_Number               | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                                           | Unit_O<br>f_Issue | Retail     |
|----------|---------------------|-------------------------------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------|
| 246 35 2 | Kaba Access Control | R8148B-26D-41                 |              | Mechanical Pushbutton Mortise Lever Lock With 1" Throw Deadbolt, Right-Hand, PIN Access. Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. Access Control                                                                                                                                                                               | EA                | \$685.00   |
| 246 35 2 | Kaba Access Control | RR8146B-26D-41                |              | Mechanical Pushbutton Mortise Lever Lock, Right-Hand Reverse, PIN Access. Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. Access Control                                                                                                                                                                                              | EA                | \$655.00   |
| 246 35 2 | Kaba Access Control | RR8148B-26D-41                |              | Mechanical Pushbutton Mortise Lever Lock With 1" Throw Deadbolt, Right-Hand Reverse, PIN Access. Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. Access Control                                                                                                                                                                       | EA                | \$685.00   |
| 246 35 2 | Schlage Electronics | AD200993R70KP-SPA-626-BD-RHR  |              | AD200 Offline Electronic Rim/Concealed Vertical Rod Exit Device Trim, Keypad only, Sparta Lever, Prep For Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Right Handed Reverse (Reversible), Satin Chrome (626/US26D) Finish, 4 AA Battery Pack, 5000 Users, 5000 Audits (Handheld HHD Device Required). Schlage Electronics.                       | EA                | \$1,694.00 |
| 246 35 2 | Schlage Electronics | AD200993R70KP-SPA-626-JD-RHR  |              | AD200 Offline Electronic Rim/Concealed Vertical Rod Exit Device Trim, Keypad only, Sparta Lever, Prep For Schlage Full Size Interchangeable Core, Core Not Included, Right Handed Reverse (Reversible), Satin Chrome (626/US26D) Finish, 4 AA Battery Pack, 5000 Users, 5000 Audits (Handheld HHD Device Required). Schlage Electronics.                                                      | EA                | \$1,667.00 |
| 246 35 2 | Schlage Electronics | AD200993R70KP-SPA-626-PD-RHR  |              | AD200 Offline Electronic Rim/Concealed Vertical Rod Exit Device Trim, Keypad only, Sparta Lever, Schlage 6 Pin Full Cylinder, C123 Keyway, Keyed Different, 2 Keys Per Lock, Right Handed Reverse (Reversible), Satin Chrome (626/US26D) Finish, 5000 Users, 4 AA Battery Pack, 5000 Audits (Handheld HHD Device Required). Schlage Electronics.                                              | EA                | \$1,694.00 |
| 246 35 2 | Schlage Electronics | AD200993R70MGK-SPA-626-BD-RHR |              | AD200 Offline Electronic Rim/Concealed Vertical Rod Exit Device Trim, Magnetic Stripe + Keypad (Insert), Sparta Lever, Prep For Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Right Handed Reverse (Reversible), Satin Chrome (626/US26D) Finish, 4 AA Battery Pack, 5000 Users, 5000 Audits (Handheld HHD Device Required). Schlage Electronics. | EA                | \$1,835.00 |

| SIN      | MFR_Name            | MFR_Part_Number               | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                                                              | Unit_O<br>f_Issue | Retail     |
|----------|---------------------|-------------------------------|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------|
| 246 35 2 | Schlage Electronics | AD200993R70MGK-SPA-626-JD-RHR |              | AD200 Offline Electronic Rim/Concealed Vertical Rod Exit Device Trim, Magnetic Stripe + Keypad (Insert), Sparta Lever, Prep For Schlage Full Size Interchangeable Core, Core Not Included, Right Handed Reverse (Reversible), Satin Chrome (626/US26D) Finish, 4 AA Battery Pack, 5000 Users, 5000 Audits (Handheld HHD Device Required). Schlage Electronics.                                                   | EA                | \$1,808.00 |
| 246 35 2 | Schlage Electronics | AD200993R70MGK-SPA-626-PD-RHR |              | AD200 Offline Electronic Rim/Concealed Vertical Rod Exit Device Trim, Magnetic Stripe + Keypad (Insert), Sparta Lever, Schlage 6 Pin Full Cylinder, C123 Keyway, Keyed Different, 2 Keys Per Lock, Right Handed Reverse (Reversible), Satin Chrome (626/US26D) Finish, 4 AA Battery Pack, 5000 Users, 5000 Audits (Handheld HHD Device Required). Schlage Electronics.                                           | EA                | \$1,835.00 |
| 246 35 2 | Schlage Electronics | AD200993R70MTK-SPA-626-BD-RHR |              | AD200 Offline Electronic Rim/Concealed Vertical Rod Exit Device Trim, Multi-Technology + Keypad I Proximity and Smart Card, Sparta Lever, Prep For Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Right Handed Reverse (Reversible), Satin Chrome (626/US26D) Finish, 4 AA Battery Pack, 5000 Users, 5000 Audits (Handheld HHD Device Required). Schlage Electronics. | EA                | \$1,898.00 |
| 246 35 2 | Schlage Electronics | AD200993R70MTK-SPA-626-JD-RHR |              | AD200 Offline Electronic Rim/Concealed Vertical Rod Exit Device Trim, Multi-Technology + Keypad I Proximity and Smart Card, Sparta Lever, Prep For Schlage Full Size Interchangeable Core, Core Not Included, Right Handed Reverse (Reversible), Satin Chrome (626/US26D) Finish, 4 AA Battery Pack, 5000 Users, 5000 Audits (Handheld HHD Device Required). Schlage Electronics.                                | EA                | \$1,871.00 |
| 246 35 2 | Schlage Electronics | AD200993R70MTK-SPA-626-PD-RHR |              | AD200 Offline Electronic Rim/Concealed Vertical Rod Exit Device Trim, Multi-Technology + Keypad I Proximity and Smart Card, Sparta Lever, Schlage 6 Pin Full Cylinder, C123 Keyway, Keyed Different, 2 Keys Per Lock, Right Handed Reverse (Reversible), Satin Chrome (626/US26D) Finish, 5000 Users, 4 AA Battery Pack, 5000 Audits (Handheld HHD Device Required). Schlage Electronics.                        | EA                | \$1,898.00 |
| 246 35 2 | Schlage Electronics | AD200CY70KP-SPA-626-BD-RH     |              | AD200 Offline Electronic Cylindrical Lock, 2-3/4" backset, Ansi Strike, Keypad only, Sparta Lever, Prep For Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Right Handed (Reversible), Satin Chrome (626/US26D) Finish, 4 AA Battery Pack, 5000 Users, 5000 Audits (Handheld HHD Device Required). Schlage Electronics.                                                | EA                | \$1,423.00 |

| SIN      | MFR_Name            | MFR_Part_Number            | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                                                        | Unit_O<br>f_Issue | Retail     |
|----------|---------------------|----------------------------|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------|
| 246 35 2 | Schlage Electronics | AD200CY70KP-SPA-626-JD-RH  |              | AD200 Offline Electronic Cylindrical Lock, 2-3/4" backset, Ansi Strike, Keypad only, Sparta Lever, Prep For Schlage Full Size Interchangeable Core, Core Not Included, Right Handed (Reversible), Satin Chrome (626/US26D) Finish, 4 AA Battery Pack, 5000 Users, 5000 Audits (Handheld HHD Device Required). Schlage Electronics.                                                                         | EA                | \$1,396.00 |
| 246 35 2 | Schlage Electronics | AD200CY70KP-SPA-626-PD-RH  |              | AD200 Offline Electronic Cylindrical Lock, 2-3/4" backset, Ansi Strike, Keypad only, Sparta Lever, Schlage 6 Pin Full Cylinder, C123 Keyway, Keyed Different, 2 Keys Per Lock, Right Handed (Reversible), Satin Chrome (626/US26D) Finish, 5000 Users, 4 AA Battery Pack, 5000 Audits (Handheld HHD Device Required). Schlage Electronics.                                                                 | EA                | \$1,423.00 |
| 246 35 2 | Schlage Electronics | AD200CY70MTK-SPA-626-BD-RH |              | AD200 Offline Electronic Cylindrical Lock, 2-3/4" backset, Ansi Strike, Multi-Technology + Keypad I Proximity and Smart Card, Sparta Lever, Prep for Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Right Handed (Reversible), Satin Chrome (626/US26D) Finish, 5000 Users, 4 AA Battery Pack, 5000 Audits (Handheld HHD Device Required). Schlage Electronics. | EA                | \$1,627.00 |
| 246 35 2 | Schlage Electronics | AD200CY70MTK-SPA-626-JD-RH |              | AD200 Offline Electronic Cylindrical Lock, 2-3/4" backset, Ansi Strike, Multi-Technology + Keypad I Proximity and Smart Card, Sparta Lever, Prep For Schlage Full Sized Interchangeable Core, Core not included, Right Handed (Reversible), Satin Chrome (626/US26D) Finish, 5000 Users, 4 AA Battery Pack, 5000 Audits (Handheld HHD Device Required). Schlage Electronics.                               | EA                | \$1,600.00 |
| 246 35 2 | Schlage Electronics | AD200CY70MTK-SPA-626-PD-RH |              | AD200 Offline Electronic Cylindrical Lock, 2-3/4" backset, Ansi Strike, Multi-Technology + Keypad I Proximity and Smart Card, Sparta Lever, Schlage 6 Pin Full Cylinder, C123 Keyway, Keyed Different, 2 Keys Per Lock, Right Handed (Reversible), Satin Chrome (626/US26D) Finish, 5000 Users, 4 AA Battery Pack, 5000 Audits (Handheld HHD Device Required). Schlage Electronics.                        | EA                | \$1,627.00 |
| 246 35 2 | Schlage Electronics | AD200MS70KP-SPA-626-BD-RH  |              | AD200 Offline Electronic Mortise Lock, Keypad only, Sparta Lever, Prep For Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Right Handed (Reversible), Satin Chrome (626/US26D) Finish, 4 AA Battery Pack, 5000 Users, 5000 Audits (Handheld HHD Device Required). Schlage Electronics.                                                                           | EA                | \$1,572.00 |

| SIN      | MFR_Name            | MFR_Part_Number            | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                       | Unit_of_Issue | Retail     |
|----------|---------------------|----------------------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|
| 246 35 2 | Schlage Electronics | AD200MS70KP-SPA-626-JD-RH  |              | AD200 Offline Electronic Mortise Lock, Keypad only, Sparta Lever, Prep For Schlage Full Size Interchangeable Core, Core Not Included, Right Handed (Reversible), Satin Chrome (626/US26D) Finish, 4 AA Battery Pack, 5000 Users, 5000 Audits (Handheld HHD Device Required). Schlage Electronics.                                                                         | EA            | \$1,545.00 |
| 246 35 2 | Schlage Electronics | AD200MS70KP-SPA-626-PD-RH  |              | AD200 Offline Electronic Mortise Lock, Keypad only, Sparta Lever, Schlage 6 Pin Full Cylinder, C123 Keyway, Keyed Different, 2 Keys Per Lock, Right Handed (Reversible), Satin Chrome (626/US26D) Finish, 4 AA Battery Pack, 5000 Users, 5000 Audits (Handheld HHD Device Required). Schlage Electronics.                                                                 | EA            | \$1,572.00 |
| 246 35 2 | Schlage Electronics | AD200MS70MTK-SPA-626-BD-RH |              | AD200 Offline Electronic Mortise Lock, Multi-Technology + Keypad I Proximity and Smart Card, Sparta Lever, Prep For Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Right Handed (Reversible), Satin Chrome (626/US26D) Finish, 4 AA Battery Pack, 5000 Users, 5000 Audits (Handheld HHD Device Required). Schlage Electronics. | EA            | \$1,776.00 |
| 246 35 2 | Schlage Electronics | AD200MS70MTK-SPA-626-JD-RH |              | AD200 Offline Electronic Mortise Lock, Multi-Technology + Keypad I Proximity and Smart Card, Sparta Lever, Prep For Schlage Full Size Interchangeable Core, Core Not Included, Right Handed (Reversible), Satin Chrome (626/US26D) Finish, 4 AA Battery Pack, 5000 Users, 5000 Audits (Handheld HHD Device Required). Schlage Electronics.                                | EA            | \$1,749.00 |
| 246 35 2 | Schlage Electronics | AD200MS70MTK-SPA-626-PD-RH |              | AD200 Offline Electronic Mortise Lock, Multi-Technology + Keypad I Proximity and Smart Card, Sparta Lever, Schlage 6 Pin Full Cylinder, C123 Keyway, Keyed Different, 2 Keys Per Lock, Right Handed (Reversible), Satin Chrome (626/US26D) Finish, 4 AA Battery Pack, 5000 Users, 5000 Audits (Handheld HHD Device Required). Schlage Electronics.                        | EA            | \$1,776.00 |
| 246 35 2 | Schlage Electronics | AD301993R70FMK-626-BD-RHR  |              | AD301 Networked Hardwired FIPS-201 Compliant, Multi-Technology + Keypad I Proximity and Smart Card (PIV-II), Electronic Exit Device Trim, Sparta Lever, Prep For Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Right Handed Reverse (Reversible), Satin Chrome Finish (626/US26D). Schlage Electronics.                       | EA            | \$2,252.00 |
| 246 35 2 | Schlage Electronics | AD301993R70FMK-626-JD-RHR  |              | AD301 Networked Hardwired FIPS-201 Compliant, Multi-Technology + Keypad I Proximity and Smart Card (PIV-II), Electronic Exit Device Trim, Sparta Lever, Prep For Schlage Full Sized Interchangeable Core, Core not included, Right Handed Reverse (Reversible), Satin Chrome Finish (626/US26D). Schlage Electronics.                                                     | EA            | \$2,225.00 |

| SIN      | MFR_Name            | MFR_Part_Number            | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                      | Unit_O<br>f_Issue | Retail     |
|----------|---------------------|----------------------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------|
| 246 35 2 | Schlage Electronics | AD301993R70FMK-626-PD-RHR  |              | AD301 Networked Hardwired FIPS-201 Compliant, Multi-Technology + Keypad I Proximity and Smart Card (PIV-II), Electronic Exit Device Trim , Sparta Lever, Schlage 6 Pin Full Cylinder, C123 Keyway, Keyed Different with Two Keys Per lock, Right Handed Reverse (Reversible), Satin Chrome Finish (626/US26D). Schlage Electronics.                                      | EA                | \$2,252.00 |
| 246 35 2 | Schlage Electronics | AD301CY70FMK-SPA-626-BD-RH |              | AD301 Networked Hardwired FIPS-201 Compliant, Multi-Technology + Keypad I Proximity and Smart Card (PIV-II), Cylindrical Electronic Lock, Prep for Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Sparta Lever, Right Handed (Reversible), 2-3/4" Backset, Ansi Strike, Satin Chrome Finish (626/US26D). Schlage Electronics. | EA                | \$1,981.00 |
| 246 35 2 | Schlage Electronics | AD301CY70FMK-SPA-626-JD-RH |              | AD301 Networked Hardwired FIPS-201 Compliant, Multi-Technology + Keypad I Proximity and Smart Card (PIV-II), Cylindrical Electronic Lock, Sparta Lever, Prep for Schlage Full Sized Interchangeable Core, Core Not Included, Right Handed (Reversible), 2-3/4" Backset, Ansi Strike, Satin Chrome Finish (626/US26D). Schlage Electronics.                               | EA                | \$1,954.00 |
| 246 35 2 | Schlage Electronics | AD301CY70FMK-SPA-626-PD-RH |              | AD301 Networked Hardwired FIPS-201 Compliant, Multi-Technology + Keypad I Proximity and Smart Card (PIV-II), Cylindrical Electronic Lock, Sparta Lever, Schlage 6 Pin Full Cylinder, C123 Keyway, Keyed Different with Two Keys Per lock, Right Handed (Reversible), 2-3/4" Backset, Satin Chrome Finish (626/US26D). Schlage Electronics.                               | EA                | \$1,981.00 |
| 246 35 2 | Schlage Electronics | AD301MS70FMK-SPA-626-BD-RH |              | AD301 Networked Hardwired FIPS-201 Compliant, Multi-Technology + Keypad I Proximity and Smart Card (PIV II), Mortise Electronic Lock, Prep for Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Sparta Lever, Right Handed (Reversible), Satin Chrome (626/US26D). Schlage Electronics.                                         | EA                | \$2,141.00 |
| 246 35 2 | Schlage Electronics | AD301MS70FMK-SPA-626-JD-RH |              | AD301 Networked Hardwired FIPS-201 Compliant, Multi-Technology + Keypad I Proximity and Smart Card (PIV II), Mortise Electronic Lock, Sparta Lever, Prep for Schlage Full Sized Interchangeable Core, Core Not Included, Right Handed (Reversible), Satin Chrome (626/US26D). Schlage Electronics.                                                                       | EA                | \$2,114.00 |
| 246 35 2 | Schlage Electronics | AD301MS70FMK-SPA-626-PD-RH |              | AD301 Networked Hardwired FIPS-201 Compliant, Multi-Technology + Keypad I Proximity and Smart Card (PIV II), Mortise Electronic Lock, Sparta Lever, Schlage 6 Pin Full Cylinder, C123 Keyway, Keyed Different With Two Keys Per Lock (Rekeyable), Right Handed (Reversible), Satin Chrome (626/US26D). Schlage Electronics.                                              | EA                | \$2,141.00 |

| SIN      | MFR_Name            | MFR_Part_Number            | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                            | Unit_of_Issue | Retail     |
|----------|---------------------|----------------------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|
| 246 35 2 | Schlage Electronics | AD401993R70FMK-626-BD-RHR  |              | AD401 Networked Wireless FIPS-201 Compliant, Multi-Technology + Keypad I Proximity and Smart Card (PIV-II), Electronic Rim or Service Vertical Rod Exit Device Trim, Sparta Lever, Prep for Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Right Handed Reverse (Reversible), Satin Chrome Finish (626/US26D). Schlage Electronics. | EA            | \$2,395.00 |
| 246 35 2 | Schlage Electronics | AD401993R70FMK-626-JD-RHR  |              | AD401 Networked Wireless FIPS-201 Compliant, Multi-Technology + Keypad I Proximity and Smart Card (PIV-II), Electronic Rim or Service Vertical Rod Exit Device Trim, Sparta Lever, Prep For Schlage Full Sized Interchangeable Core, Core not included, Right Handed Reverse (Reversible), Satin Chrome Finish (626/US26D). Schlage Electronics.                               | EA            | \$2,368.00 |
| 246 35 2 | Schlage Electronics | AD401993R70FMK-626-PD-RHR  |              | AD401 Networked Wireless FIPS-201 Compliant, Multi-Technology + Keypad I Proximity and Smart Card (PIV-II), Electronic Rim or Service Vertical Rod Exit Device Trim, Sparta Lever, Schlage 6 Pin Full Cylinder, C123 Keyway, Keyed Different with Two Keys Per lock, Right Handed Reverse (Reversible), Satin Chrome Finish (626/US26D). Schlage Electronics.                  | EA            | \$2,395.00 |
| 246 35 2 | Schlage Electronics | AD401CY70FMK-SPA-626-BD-RH |              | AD401 Networked Wireless FIPS-201 Compliant, Multi-Technology + Keypad I Proximity and Smart Card (PIV-II), Cylindrical Electronic Lock, Prep for Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Sparta Lever, Right Handed (Reversible), 2-3/4" Backset, Ansi Strike, Satin Chrome Finish (626/US26D). Schlage Electronics.        | EA            | \$2,106.00 |
| 246 35 2 | Schlage Electronics | AD401CY70FMK-SPA-626-JD-RH |              | AD401 Networked Wireless FIPS-201 Compliant, Multi-Technology + Keypad I Proximity and Smart Card (PIV-II), Cylindrical Electronic Lock, Prep For Schlage Full Sized Interchangeable Core, Core not included, Sparta Lever, Right Handed (Reversible), 2-3/4" Backset, Ansi Strike, Satin Chrome Finish (626/US26D). Schlage Electronics.                                      | EA            | \$2,079.00 |
| 246 35 2 | Schlage Electronics | AD401CY70FMK-SPA-626-PD-RH |              | AD401 Networked Wireless FIPS-201 Compliant, Multi-Technology + Keypad I Proximity and Smart Card (PIV-II), Cylindrical Electronic Lock, Schlage 6 Pin Full Cylinder, C123 Keyway, Keyed Different with Two Keys Per lock, Sparta Lever, Right Handed(Reversible), 2-3/4" Backset, Ansi Strike, Satin Chrome Finish (626/US26D). Schlage Electronics.                          | EA            | \$2,106.00 |

| SIN      | MFR_Name            | MFR_Part_Number               | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                          | Unit_O<br>f_Issue | Retail     |
|----------|---------------------|-------------------------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------|
| 246 35 2 | Schlage Electronics | AD401MS70FMK-SPA-626-BD-RH    |              | AD401 Networked Wireless FIPS-201 Compliant, Multi-Technology + Keypad I Proximity and Smart Card (PIV II), Mortise Electronic Lock, Sparta Lever, Prep for Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Right Handed Reverse (Reversible), Satin Chrome (626/US26D). Schlage Electronics.                      | EA                | \$2,289.00 |
| 246 35 2 | Schlage Electronics | AD401MS70FMK-SPA-626-JD-RH    |              | AD401 Networked Wireless FIPS-201 Compliant, Multi-Technology + Keypad I Proximity and Smart Card (PIV II), Mortise Electronic Lock, Sparta Lever, Prep For Schlage Full Sized Interchangeable Core, Core not included, Right Handed Reverse (Reversible), Satin Chrome (626/US26D). Schlage Electronics.                                                    | EA                | \$2,262.00 |
| 246 35 2 | Schlage Electronics | AD401MS70FMK-SPA-626-PD-RH    |              | AD401 Networked Wireless FIPS-201 Compliant, Multi-Technology + Keypad I Proximity and Smart Card (PIV II), Mortise Electronic Lock, Sparta Lever, Schlage 6 Pin Full Cylinder, C123 Keyway, Keyed Different With Two Keys Per Lock, Right Handed (Reversible), Satin Chrome (626/US26D). Schlage Electronics.                                               | EA                | \$2,289.00 |
| 246 35 2 | Schlage Electronics | CO100993R70KP -SPA-626-BD-RHR |              | CO100 Offline Electronic Rim/Concealed Vertical Rod Exit Device Trim, 12 Button Keypad, 500 Users, Keypad Programmable Only, Sparta Lever, 4AA Battery, Prep for Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Satin Chrome (626/US26D) Finish, Right Handed Reverse (Field Reversible).                         | EA                | \$948.00   |
| 246 35 2 | Schlage Electronics | CO100993R70KP -SPA-626-JD-RHR |              | CO100 Offline Electronic Rim/Concealed Vertical Rod Exit Device Trim, 12 Button Keypad, 500 Users, Keypad Programmable Only, Sparta Lever, 4AA Battery, Prep For Schlage Large Format Interchangeable Core, Less Core, Satin Chrome (626/US26D) Finish, Right Handed Reverse (Field Reversible).                                                             | EA                | \$921.00   |
| 246 35 2 | Schlage Electronics | CO100993R70KP -SPA-626-PD-RHR |              | CO100 Offline Electronic Rim/Concealed Vertical Rod Exit Device Trim, 12 Button Keypad, 500 Users, Keypad Programmable Only, Sparta Lever, 4AA Battery, C123 Keyway, Keyed Different, 2 Keys Per Lock, Satin Chrome (626/US26D) Finish, Right Handed Reverse (Field Reversible).                                                                             | EA                | \$948.00   |
| 246 35 2 | Schlage Electronics | CO100CY70KP -SPA-626-BD-RH    |              | CO100 Offline Electronic Cylindrical Lock, 12 Button Keypad, Classroom/Storeroom Function, 500 Users, Keypad Programmable Only, Sparta Lever, 2-3/4" Backset, Ansi Strike, 4AA Battery, Prep for Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible). | EA                | \$686.00   |

| SIN      | MFR_Name            | MFR_Part_Number              | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                                                 | Unit_O<br>f_Issue | Retail     |
|----------|---------------------|------------------------------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------|
| 246 35 2 | Schlage Electronics | CO100CY70KP-SPA-626-JD-RH    |              | CO100 Offline Electronic Cylindrical Lock, 12 Button Keypad, Classroom/Storeroom Function, 500 Users, Keypad Programmable Only, Sparta Lever, 2-3/4" Backset, Ansi Strike, 4AA Battery, Prep For Schlage Large Format Interchangeable Core, Less Core, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible).                                                                            | EA                | \$659.00   |
| 246 35 2 | Schlage Electronics | CO100CY70KP-SPA-626-PD-RH    |              | CO100 Offline Electronic Cylindrical Lock, 12 Button Keypad, Classroom/Storeroom Function, 500 Users, Keypad Programmable Only, Sparta Lever, 2-3/4" Backset, Ansi Strike, 4AA Battery, C123 Keyway, Keyed Different, 2 Keys Per Lock, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible).                                                                                            | EA                | \$686.00   |
| 246 35 2 | Schlage Electronics | CO100MS70KP-SPA-626-BD-RH    |              | CO100 Offline Electronic Mortise Lock, 12 Button Keypad, 500 Users, Keypad Programmable Only, Sparta Lever, 4AA Battery, Prep for Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible).                                                                                                       | EA                | \$818.00   |
| 246 35 2 | Schlage Electronics | CO100MS70KP-SPA-626-JD-RH    |              | CO100 Offline Electronic Mortise Lock, 12 Button Keypad, Classroom/Storeroom Function, 500 Users, Keypad Programmable Only, Sparta Lever, 4AA Battery, Prep For Schlage Large Format Interchangeable Core, Less Core, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible).                                                                                                             | EA                | \$791.00   |
| 246 35 2 | Schlage Electronics | CO100MS70KP-SPA-626-PD-RH    |              | CO100 Offline Electronic Mortise Lock, 12 Button Keypad, 500 Users, Keypad Programmable Only, Sparta Lever, 4AA Battery, C123 Keyway, Keyed Different, 2 Keys Per Lock, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible).                                                                                                                                                           | EA                | \$818.00   |
| 246 35 2 | Schlage Electronics | CO200993R70KP-SPA-626-BD-RHR |              | CO200 Offline Electronic Rim/Concealed Vertical Rod Exit Device Trim, User Access Rights Stored in Lock, 12 Button Keypad, Computer Programmed (HHD KIT required), 1000 Users, 2000 Audits, Sparta Lever, 4AA Battery, Prep for Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Satin Chrome (626/US26D) Finish, Right Handed Reverse (Field Reversible). | EA                | \$1,106.00 |
| 246 35 2 | Schlage Electronics | CO200993R70KP-SPA-626-JD-RHR |              | CO200 Offline Electronic Rim/Concealed Vertical Rod Exit Device Trim, User Access Rights Stored in Lock, 12 Button Keypad, Computer Programmed (HHD KIT required), 1000 Users, 2000 Audits, Sparta Lever, 4AA Battery, Prep For Schlage Large Format Interchangeable Core, Less Core, Satin Chrome (626/US26D) Finish, Right Handed Reverse (Field Reversible).                                     | EA                | \$1,079.00 |

| SIN      | MFR_Name            | MFR_Part_Number               | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                                                                             | Unit_O<br>f_Issue | Retail     |
|----------|---------------------|-------------------------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------|
| 246 35 2 | Schlage Electronics | CO200993R70KP-SPA-626-PD-RHR  |              | CO200 Offline Electronic Rim/Concealed Vertical Rod Exit Device Trim, User Access Rights Stored in Lock, 12 Button Keypad, Computer Programmed (HHD KIT required), 1000 Users, 2000 Audits, Sparta Lever, 4AA Battery, C123 Keyway, Keyed Different, 2 Keys Per Lock, Satin Chrome (626/US26D) Finish, Right Handed Reverse (Field Reversible).                                                                                 | EA                | \$1,106.00 |
| 246 35 2 | Schlage Electronics | CO200993R70MSK-SPA-626-BD-RHR |              | CO200 Offline Electronic Rim/Concealed Vertical Rod Exit Device Trim, User Access Rights Stored in Lock, Magnetic Stripe (swipe) + Keypad (12 button), Computer Programmed (HHD KIT required), 1000 Users, 2000 Audits, Sparta Lever, 4AA Battery, Prep for Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Satin Chrome (626/US26D) Finish, Right Handed Reverse (Field Reversible). | EA                | \$1,234.00 |
| 246 35 2 | Schlage Electronics | CO200993R70MSK-SPA-626-JD-RHR |              | CO200 Offline Electronic Rim/Concealed Vertical Rod Exit Device Trim, User Access Rights Stored in Lock, Magnetic Stripe (swipe) + Keypad (12 button), Computer Programmed (HHD KIT required), 1000 Users, 2000 Audits, Sparta Lever, 4AA Battery, Prep For Schlage Large Format Interchangeable Core, Less Core, Satin Chrome (626/US26D) Finish, Right Handed Reverse (Field Reversible).                                     | EA                | \$1,207.00 |
| 246 35 2 | Schlage Electronics | CO200993R70MSK-SPA-626-PD-RHR |              | CO200 Offline Electronic Rim/Concealed Vertical Rod Exit Device Trim, User Access Rights Stored in Lock, Magnetic Stripe (swipe) + Keypad (12 button), Computer Programmed (HHD KIT required), 1000 Users, 2000 Audits, Sparta Lever, 4AA Battery, C123 Keyway, Keyed Different, 2 Keys Per Lock, Satin Chrome (626/US26D) Finish, Right Handed Reverse (Field Reversible).                                                     | EA                | \$1,234.00 |
| 246 35 2 | Schlage Electronics | CO200CY70KP-SPA-626-BD-RH     |              | CO200 Offline Electronic Cylindrical Lock, User Access Rights Stored in Lock, 12 Button Keypad, Classroom/Storeroom Function, Computer Programmed (HHD KIT required), 1000 Users, 2000 Audits, Sparta Lever, 2-3/4" Backset, Ansi Strike, 4AA Battery, Prep for Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible).     | EA                | \$835.00   |

| SIN      | MFR_Name            | MFR_Part_Number            | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                                                                                                     | Unit_of_Issue | Retail   |
|----------|---------------------|----------------------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------|
| 246 35 2 | Schlage Electronics | CO200CY70KP-SPA-626-JD-RH  |              | CO200 Offline Electronic Cylindrical Lock, User Access Rights Stored in Lock, 12 Button Keypad, Classroom/Storeroom Function, Computer Programmed (HHD KIT required), 1000 Users, 2000 Audits, Sparta Lever, 2-3/4" Backset, Ansi Strike, 4AA Battery, Prep For Schlage Large Format Interchangeable Core, Less Core, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible).                                                                 | EA            | \$808.00 |
| 246 35 2 | Schlage Electronics | CO200CY70KP-SPA-626-PD-RH  |              | CO200 Offline Electronic Cylindrical Lock, User Access Rights Stored in Lock, 12 Button Keypad, Classroom/Storeroom Function, Computer Programmed (HHD KIT required), 1000 Users, 2000 Audits, Sparta Lever, 2-3/4" Backset, Ansi Strike, 4AA Battery, C123 Keyway, Keyed Different, 2 Keys Per Lock, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible).                                                                                 | EA            | \$835.00 |
| 246 35 2 | Schlage Electronics | CO200CY70MSK-SPA-626-BD-RH |              | CO200 Offline Electronic Cylindrical Lock, User Access Rights Stored in Lock, Magnetic Stripe (swipe) + Keypad (12 button), Classroom/Storeroom Function, Computer Programmed (HHD KIT required), 1000 Users, 2000 Audits, Sparta Lever, 2-3/4" Backset, Ansi Strike, 4AA Battery, Prep for Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible). | EA            | \$963.00 |
| 246 35 2 | Schlage Electronics | CO200CY70MSK-SPA-626-JD-RH |              | CO200 Offline Electronic Cylindrical Lock, User Access Rights Stored in Lock, Magnetic Stripe (swipe) + Keypad (12 button), Classroom/Storeroom Function, Computer Programmed (HHD KIT required), 1000 Users, 2000 Audits, Sparta Lever, 2-3/4" Backset, Ansi Strike, 4AA Battery, Prep For Schlage Large Format Interchangeable Core, Less Core, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible).                                     | EA            | \$936.00 |
| 246 35 2 | Schlage Electronics | CO200CY70MSK-SPA-626-PD-RH |              | CO200 Offline Electronic Cylindrical Lock, User Access Rights Stored in Lock, Magnetic Stripe (swipe) + Keypad (12 button), Classroom/Storeroom Function, Computer Programmed (HHD KIT required), 1000 Users, 2000 Audits, Sparta Lever, 2-3/4" Backset, Ansi Strike, 4AA Battery, C123 Keyway, Keyed Different, 2 Keys Per Lock, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible).                                                     | EA            | \$963.00 |

| SIN      | MFR_Name            | MFR_Part_Number            | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                                                                                       | Unit_O<br>f_Issue | Retail     |
|----------|---------------------|----------------------------|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------|
| 246 35 2 | Schlage Electronics | CO200CY70PRK-SPA-626-BD-RH |              | CO200 Offline Electronic Cylindrical Lock, User Access Rights Stored in Lock, Proximity + Keypad (12 button), Classroom/Storeroom Function, Computer Programmed (HHD KIT required), 1000 Users, 2000 Audits, Sparta Lever, 2-3/4" Backset, Ansi Strike, 4AA Battery, Prep for Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible). | EA                | \$1,014.00 |
| 246 35 2 | Schlage Electronics | CO200CY70PRK-SPA-626-JD-RH |              | CO200 Offline Electronic Cylindrical Lock, User Access Rights Stored in Lock, Proximity + Keypad (12 button), Classroom/Storeroom Function, Computer Programmed (HHD KIT required), 1000 Users, 2000 Audits, Sparta Lever, 2-3/4" Backset, Ansi Strike, 4AA Battery, Prep For Schlage Large Format Interchangeable Core, Less Core, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible).                                     | EA                | \$987.00   |
| 246 35 2 | Schlage Electronics | CO200CY70PRK-SPA-626-PD-RH |              | CO200 Offline Electronic Cylindrical Lock, User Access Rights Stored in Lock, Proximity + Keypad (12 button), Classroom/Storeroom Function, Computer Programmed (HHD KIT required), 1000 Users, 2000 Audits, Sparta Lever, 2-3/4" Backset, Ansi Strike, 4AA Battery, C123 Keyway, Keyed Different, 2 Keys Per Lock, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible).                                                     | EA                | \$1,014.00 |
| 246 35 2 | Schlage Electronics | CO200MS70KP-SPA-626-BD-RH  |              | CO200 Offline Electronic Mortise Lock, User Access Rights Stored in Lock, 12 Button Keypad, Classroom/Storeroom Function, Computer Programmed (HHD KIT required), 1000 Users, 2000 Audits, Sparta Lever, 4AA Battery, Prep for Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible).                                                | EA                | \$984.00   |
| 246 35 2 | Schlage Electronics | CO200MS70KP-SPA-626-JD-RH  |              | CO200 Offline Electronic Mortise Lock, User Access Rights Stored in Lock, 12 Button Keypad, Classroom/Storeroom Function, Computer Programmed (HHD KIT required), 1000 Users, 2000 Audits, Sparta Lever, 4AA Battery, Prep For Schlage Large Format Interchangeable Core, Less Core, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible).                                                                                    | EA                | \$957.00   |
| 246 35 2 | Schlage Electronics | CO200MS70KP-SPA-626-PD-RH  |              | CO200 Offline Electronic Mortise Lock, User Access Rights Stored in Lock, 12 Button Keypad, Classroom/Storeroom Function, Computer Programmed (HHD KIT required), 1000 Users, 2000 Audits, Sparta Lever, 4AA Battery, C123 Keyway, Keyed Different, 2 Keys Per Lock, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible).                                                                                                    | EA                | \$984.00   |

| SIN      | MFR_Name            | MFR_Part_Number            | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                                                                    | Unit_of_Issue | Retail     |
|----------|---------------------|----------------------------|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|
| 246 35 2 | Schlage Electronics | CO200MS70MSK-SPA-626-BD-RH |              | CO200 Offline Electronic Mortise Lock, User Access Rights Stored in Lock, Magnetic Stripe (swipe) + Keypad (12 button), Classroom/Storeroom Function, Computer Programmed (HHD KIT required), 1000 Users, 2000 Audits, Sparta Lever, 4AA Battery, Prep for Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible). | EA            | \$1,112.00 |
| 246 35 2 | Schlage Electronics | CO200MS70MSK-SPA-626-JD-RH |              | CO200 Offline Electronic Mortise Lock, User Access Rights Stored in Lock, Magnetic Stripe (swipe) + Keypad (12 button), Classroom/Storeroom Function, Computer Programmed (HHD KIT required), 1000 Users, 2000 Audits, Sparta Lever, 4AA Battery, Prep For Schlage Large Format Interchangeable Core, Less Core, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible).                                     | EA            | \$1,085.00 |
| 246 35 2 | Schlage Electronics | CO200MS70MSK-SPA-626-PD-RH |              | CO200 Offline Electronic Mortise Lock, User Access Rights Stored in Lock, Magnetic Stripe (swipe) + Keypad (12 button), Classroom/Storeroom Function, Computer Programmed (HHD KIT required), 1000 Users, 2000 Audits, Sparta Lever, 4AA Battery, C123 Keyway, Keyed Different, 2 Keys Per Lock, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible).                                                     | EA            | \$1,112.00 |
| 246 35 2 | Schlage Electronics | CO200MS70PRK-SPA-626-BD-RH |              | CO200 Offline Electronic Mortise Lock, User Access Rights Stored in Lock, Proximity + Keypad (12 button), Classroom/Storeroom Function, Computer Programmed (HHD KIT required), 1000 Users, 2000 Audits, Sparta Lever, 4AA Battery, Prep for Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible).               | EA            | \$1,163.00 |
| 246 35 2 | Schlage Electronics | CO200MS70PRK-SPA-626-JD-RH |              | CO200 Offline Electronic Mortise Lock, User Access Rights Stored in Lock, Proximity + Keypad (12 button), Classroom/Storeroom Function, Computer Programmed (HHD KIT required), 1000 Users, 2000 Audits, Sparta Lever, 4AA Battery, Prep For Schlage Large Format Interchangeable Core, Less Core, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible).                                                   | EA            | \$1,136.00 |
| 246 35 2 | Schlage Electronics | CO200MS70PRK-SPA-626-PD-RH |              | CO200 Offline Electronic Mortise Lock, User Access Rights Stored in Lock, Proximity + Keypad (12 button), Classroom/Storeroom Function, Computer Programmed (HHD KIT required), 1000 Users, 2000 Audits, Sparta Lever, 4AA Battery, C123 Keyway, Keyed Different, 2 Keys Per Lock, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible).                                                                   | EA            | \$1,163.00 |

| SIN      | MFR_Name            | MFR_Part_Number               | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                                                                                                          | Unit_O<br>f_Issue | Retail     |
|----------|---------------------|-------------------------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------|
| 246 35 2 | Schlage Electronics | CO250993R70MSK-SPA-626-BD-RHR |              | CO250 Offline Electronic Rim/Concealed Vertical Rod Exit Device Trim, User Access Rights Stored on Card, Magnetic Stripe (swipe) + Keypad (12 button), Computer Programmed (HHD KIT required), Unlimited Users, 4000 Audits, Sparta Lever, 4AA Battery, Prep for Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Satin Chrome (626/US26D) Finish, Right Handed Reverse (Field Reversible).                         | EA                | \$1,239.00 |
| 246 35 2 | Schlage Electronics | CO250993R70MSK-SPA-626-JD-RHR |              | CO250 Offline Electronic Rim/Concealed Vertical Rod Exit Device Trim, User Access Rights Stored on Card, Magnetic Stripe (swipe) + Keypad (12 button), Computer Programmed (HHD KIT required), Unlimited Users, 4000 Audits, Sparta Lever, 4AA Battery, Prep For Schlage Large Format Interchangeable Core, Less Core, Satin Chrome (626/US26D) Finish, Right Handed Reverse (Field Reversible).                                                             | EA                | \$1,212.00 |
| 246 35 2 | Schlage Electronics | CO250993R70MSK-SPA-626-PD-RHR |              | CO250 Offline Electronic Rim/Concealed Vertical Rod Exit Device Trim, User Access Rights Stored on Card, Magnetic Stripe (swipe) + Keypad (12 button), Computer Programmed (HHD KIT required), Unlimited Users, 4000 Audits, Sparta Lever, 4AA Battery, C123 Keyway, Keyed Different, 2 Keys Per Lock, Satin Chrome (626/US26D) Finish, Right Handed Reverse (Field Reversible).                                                                             | EA                | \$1,239.00 |
| 246 35 2 | Schlage Electronics | CO250CY70MSK-SPA-626-BD-RH    |              | CO250 Offline Electronic Cylindrical Lock, User Access Rights Stored on Card, Magnetic Stripe (swipe) + Keypad (12 button), Classroom/Storeroom Function, Computer Programmed (HHD KIT required), Unlimited Users, 4000 Audits, Sparta Lever, 2-3/4" Backset, Ansi Strike, 4AA Battery, Prep for Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible). | EA                | \$967.00   |
| 246 35 2 | Schlage Electronics | CO250CY70MSK-SPA-626-JD-RH    |              | CO250 Offline Electronic Cylindrical Lock, User Access Rights Stored on Card, Magnetic Stripe (swipe) + Keypad (12 button), Classroom/Storeroom Function, Computer Programmed (HHD KIT required), Unlimited Users, 4000 Audits, Sparta Lever, 2-3/4" Backset, Ansi Strike, 4AA Battery, Prep For Schlage Large Format Interchangeable Core, Less Core, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible).                                     | EA                | \$940.00   |

| SIN      | MFR_Name            | MFR_Part_Number            | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                                                                         | Unit_O<br>f_Issue | Retail     |
|----------|---------------------|----------------------------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------|
| 246 35 2 | Schlage Electronics | CO250CY70MSK-SPA-626-PD-RH |              | CO250 Offline Electronic Cylindrical Lock, User Access Rights Stored on Card, Magnetic Stripe (swipe) + Keypad (12 button), Classroom/Storeroom Function, Computer Programmed (HHD KIT required), Unlimited Users, 4000 Audits, Sparta Lever, 2-3/4" Backset, Ansi Strike, 4AA Battery, C123 Keyway, Keyed Different, 2 Keys Per Lock, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible).                    | EA                | \$967.00   |
| 246 35 2 | Schlage Electronics | CO250MS70MSK-SPA-626-BD-RH |              | CO250 Offline Electronic Mortise Lock, User Access Rights Stored on Card, Magnetic Stripe (swipe) + Keypad (12 button), Classroom/Storeroom Function, Computer Programmed (HHD KIT required), Unlimited Users, 4000 Audits, Sparta Lever, 4AA Battery, Prep for Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core not included, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible). | EA                | \$1,135.00 |
| 246 35 2 | Schlage Electronics | CO250MS70MSK-SPA-626-JD-RH |              | CO250 Offline Electronic Mortise Lock, User Access Rights Stored on Card, Magnetic Stripe (swipe) + Keypad (12 button), Classroom/Storeroom Function, Computer Programmed (HHD KIT required), Unlimited Users, 4000 Audits, Sparta Lever, 4AA Battery, Prep For Schlage Large Format Interchangeable Core, Less Core, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible).                                     | EA                | \$1,108.00 |
| 246 35 2 | Schlage Electronics | CO250MS70MSK-SPA-626-PD-RH |              | CO250 Offline Electronic Mortise Lock, User Access Rights Stored on Card, Magnetic Stripe (swipe) + Keypad (12 button), Classroom/Storeroom Function, Computer Programmed (HHD KIT required), Unlimited Users, 4000 Audits, Sparta Lever, 4AA Battery, C123 Keyway, Keyed Different, 2 Keys Per Lock, Satin Chrome (626/US26D) Finish, Right Handed (Field Reversible).                                                     | EA                | \$1,135.00 |
| 246 35 2 | Schlage Electronics | CRM2                       |              | Proximity Credential Reader/Enroller Used to Read HID Proximity Data For Enrollment into Schlage Security Management System Software Database. Schlage Electronics, For SMS Express.                                                                                                                                                                                                                                        | EA                | \$545.00   |
| 246 35 2 | Schlage Electronics | CRP2                       |              | Proximity Credential Reader/Enroller Used to Read HID Proximity Data For Enrollment into Schlage Security Management System Software Database. Schlage Electronics, For SMS Express.                                                                                                                                                                                                                                        | EA                | \$440.00   |
| 246 35 2 | Schlage Electronics | HH SERIAL                  |              | AD-Series Additional or Replacement Cable Used to Connect HHD to Products, Including PIM400 and PIB300. Schlage Electronics.                                                                                                                                                                                                                                                                                                | EA                | \$98.00    |
| 246 35 2 | Schlage Electronics | HHD KIT                    |              | HHD Handheld Device, Preloaded with Schlage Utility Software (SUS), HH-USB Cable, For use with AD-Series and CO-Series Devices. Schlage Electronics.                                                                                                                                                                                                                                                                        | EA                | \$930.00   |

| SIN      | MFR_Name            | MFR_Part_Number   | Product_Name | Product_Description                                                                                                                                                                                                                                                                   | Unit_O<br>f_Issue | Retail   |
|----------|---------------------|-------------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------|
| 246 35 2 |                     |                   |              | Cable Used to Connect HHD to AD-Series and CO-Series Products, Including PIM400 and PIB300                                                                                                                                                                                            | EA                | \$45.00  |
| 246 35 2 | Schlage Electronics | HH-USB<br>P101203 |              | Computer Interface Module With ibutton Reader – Used With HH-Serial Cable. Schlage Electronics.                                                                                                                                                                                       | EA                | \$270.00 |
| 246 35 2 | Schlage Electronics | PIB301-2D         |              | AD401 Networked Wireless FIPS-201 Compliant Panel Interface Module, REQUIRED, Supports Two Doors, Wiegand Output (data1/data0), includes Weatherproof Enclosure, RS485 Input, Requires 12 or 24 VDC Power Supply (not included), Dry Contact Board Not Included. Schlage Electronics. | EA                | \$383.00 |
| 246 35 2 | Schlage Electronics | PIM401-TD2        |              | AD401 Networked Wireless FIPS-201 Compliant Panel Interface Module, REQUIRED, Supports Two Doors, Wiegand Output (data1/data0), includes Weatherproof Enclosure, RS485 Input, Requires 12 or 24 VDC Power Supply (not included), Dry Contact Board Not Included. Schlage Electronics. | EA                | \$677.00 |
| 246 35 2 | Schlage Electronics | RLBD              |              | AD301/AD401 Optional Dry Contact Board for PIM301-2D or PIM301-D2 to simplify Installation with Access Control Panels Than Require Relays. Configurable for Normally Open or Normally Closed. Schlage Electronics.                                                                    | EA                | \$195.00 |
| 246 35 2 | Schlage Electronics | SDB9USBCBL        |              | Six Inch Cable Adaptor Allows a Serial Port Device to be Used With a USB Port Device. Schlage Electronics.                                                                                                                                                                            | EA                | \$80.00  |
| 246 35 2 | Schlage Electronics | SXPR-SFT-1        |              | Express Offline Lock Software, Recommended For Offline Locks of Fewer than 1000 Users and/or 100 Access Points. Reporting of last 1000 Events Capability Will Retrieve Audit Trails. Must Be Installed on a Computer That meets the minimum requirements. Schlage Electronics.        | EA                | \$346.00 |
| 246 35 2 | Securitron          | B-12-5            |              | Battery Backup 12V, Lead Acid Batteries provide 5 Amp Hours of battery back up when used with BPS Power Supplies, ensuring continued operation of access devices when the AC source power is compromised.                                                                             | EA                | \$45.00  |
| 246 35 2 | Securitron          | B-24-5            |              | Battery Backup 24V, Lead Acid Batteries provide 5 Amp Hours of battery back up when used with BPS Power Supplies, ensuring continued operation of access devices when the AC source power is compromised.                                                                             | EA                | \$100.00 |
| 246 35 2 | Securitron          | BACS-12-20        |              | Hardwired AC Power Supply, 20 Amp 12VAC, provides distribution outputs with 2 Amp PTC circuit breakers, individual control switches and LEDs, 240 watts total capacity, 24 watts per channel max, Dimensions: 15" L x 18" H x 6" D, Operating Temperature: +32 to +105F [0 to +40C].  | EA                | \$642.00 |
| 246 35 2 | Securitron          | BACS-24-10        |              | Hardwired AC Power Supply, 10 Amp 24VAC, provides distribution outputs with 2 Amp PTC circuit breakers, individual control switches and LEDs, 240 watts total capacity, 24 watts per channel max, Dimensions: 15" L x 18" H x 6" D, Operating Temperature: +32 to +105F [0 to +40C].  | EA                | \$642.00 |

| SIN      | MFR_Name   | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                       | Unit_of_Issue | Retail     |
|----------|------------|-----------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|
| 246 35 2 | Securitron | BA-XDT-12       |              | Exit Delay Timer Surface Mount Box 12VDC, Three 5 Amp SPDT relays UL Listed.                                                                                              | EA            | \$231.00   |
| 246 35 2 | Securitron | BA-XDT-24       |              | Exit Delay Timer Surface Mount Box 24VDC, Three 5 Amp SPDT relays UL Listed.                                                                                              | EA            | \$231.00   |
| 246 35 2 | Securitron | BPS-12-1        |              | Power Supply 12VDC - 1 Amp, 1 Output, Input Voltage: 120VAC BPS; 220VAC BPSH, Operating Temperature: +32 to +105F [0 to +40C], Cabinet size: 12"x9"x4", BPS UL Listed.    | EA            | \$210.00   |
| 246 35 2 | Securitron | BPS-12-15       |              | Power Supply 12VDC - 15 Amp, 8 Outputs, Input Voltage: 120VAC BPS; 220VAC BPSH, Operating Temperature: +32 to +105F [0 to +40C], Cabinet size: 15"x18"x6", BPS UL Listed. | EA            | \$1,092.00 |
| 246 35 2 | Securitron | BPS-12-3        |              | Power Supply 12VDC - 3 Amp, 4 Outputs, Input Voltage: 120VAC BPS; 220VAC BPSH, Operating Temperature: +32 to +105F [0 to +40C], Cabinet size: 14"x14"x4", BPS UL Listed.  | EA            | \$410.00   |
| 246 35 2 | Securitron | BPS-12-6        |              | Power Supply 12VDC - 6 Amp, 8 Outputs, Input Voltage: 120VAC BPS; 220VAC BPSH, Operating Temperature: +32 to +105F [0 to +40C], Cabinet size: 15"x18"x6", BPS UL Listed.  | EA            | \$735.00   |
| 246 35 2 | Securitron | BPS-12-9        |              | Power Supply 12VDC - 9 Amp, 8 Outputs, Input Voltage: 120VAC BPS; 220VAC BPSH, Operating Temperature: +32 to +105F [0 to +40C], Cabinet size: 15"x18"x6", BPS UL Listed.  | EA            | \$889.00   |
| 246 35 2 | Securitron | BPS-24-1        |              | Power Supply 24VDC - 1 Amp, 1 Output, Input Voltage: 120VAC BPS; 220VAC BPSH, Operating Temperature: +32 to +105F [0 to +40C], Cabinet size: 12"x9"x4", BPS UL Listed.    | EA            | \$210.00   |
| 246 35 2 | Securitron | BPS-24-10       |              | Power Supply 24VDC - 10 Amp, 8 Outputs, Input Voltage: 120VAC BPS; 220VAC BPSH, Operating Temperature: +32 to +105F [0 to +40C], Cabinet size: 15"x18"x6", BPS UL Listed. | EA            | \$1,092.00 |
| 246 35 2 | Securitron | BPS-24-2        |              | Power Supply 24VDC - 2 Amp, 4 Outputs, Input Voltage: 120VAC BPS; 220VAC BPSH, Operating Temperature: +32 to +105F [0 to +40C], Cabinet size: 14"x14"x4", BPS UL Listed.  | EA            | \$410.00   |
| 246 35 2 | Securitron | BPS-24-3        |              | Power Supply 24VDC - 3 Amp, 4 Outputs, Input Voltage: 120VAC BPS; 220VAC BPSH, Operating Temperature: +32 to +105F [0 to +40C], Cabinet size: 14"x14"x4", BPS UL Listed.  | EA            | \$620.00   |
| 246 35 2 | Securitron | BPS-24-4        |              | Power Supply 24VDC - 4 Amp, 8 Outputs, Input Voltage: 120VAC BPS; 220VAC BPSH, Operating Temperature: +32 to +105F [0 to +40C], Cabinet size: 15"x18"x6", BPS UL Listed.  | EA            | \$735.00   |

| SIN      | MFR_Name   | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                          | Unit_O<br>f_Issue | Retail     |
|----------|------------|-----------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------|
| 246 35 2 | Securitron | BPS-24-6        |              | Power Supply 24VDC - 6 Amp, 8 Outputs, Input Voltage: 120VAC BPS; 220VAC BPSH, Operating Temperature: +32 to +105F [0 to +40C], Cabinet size: 15"x18"x6", BPS UL Listed.                                                                                     | EA                | \$889.00   |
| 246 35 2 | Securitron | BPSM-12-15      |              | Power Supply 12VDC - 15 Amp with Status Monitor, Input Voltage: 120VAC, 8 polyswitch (PTC) 2A output breakers, AC status output terminals SPDT 3 Amp, Battery status output terminals, Form "C" SPDT 3 Amp, Operating Temperature: +32 to +105F [0 to +40C]. | EA                | \$1,135.00 |
| 246 35 2 | Securitron | BPSM-12-6       |              | Power Supply 12VDC - 6 Amp with Status Monitor, Input Voltage: 120VAC, 8 polyswitch (PTC) 2A output breakers, AC status output terminals SPDT 3 Amp, Battery status output terminals, Form "C" SPDT 3 Amp, Operating Temperature: +32 to +105F [0 to +40C].  | EA                | \$777.00   |
| 246 35 2 | Securitron | BPSM-12-9       |              | Power Supply 12VDC - 9 Amp with Status Monitor, Input Voltage: 120VAC, 8 polyswitch (PTC) 2A output breakers, AC status output terminals SPDT 3 Amp, Battery status output terminals, Form "C" SPDT 3 Amp, Operating Temperature: +32 to +105F [0 to +40C].  | EA                | \$931.00   |
| 246 35 2 | Securitron | BPSM-24-10      |              | Power Supply 24VDC - 10 Amp with Status Monitor, Input Voltage: 120VAC, 8 polyswitch (PTC) 2A output breakers, AC status output terminals SPDT 3 Amp, Battery status output terminals, Form "C" SPDT 3 Amp, Operating Temperature: +32 to +105F [0 to +40C]. | EA                | \$1,135.00 |
| 246 35 2 | Securitron | BPSM-24-4       |              | Power Supply 24VDC - 4 Amp with Status Monitor, Input Voltage: 120VAC, 8 polyswitch (PTC) 2A output breakers, AC status output terminals SPDT 3 Amp, Battery status output terminals, Form "C" SPDT 3 Amp, Operating Temperature: +32 to +105F [0 to +40C].  | EA                | \$777.00   |
| 246 35 2 | Securitron | BPSM-24-6       |              | Power Supply 24VDC - 6 Amp with Status Monitor, Input Voltage: 120VAC, 8 polyswitch (PTC) 2A output breakers, AC status output terminals SPDT 3 Amp, Battery status output terminals, Form "C" SPDT 3 Amp, Operating Temperature: +32 to +105F [0 to +40C].  | EA                | \$931.00   |
| 246 35 2 | Securitron | BR-4            |              | Bridge Rectifier - 4 Amp, Will convert an AC input to full wave rectified DC output.                                                                                                                                                                         | EA                | \$30.00    |
| 246 35 2 | Securitron | CCB-8-12        |              | Control Board 8 Fused Outputs 12VDC, used to add 8 additional Class 2 polyswitch 2A output breakers to BPS Series power supplies larger than 1 Amp.                                                                                                          | EA                | \$100.00   |
| 246 35 2 | Securitron | CCB-8-24        |              | Control Board 8 Fused Outputs 24VDC, used to add 8 additional Class 2 polyswitch 2A output breakers to BPS Series power supplies larger than 1 Amp.                                                                                                          | EA                | \$100.00   |

| SIN      | MFR_Name   | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Unit_of_Issue | Retail   |
|----------|------------|-----------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------|
| 246 35 2 | Securitron | DK-12           |              | Digital Keypad System Single Gang, Stainless steel backplate with 12 illuminated keys (10 digits + "*" and "#" keys), One piece digital keypad specifically designed for control of electric locks, Operates on low voltage AC or DC current, Audible keystroke echo, Single gang, stainless steel plate with plastic backbox, 99 user code capability which is programmable from the keypad, Passage mode and Lockout mode 5 Amp SPDT timed, control relay output, Red and Green LEDs are visible indicators, True 10 digit operation, Optional weather cover available, Request to Exit (REX) input, Operating Temperature: -10 to +140F [-23 to +60C].                                                                                                                                                                            | EA            | \$175.00 |
| 246 35 2 | Securitron | DK-16           |              | Digital Keypad System Single Gang, Stainless Steel plate, Telephone-type keypad with engraved and paint filled numbers in plastic keys on a single gang box, Red, green and a yellow LED mounted on the face, Digital Keypad System circuit board is a remote unit for increased security, Audible keystroke echo, Digital Keypad System circuit board mounts in a plastic enclosure and provides for 59 multiple users, expandable to 119, Wiegand output available, User code and/or hard code disable feature, 5 Amp DPDT relay output for lock control and alarm shunt, camera call-up or other device interface, Request-to-Exit (REX) input, True 10 digit operation (keys are not paired), 3 LEDs and a beeper, 16 ft. [4.8m], 12 conductor, 22 gauge keypad cable, Operating Temperature: -10 to +140F [-23 to +60C].        | EA            | \$372.00 |
| 246 35 2 | Securitron | DK-16W          |              | Digital Keypad System Single Gang, Stainless Steel plate, Telephone-type keypad with engraved and paint filled numbers in plastic keys on a single gang box, Red, green and a yellow LED mounted on the face, Digital Keypad System circuit board is a remote unit for increased security, Audible keystroke echo, Digital Keypad System circuit board mounts in a plastic enclosure and provides for 59 multiple users, expandable to 119, Output Wiegand 2601 format data, User code and/or hard code disable feature, 5 Amp DPDT relay output for lock control and alarm shunt, camera call-up or other device interface, Request-to-Exit (REX) input, True 10 digit operation (keys are not paired), 3 LEDs and a beeper, 16 ft. [4.8m], 12 conductor, 22 gauge keypad cable, Operating Temperature: -10 to +140F [-23 to +60C]. | EA            | \$372.00 |

| SIN      | MFR_Name   | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Unit_of_Issue | Retail     |
|----------|------------|-----------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|
| 246 35 2 | Securitron | DK-26BK         |              | Digital Keypad System Narrow Stile Black, Digital Keypad System circuit board is a remote unit for increased security, Audible keystroke echo, Digital Keypad System circuit board mounts in a plastic enclosure and provides for 59 multiple users, expandable to 119, Wiegand output available, User code and/or hard code disable feature, 5 Amp DPDT relay output for lock control and alarm shunt, camera call-up or other device interface, Request-to-Exit (REX) input, True 10 digit operation (keys are not paired), 3 LEDs and a beeper, 16 ft. [4.8m], 12 conductor, 22 gauge keypad cable, Operating Temperature: -10 to +140F [-23 to +60C].     | EA            | \$393.00   |
| 246 35 2 | Securitron | DK-26PBK        |              | Digital Keypad Only, Narrow Stile, Black, for use with standard DK-26, DK expansion boards and Wiegand                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | EA            | \$204.00   |
| 246 35 2 | Securitron | DK-26PSS        |              | Digital Keypad Only, Narrow Stile, Stainless, for use with standard DK-26, DK expansion boards and Wiegand                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EA            | \$194.00   |
| 246 35 2 | Securitron | DK-26SS         |              | Digital Keypad System Narrow Stile Stainless, Digital Keypad System circuit board is a remote unit for increased security, Audible keystroke echo, Digital Keypad System circuit board mounts in a plastic enclosure and provides for 59 multiple users, expandable to 119, Wiegand output available, User code and/or hard code disable feature, 5 Amp DPDT relay output for lock control and alarm shunt, camera call-up or other device interface, Request-to-Exit (REX) input, True 10 digit operation (keys are not paired), 3 LEDs and a beeper, 16 ft. [4.8m], 12 conductor, 22 gauge keypad cable, Operating Temperature: -10 to +140F [-23 to +60C]. | EA            | \$383.00   |
| 246 35 2 | Securitron | DK-SBK          |              | Spy Shield for DK-26, Black.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | EA            | \$51.00    |
| 246 35 2 | Securitron | DK-SSS          |              | Spy Shield for DK-26, Stainless.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | EA            | \$41.00    |
| 246 35 2 | Securitron | DM62            |              | Securitron DM62 Double Magnalock, Holding Force: 1200 lbs. [544 kg] per lock, Current Draw and Voltage: 250mA at 12VDC; 150mA at 24VDC per lock, Operating Temperature: -40 to +140F [-40 to +60C]                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EA            | \$887.00   |
| 246 35 2 | Securitron | DM62B           |              | Securitron DM62 Double Magnalock, Mag Bond Sensor, Holding Force: 1200 lbs. [544 kg] per lock, Current Draw and Voltage: 250mA at 12VDC; 150mA at 24VDC per lock, Operating Temperature: -40 to +140F [-40 to +60C]                                                                                                                                                                                                                                                                                                                                                                                                                                           | EA            | \$1,081.00 |
| 246 35 2 | Securitron | DM62BD          |              | Securitron DM62Double Magnalock, Mag Bond Sensor, Door Position Switch, Holding Force: 1200 lbs. [544 kg] per lock, Current Draw and Voltage: 250mA at 12VDC; 150mA at 24VDC per lock, Operating Temperature: -40 to +140F [-40 to +60C]                                                                                                                                                                                                                                                                                                                                                                                                                      | EA            | \$1,193.00 |

| SIN      | MFR_Name   | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                      | Unit_of_Issue | Retail     |
|----------|------------|-----------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|
| 246 35 2 | Securitron | DM62D           |              | Securitron DM62 Double Magnalock, Door Position Switch, Holding Force: 1200 lbs. [544 kg] per lock, Current Draw and Voltage: 250mA at 12VDC; 150mA at 24VDC per lock, Operating Temperature: -40 to +140F [-40 to +60C] | EA            | \$1,020.00 |
| 246 35 2 | Securitron | DPS-M-BK        |              | Securitron Door Position Switch - Metal Door, Black, Operating Temperature: -40 to +150F [-40 to +65C]                                                                                                                   | EA            | \$26.00    |
| 246 35 2 | Securitron | DPS-M-WH        |              | Securitron Door Position Switch - Metal Door, White, Operating Temperature: -40 to +150F [-40 to +65C]                                                                                                                   | EA            | \$26.00    |
| 246 35 2 | Securitron | DPS-W-BK        |              | Securitron Door Position Switch - Wood Door, Black, Operating Temperature: -40 to +150F [-40 to +65C]                                                                                                                    | EA            | \$20.00    |
| 246 35 2 | Securitron | DPS-W-WH        |              | Securitron Door Position Switch - Wood Door, White, Operating Temperature: -40 to +150F [-40 to +65C]                                                                                                                    | EA            | \$20.00    |
| 246 35 2 | Securitron | DSB-BK          |              | Securitron Dual Sense Bar, Black, 36", for use with for magnetically locked openings, Operates on either 12 or 24VDC, Operating Temperature: +32 to +120F [0 to +49C].                                                   | EA            | \$460.00   |
| 246 35 2 | Securitron | DSB-BK42        |              | Securitron Dual Sense Bar, Black, 42", for use with for magnetically locked openings, Operates on either 12 or 24VDC, Operating Temperature: +32 to +120F [0 to +49C].                                                   | EA            | \$460.00   |
| 246 35 2 | Securitron | DSB-BK48        |              | Securitron Dual Sense Bar, Black, 48", for use with for magnetically locked openings, Operates on either 12 or 24VDC, Operating Temperature: +32 to +120F [0 to +49C].                                                   | EA            | \$460.00   |
| 246 35 2 | Securitron | DSB-BKI         |              | Securitron Dual Sense Bar, Illuminated, Black, 36", for use with for magnetically locked openings, Operates on either 12 or 24VDC, Operating Temperature: +32 to +120F [0 to +49C].                                      | EA            | \$610.00   |
| 246 35 2 | Securitron | DSB-BKI42       |              | Securitron Dual Sense Bar, Illuminated, Black, 42", for use with for magnetically locked openings, Operates on either 12 or 24VDC, Operating Temperature: +32 to +120F [0 to +49C].                                      | EA            | \$610.00   |
| 246 35 2 | Securitron | DSB-BKI48       |              | Securitron Dual Sense Bar, Illuminated, Black, 48", for use with for magnetically locked openings, Operates on either 12 or 24VDC, Operating Temperature: +32 to +120F [0 to +49C].                                      | EA            | \$610.00   |
| 246 35 2 | Securitron | DSB-CL          |              | Securitron Dual Sense Bar, Clear, 36", for use with for magnetically locked openings, Operates on either 12 or 24VDC, Operating Temperature: +32 to +120F [0 to +49C].                                                   | EA            | \$450.00   |
| 246 35 2 | Securitron | DSB-CL42        |              | Securitron Dual Sense Bar, Clear, 42", for use with for magnetically locked openings, Operates on either 12 or 24VDC, Operating Temperature: +32 to +120F [0 to +49C].                                                   | EA            | \$450.00   |
| 246 35 2 | Securitron | DSB-CL48        |              | Securitron Dual Sense Bar, Clear, 48", for use with for magnetically locked openings, Operates on either 12 or 24VDC, Operating Temperature: +32 to +120F [0 to +49C].                                                   | EA            | \$450.00   |

| SIN      | MFR_Name   | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                          | Unit_of_Issue | Retail   |
|----------|------------|-----------------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------|
| 246 35 2 | Securitron | DSB-CL1         |              | Securitron Dual Sense Bar, Illuminated, Clear, 36", for use with for magnetically locked openings, Operates on either 12 or 24VDC, Operating Temperature: +32 to +120F [0 to +49C].                                                          | EA            | \$600.00 |
| 246 35 2 | Securitron | DSB-CL142       |              | Securitron Dual Sense Bar, Illuminated, Clear, 42", for use with for magnetically locked openings, Operates on either 12 or 24VDC, Operating Temperature: +32 to +120F [0 to +49C].                                                          | EA            | \$600.00 |
| 246 35 2 | Securitron | DSB-CL148       |              | Securitron Dual Sense Bar, Illuminated, Clear, 48", for use with for magnetically locked openings, Operates on either 12 or 24VDC, Operating Temperature: +32 to +120F [0 to +49C].                                                          | EA            | \$600.00 |
| 246 35 2 | Securitron | DT-7            |              | Securitron Prime Time 7 Day Digital Timer, Used to turn electric locks or other security systems on and off at programmed times, 12 or 24VAC or VDC, AA battery provides backup to the display module program memory - battery not included. | EA            | \$400.00 |
| 246 35 2 | Securitron | EEB2            |              | Securitron 2" Square Emergency Exit Button, Single Gang or Narrow Stile, Operates on 12 or 24 VDC (must be same voltage as the installed lock), UL Listed.                                                                                   | EA            | \$130.00 |
| 246 35 2 | Securitron | EEB3N           |              | Securitron 1" x 3/4" Rectangle Emergency Exit Button, includes switchable green and red lenses, Single Gang or Narrow Stile, Operates on 12 or 24 VDC (must be same voltage as the installed lock), UL Listed.                               | EA            | \$130.00 |
| 246 35 2 | Securitron | EH-40           |              | Securitron Electric Hinge, Electrified Hinge 4.5" x 4" Stainless 6 Wire.                                                                                                                                                                     | EA            | \$250.00 |
| 246 35 2 | Securitron | EH-45           |              | Securitron Electric Hinge, Electrified Hinge 4.5" x 4.5" Stainless 6 Wire.                                                                                                                                                                   | EA            | \$250.00 |
| 246 35 2 | Securitron | EL-TSH BK       |              | Securitron Touch Sense Handle, Black, For use on any push, pull or swing-through door, 12 or 24VDC, Operating Temperature: +32 to +110F [0 to +43C].                                                                                         | EA            | \$435.00 |
| 246 35 2 | Securitron | EL-TSH CL       |              | Securitron Touch Sense Handle, Clear, For use on any push, pull or swing-through door, 12 or 24VDC, Operating Temperature: +32 to +110F [0 to +43C].                                                                                         | EA            | \$415.00 |
| 246 35 2 | Securitron | EPT             |              | Securitron Electrical Power Transfer, Will work on any door using butt hinges, continuous hinges and some offset pivot hinges.                                                                                                               | EA            | \$60.00  |
| 246 35 2 | Securitron | FAR-12          |              | Securitron Fire Alarm Reset, releases all locks and cuts power to all devices connected to power supply until FAR is manually reset, 12VDC, Operating Temperature: -4 to +122F [-20 to +50C].                                                | EA            | \$240.00 |
| 246 35 2 | Securitron | FAR-24          |              | Securitron Fire Alarm Reset, releases all locks and cuts power to all devices connected to power supply until FAR is manually reset, 24VDC, Operating Temperature: -4 to +122F [-20 to +50C].                                                | EA            | \$240.00 |
| 246 35 2 | Securitron | GDB             |              | Securitron Glass Door Bracket M32/M38/M62/M68.                                                                                                                                                                                               | EA            | \$58.00  |

| SIN      | MFR_Name   | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                                        | Unit_of_Issue | Retail     |
|----------|------------|-----------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|
| 246 35 2 | Securitron | GL1             |              | Securitron Gatelock, 2000 lbs. holding force, Automatic dual voltage - no field adjustment required, Fail Secure convertible to Fail Safe, Manual key override (right or left hand), Surface Mount, Black krinkle powder coated finish, Operating Temperature: -58 to +167F [-50 to +75C]. | EA            | \$332.00   |
| 246 35 2 | Securitron | IEXDA           |              | Securitron Integrated Electronic Exit Delay System - Advanced, 1200 lbs. holding force Magnalock, Indoor use only, UL Listed, Operating Temperature: +32 to +104F [0 to +40C].                                                                                                             | EA            | \$1,020.00 |
| 246 35 2 | Securitron | IMXDA           |              | Securitron Integrated Motion Exit Delay System - Advanced, 1200 lbs. holding force Magnalock, Indoor use only, UL Listed, Operating Temperature: +32 to +104F [0 to +40C].                                                                                                                 | EA            | \$1,150.00 |
| 246 35 2 | Securitron | M32             |              | Securitron Magnalock, 600 lbs. Holding Force, Operating Temperature: -40 to +140F [-40 to +60C].                                                                                                                                                                                           | EA            | \$347.00   |
| 246 35 2 | Securitron | M32B            |              | Securitron Magnalock, Magnetic Bond Sensor, 600 lbs. Holding Force, Operating Temperature: -40 to +140F [-40 to +60C].                                                                                                                                                                     | EA            | \$444.00   |
| 246 35 2 | Securitron | M32BD           |              | Securitron Magnalock, Magnetic Bond Sensor, Door Position Switch, 600 lbs. Holding Force, Operating Temperature: -40 to +140F [-40 to +60C].                                                                                                                                               | EA            | \$500.00   |
| 246 35 2 | Securitron | M32D            |              | Securitron Magnalock, Door Position Switch, 600 lbs. Holding Force, Operating Temperature: -40 to +140F [-40 to +60C].                                                                                                                                                                     | EA            | \$413.00   |
| 246 35 2 | Securitron | M32F            |              | Securitron Magnalock, Face Mount, 600 lbs. Holding Force, Operating Temperature: -40 to +140F [-40 to +60C].                                                                                                                                                                               | EA            | \$347.00   |
| 246 35 2 | Securitron | M32FB           |              | Securitron Magnalock, Face Mount, Magnetic Bond Sensor, 600 lbs. Holding Force, Operating Temperature: -40 to +140F [-40 to +60C].                                                                                                                                                         | EA            | \$444.00   |
| 246 35 2 | Securitron | M32FBD          |              | Securitron Magnalock, Face Mount, Magnetic Bond Sensor, Door Position Switch, 600 lbs. Holding Force, Operating Temperature: -40 to +140F [-40 to +60C].                                                                                                                                   | EA            | \$500.00   |
| 246 35 2 | Securitron | M32FD           |              | Securitron Magnalock, Face Mount, Door Position Switch, 600 lbs. Holding Force, Operating Temperature: -40 to +140F [-40 to +60C].                                                                                                                                                         | EA            | \$413.00   |
| 246 35 2 | Securitron | M34R            |              | Securitron Recessed Magnalock, 500 lbs. Holding Force, Fully sealed electronics - tamper proof and weatherproof, All ferrous metal surfaces plated to MIL specification, Automatic dual voltage - no field adjustment required, Operating Temperature: -40 to +140F [-40 to +60C].         | EA            | \$367.00   |

| SIN      | MFR_Name   | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                      | Unit_of_Issue | Retail   |
|----------|------------|-----------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------|
| 246 35 2 | Securitron | M34RB           |              | Securitron Recessed Magnalock, Mag Bond Sensor, 500 lbs. Holding Force, Fully sealed electronics - tamper proof and weatherproof, All ferrous metal surfaces plated to MIL specification, Automatic dual voltage - no field adjustment required, Operating Temperature: -40 to +140F [-40 to +60C].                      | EA            | \$464.00 |
| 246 35 2 | Securitron | M34RBD          |              | Securitron Recessed Magnalock, Mag Bond Sensor, Door Position Switch 500 lbs. Holding Force, Fully sealed electronics - tamper proof and weatherproof, All ferrous metal surfaces plated to MIL specification, Automatic dual voltage - no field adjustment required, Operating Temperature: -40 to +140F [-40 to +60C]. | EA            | \$520.00 |
| 246 35 2 | Securitron | M34RD           |              | Securitron Recessed Magnalock, Door Position Switch, 500 lbs. Holding Force, Fully sealed electronics - tamper proof and weatherproof, All ferrous metal surfaces plated to MIL specification, Automatic dual voltage - no field adjustment required, Operating Temperature: -40 to +140F [-40 to +60C].                 | EA            | \$434.00 |
| 246 35 2 | Securitron | M38             |              | Securitron Magnalock, 600 lbs. Holding Force, All ferrous metal surfaces plated to MIL specification, Automatic dual voltage - no field adjustment required, UL Listed, Operating Temperature: +32 to +110F [0 to +43C].                                                                                                 | EA            | \$365.00 |
| 246 35 2 | Securitron | M62             |              | Securitron Magnalock, 1200 lbs. Holding Force, All ferrous metal surfaces plated to MIL specification, Automatic dual voltage - no field adjustment required, UL Listed, Operating Temperature: -40 to +140F [-40 to +60C].                                                                                              | EA            | \$444.00 |
| 246 35 2 | Securitron | M62B            |              | Securitron Magnalock, Mag Bond Sensor, 1200 lbs. Holding Force, All ferrous metal surfaces plated to MIL specification, Automatic dual voltage - no field adjustment required, UL Listed, Operating Temperature: -40 to +140F [-40 to +60C].                                                                             | EA            | \$541.00 |
| 246 35 2 | Securitron | M62BD           |              | Securitron Magnalock, Mag Bond Sensor, Door Position Switch, 1200 lbs. Holding Force, All ferrous metal surfaces plated to MIL specification, Automatic dual voltage - no field adjustment required, UL Listed, Operating Temperature: -40 to +140F [-40 to +60C].                                                       | EA            | \$597.00 |
| 246 35 2 | Securitron | M62D            |              | Securitron Magnalock, Door Position Switch, 1200 lbs. Holding Force, All ferrous metal surfaces plated to MIL specification, Automatic dual voltage - no field adjustment required, UL Listed, Operating Temperature: -40 to +140F [-40 to +60C].                                                                        | EA            | \$510.00 |
| 246 35 2 | Securitron | M62F            |              | Securitron Magnalock, Face Mount, 1200 lbs. Holding Force, All ferrous metal surfaces plated to MIL specification, Automatic dual voltage - no field adjustment required, UL Listed, Operating Temperature: -40 to +140F [-40 to +60C].                                                                                  | EA            | \$444.00 |

| SIN      | MFR_Name   | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                                     | Unit_of_Issue | Retail   |
|----------|------------|-----------------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------|
| 246 35 2 | Securitron | M62FB           |              | Securitron Magnalock, Face Mount, Mag Bond Sensor, 1200 lbs. Holding Force, All ferrous metal surfaces plated to MIL specification, Automatic dual voltage - no field adjustment required, UL Listed, Operating Temperature: -40 to +140F [-40 to +60C].                                | EA            | \$541.00 |
| 246 35 2 | Securitron | M62FBD          |              | Securitron Magnalock, Face Mount, Mag Bond Sensor, Door Position Switch, 1200 lbs. Holding Force, All ferrous metal surfaces plated to MIL specification, Automatic dual voltage - no field adjustment required, UL Listed, Operating Temperature: -40 to +140F [-40 to +60C].          | EA            | \$597.00 |
| 246 35 2 | Securitron | M62FD           |              | Securitron Magnalock, Face Mount, Door Position Switch, 1200 lbs. Holding Force, All ferrous metal surfaces plated to MIL specification, Automatic dual voltage - no field adjustment required, UL Listed, Operating Temperature: -40 to +140F [-40 to +60C].                           | EA            | \$510.00 |
| 246 35 2 | Securitron | M62FG           |              | Securitron Magnalock, Face Mount, Conduit, 1200 lbs. Holding Force, All ferrous metal surfaces plated to MIL specification, Automatic dual voltage - no field adjustment required, UL Listed, Operating Temperature: -40 to +140F [-40 to +60C].                                        | EA            | \$469.00 |
| 246 35 2 | Securitron | M62FGB          |              | Securitron Magnalock, Face Mount, Conduit, Mag Bond Sensor, 1200 lbs. Holding Force, All ferrous metal surfaces plated to MIL specification, Automatic dual voltage - no field adjustment required, UL Listed, Operating Temperature: -40 to +140F [-40 to +60C].                       | EA            | \$566.00 |
| 246 35 2 | Securitron | M62FGBD         |              | Securitron Magnalock, Face Mount, Conduit, Mag Bond Sensor, Door Position Switch, 1200 lbs. Holding Force, All ferrous metal surfaces plated to MIL specification, Automatic dual voltage - no field adjustment required, UL Listed, Operating Temperature: -40 to +140F [-40 to +60C]. | EA            | \$622.00 |
| 246 35 2 | Securitron | M62FGD          |              | Securitron Magnalock, Face Mount, Conduit, Door Position Switch, 1200 lbs. Holding Force, All ferrous metal surfaces plated to MIL specification, Automatic dual voltage - no field adjustment required, UL Listed, Operating Temperature: -40 to +140F [-40 to +60C].                  | EA            | \$536.00 |
| 246 35 2 | Securitron | M62G            |              | Securitron Magnalock, Conduit, 1200 lbs. Holding Force, All ferrous metal surfaces plated to MIL specification, Automatic dual voltage - no field adjustment required, UL Listed, Operating Temperature: -40 to +140F [-40 to +60C].                                                    | EA            | \$469.00 |
| 246 35 2 | Securitron | M62GB           |              | Securitron Magnalock, Conduit, Mag Bond Sensor, 1200 lbs. Holding Force, All ferrous metal surfaces plated to MIL specification, Automatic dual voltage - no field adjustment required, UL Listed, Operating Temperature: -40 to +140F [-40 to +60C].                                   | EA            | \$566.00 |

| SIN      | MFR_Name   | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                                       | Unit_Of_Issue | Retail   |
|----------|------------|-----------------|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------|
| 246 35 2 | Securitron | M62GBD          |              | Securitron Magnalock, Conduit, Mag Bond Sensor, Door Position Switch, 1200 lbs. Holding Force, All ferrous metal surfaces plated to MIL specification, Automatic dual voltage - no field adjustment required, UL Listed, Operating Temperature: -40 to +140F [-40 to +60C].               | EA            | \$622.00 |
| 246 35 2 | Securitron | M62GD           |              | Securitron Magnalock, Conduit, Door Position Switch, 1200 lbs. Holding Force, All ferrous metal surfaces plated to MIL specification, Automatic dual voltage - no field adjustment required, UL Listed, Operating Temperature: -40 to +140F [-40 to +60C].                                | EA            | \$536.00 |
| 246 35 2 | Securitron | M68             |              | Securitron M68 Magnalock, 1200 lbs. Holding Force, All ferrous metal surfaces plated to MIL specification Automatic dual voltage - no field adjustment required, UL Listed, Operating Temperature: +32 to +110F [0 to +43C].                                                              | EA            | \$455.00 |
| 246 35 2 | Securitron | M68D            |              | Securitron M68 Magnalock, Door Position, 1200 lbs. Holding Force, All ferrous metal surfaces plated to MIL specification Automatic dual voltage - no field adjustment required, UL Listed, Operating Temperature: +32 to +110F [0 to +43C].                                               | EA            | \$515.00 |
| 246 35 2 | Securitron | M68DS           |              | Securitron M68 Magnalock, Door Position, Senstat, 1200 lbs. Holding Force, All ferrous metal surfaces plated to MIL specification Automatic dual voltage - no field adjustment required, UL Listed, Operating Temperature: +32 to +110F [0 to +43C].                                      | EA            | \$575.00 |
| 246 35 2 | Securitron | M68S            |              | Securitron M68 Magnalock, Senstat,                                                                                                                                                                                                                                                        | EA            | \$515.00 |
| 246 35 2 | Securitron | M82B            |              | Securitron Magnalock, 1800 lbs. Holding Force, All ferrous metal surfaces plated to MIL specification, Automatic dual voltage - no field adjustment required, BondSTAT magnetic bond sensor standard, UL Listed, Operating Temperature: -40 to +140F [-40 to +60C].                       | EA            | \$625.00 |
| 246 35 2 | Securitron | M82BD           |              | Securitron Magnalock, Door Position Switch, 1800 lbs. Holding Force, All ferrous metal surfaces plated to MIL specification, Automatic dual voltage - no field adjustment required, BondSTAT magnetic bond sensor standard, UL Listed, Operating Temperature: -40 to +140F [-40 to +60C]. | EA            | \$680.00 |
| 246 35 2 | Securitron | M82FB           |              | Securitron Magnalock, Face Mount, 1800 lbs. Holding Force, All ferrous metal surfaces plated to MIL specification, Automatic dual voltage - no field adjustment required, BondSTAT magnetic bond sensor standard, UL Listed, Operating Temperature: -40 to +140F [-40 to +60C].           | EA            | \$625.00 |

| SIN      | MFR_Name   | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                 | Unit_of_Issue | Retail   |
|----------|------------|-----------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------|
| 246 35 2 | Securitron | M82FBD          |              | Securitron Magnalock, Face Mount, Door Position Switch, 1800 lbs. Holding Force, All ferrous metal surfaces plated to MIL specification, Automatic dual voltage - no field adjustment required, BondSTAT magnetic bond sensor standard, UL Listed, Operating Temperature: -40 to +140F [-40 to +60C].               | EA            | \$680.00 |
| 246 35 2 | Securitron | M82GB           |              | Securitron Magnalock, Conduit, Mag Bond Sensor, 1800 lbs. Holding Force, All ferrous metal surfaces plated to MIL specification, Automatic dual voltage - no field adjustment required, BondSTAT magnetic bond sensor standard, UL Listed, Operating Temperature: -40 to +140F [-40 to +60C].                       | EA            | \$650.00 |
| 246 35 2 | Securitron | M82GBD          |              | Securitron Magnalock, Conduit, Mag Bond Sensor, Door Position Switch, 1800 lbs. Holding Force, All ferrous metal surfaces plated to MIL specification, Automatic dual voltage - no field adjustment required, BondSTAT magnetic bond sensor standard, UL Listed, Operating Temperature: -40 to +140F [-40 to +60C]. | EA            | \$705.00 |
| 246 35 2 | Securitron | MK              |              | Securitron Mortise Keyswitch, Momentary, SPDT, 12 or 24VDC bi-color LED, use with any 1-1/4" [32mm] or 1-1/8" [28mm] mortise cylinder (not included), UL Listed,                                                                                                                                                    | EA            | \$120.00 |
| 246 35 2 | Securitron | MK2             |              | Securitron Mortise Keyswitch, Momentary, DPDT, 12 or 24VDC bi-color LED, use with any 1-1/4" [32mm] or 1-1/8" [28mm] mortise cylinder (not included), UL Listed,                                                                                                                                                    | EA            | \$140.00 |
| 246 35 2 | Securitron | MKA             |              | Securitron Mortise Keyswitch, Alternate, SPDT, 12 or 24VDC bi-color LED, use with any 1-1/4" [32mm] or 1-1/8" [28mm] mortise cylinder (not included), UL Listed,                                                                                                                                                    | EA            | \$120.00 |
| 246 35 2 | Securitron | MKA2            |              | Securitron Mortise Keyswitch, Alternate, DPDT, 12 or 24VDC bi-color LED, use with any 1-1/4" [32mm] or 1-1/8" [28mm] mortise cylinder (not included), UL Listed,                                                                                                                                                    | EA            | \$140.00 |
| 246 35 2 | Securitron | MIKAN           |              | Securitron Mortise Keyswitch, Alternate, SPDT, Narrow Stile, 12 or 24VDC bi-color LED, use with any 1-1/4" [32mm] or 1-1/8" [28mm] mortise cylinder (not included), UL Listed,                                                                                                                                      | EA            | \$120.00 |
| 246 35 2 | Securitron | MIKAN2          |              | Securitron Mortise Keyswitch, Alternate, DPDT, Narrow Stile, 12 or 24VDC bi-color LED, use with any 1-1/4" [32mm] or 1-1/8" [28mm] mortise cylinder (not included), UL Listed,                                                                                                                                      | EA            | \$140.00 |
| 246 35 2 | Securitron | MKN             |              | Securitron Mortise Keyswitch, Momentary, SPDT, Narrow Stile, 12 or 24VDC bi-color LED, use with any 1-1/4" [32mm] or 1-1/8" [28mm] mortise cylinder (not included), UL Listed,                                                                                                                                      | EA            | \$120.00 |

| SIN      | MFR_Name   | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                | Unit_of_Issue | Retail   |
|----------|------------|-----------------|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------|
| 246 35 2 | Securitron | MKN2            |              | Securitron Mortise Keyswitch, Momentary, DPDT, Narrow Stile, 12 or 24VDC bi-color LED, use with any 1-1/4" [32mm] or 1-1/8" [28mm] mortise cylinder (not included), UL Listed,     | EA            | \$140.00 |
| 246 35 2 | Securitron | MKS             |              | Securitron Keyswitch only, Momentary, SPDT, for MK                                                                                                                                 | EA            | \$30.00  |
| 246 35 2 | Securitron | MKS2            |              | Securitron Keyswitch only, Momentary, DPDT, for MK2                                                                                                                                | EA            | \$50.00  |
| 246 35 2 | Securitron | MKSA            |              | Securitron Keyswitch only, Alternate, SPDT, for MKA                                                                                                                                | EA            | \$30.00  |
| 246 35 2 | Securitron | MKSA2           |              | Securitron Keyswitch only, Alternate, DPDT, for MKA2                                                                                                                               | EA            | \$50.00  |
| 246 35 2 | Securitron | MSS-1           |              | Securitron Maximum Security Switch, Surface Mount, Used to monitor the open/closed status of doors, windows, gates, machinery safety barriers or other moving assemblies,          | EA            | \$195.00 |
| 246 35 2 | Securitron | MSS-1C          |              | Securitron Maximum Security Switch, Concealed, Used to monitor the open/closed status of doors, windows, gates, machinery safety barriers or other moving assemblies,              | EA            | \$195.00 |
| 246 35 2 | Securitron | MSS-1G          |              | Securitron Maximum Security Switch, Surface Mount, Conduit, Used to monitor the open/closed status of doors, windows, gates, machinery safety barriers or other moving assemblies, | EA            | \$195.00 |
| 246 35 2 | Securitron | PB              |              | Securitron Push Button, 1-1/2" Round Momentary, DPST, Illuminated, Includes switchable green and red buttons, Red LED on plate.                                                    | EA            | \$140.00 |
| 246 35 2 | Securitron | PB2             |              | Securitron Push Button, 2" Square Momentary, SPDT, Illuminated, Includes switchable green, red and blue ADA lenses.                                                                | EA            | \$90.00  |
| 246 35 2 | Securitron | PB22            |              | Securitron Push Button, 2" Square Momentary, DPDT, Illuminated, Includes switchable green, red and blue ADA lenses.                                                                | EA            | \$140.00 |
| 246 35 2 | Securitron | PB2E            |              | Securitron Push Button, 2" Square Momentary, SPDT, Includes switchable green, red and blue ADA lenses.                                                                             | EA            | \$92.00  |
| 246 35 2 | Securitron | PB4L-2          |              | Securitron Push Button, Illuminated Green Halo-Style Button, Bi-Color LED, 1" Stainless Momentary, DPDT, Single Gang.                                                              | EA            | \$120.00 |
| 246 35 2 | Securitron | PB4LA-2         |              | Securitron Push Button, Illuminated Green Halo-Style Button, Bi-Color LED, 1" Stainless Alternate, DPDT, Single Gang.                                                              | EA            | \$120.00 |
| 246 35 2 | Securitron | PB4LAN-2        |              | Securitron Push Button, Illuminated Green Halo-Style Button, Bi-Color LED, 1" Stainless Alternate, DPDT, Narrow Stile.                                                             | EA            | \$120.00 |
| 246 35 2 | Securitron | PB4LN-2         |              | Securitron Push Button, Illuminated Green Halo-Style Button, Bi-Color LED, 1" Stainless Momentary, DPDT, Narrow Stile.                                                             | EA            | \$120.00 |
| 246 35 2 | Securitron | PBA             |              | Securitron Push Button, 1-1/2" Round Alternate, DPST, Illuminated, Includes switchable green and red buttons, Red LED on plate.                                                    | EA            | \$140.00 |
| 246 35 2 | Securitron | RLP-12          |              | Securitron Relay Logic Pack, 12VDC                                                                                                                                                 | EA            | \$50.00  |
| 246 35 2 | Securitron | RLP-24          |              | Securitron Relay Logic Pack, 24VDC                                                                                                                                                 | EA            | \$50.00  |

| SIN      | MFR_Name   | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                                                           | Unit_of_Issue | Retail   |
|----------|------------|-----------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------|
| 246 35 2 | Securitron | SAM             |              | Securitron Shear Aligning Magnalock (concealed), 12/24VDC, Holding Force: 1200 lbs. [544 kg], Operating Temperature: -40 to +140F [-40 to +60C].                                                                                                                                                              | EA            | \$811.00 |
| 246 35 2 | Securitron | SAM2-24         |              | Securitron Shear Aligning Magnalock (concealed), 24VDC, Holding Force: 600 lbs. [544 kg], Operating Temperature: -40 to +140F [-40 to +60C].                                                                                                                                                                  | EA            | \$638.00 |
| 246 35 2 | Securitron | SAMB            |              | Securitron Shear Aligning Magnalock (concealed), Mag Bond Sensor, 12/24VDC, Holding Force: 1200 lbs. [544 kg], Operating Temperature: -40 to +140F [-40 to +60C].                                                                                                                                             | EA            | \$882.00 |
| 246 35 2 | Securitron | SAMBD           |              | Securitron Shear Aligning Magnalock (concealed), Mag Bond Sensor, Door Position Switch, 12/24VDC, Holding Force: 1200 lbs. [544 kg], Operating Temperature: -40 to +140F [-40 to +60C].                                                                                                                       | EA            | \$933.00 |
| 246 35 2 | Securitron | SAMD            |              | Securitron Shear Aligning Magnalock (concealed), Door Position Switch, 12/24VDC, Holding Force: 1200 lbs. [544 kg], Operating Temperature: -40 to +140F [-40 to +60C].                                                                                                                                        | EA            | \$862.00 |
| 246 35 2 | Securitron | SAMN            |              | Securitron Shear Aligning Magnalock (concealed), Narrow Strike Plate, 12/24VDC, Holding Force: 1200 lbs. [544 kg], Operating Temperature: -40 to +140F [-40 to +60C].                                                                                                                                         | EA            | \$811.00 |
| 246 35 2 | Securitron | SP-1            |              | Securitron Touch Sense Plate, DPST 2 Amp rated relay, Internal 0-25 second timer, Built-in redundant button, 12 or 24VDC, Operating Temperature: +32 to +110F [0 to +43C].                                                                                                                                    | EA            | \$165.00 |
| 246 35 2 | Securitron | TM-2            |              | Securitron Time Master II, Industrial quality multi-function timer, 12 or 24VAC or VDC with 5 Amp DPDT relay output DIP switches select delay times of 1 to 255 seconds or minutes, Flashing LED drive output providing visual indication of remaining time, Operating Temperature: +32 to +149F [0 to +65C]. | EA            | \$126.00 |
| 246 35 2 | Securitron | TM-9            |              | Securitron Time Mate Timer, Miniature timer extends momentary switches up to 36 seconds, 3 Amp SPDT relay energizes for 2 to 36 seconds, 12 or 24VDC, or 24VAC, Operating Temperature: +32 to +158F [0 to +70C].                                                                                              | EA            | \$63.00  |
| 246 35 2 | Securitron | TSB-BK          |              | Securitron Touch Sense Bar, Black, 36" Activates a DPST 2 Amp rated relay when touched (no mechanical movement) which will allow free egress, or initiates the delay on an exit delay timer, Backup push button,                                                                                              | EA            | \$408.00 |
| 246 35 2 | Securitron | TSB-BK-48       |              | Securitron Touch Sense Bar, Black, 48" Activates a DPST 2 Amp rated relay when touched (no mechanical movement) which will allow free egress, or initiates the delay on an exit delay timer, Backup push button,                                                                                              | EA            | \$408.00 |
| 246 35 2 | Securitron | TSB-CL          |              | Securitron Touch Sense Bar, Clear, 36" Activates a DPST 2 Amp rated relay when touched (no mechanical movement) which will allow free egress, or initiates the delay on an exit delay timer, Backup push button,                                                                                              | EA            | \$388.00 |

| SIN      | MFR_Name   | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                    | Unit_of_Issue | Retail   |
|----------|------------|-----------------|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------|
| 246 35 2 | Securitron | TSB-CL-48       |              | Securitron Touch Sense Bar, Clear, 48"<br>Activates a DPST 2 Amp rated relay when touched (no mechanical movement) which will allow free egress, or initiates the delay on an exit delay timer, Backup push button,                                                                                                                                                    | EA            | \$388.00 |
| 246 35 2 | Securitron | UHB-BK-8        |              | Securitron Universal Header Bracket, Black 9-1/2".                                                                                                                                                                                                                                                                                                                     | EA            | \$75.00  |
| 246 35 2 | Securitron | UHB-CL-8        |              | Securitron Universal Header Bracket, Clear 9-1/2".                                                                                                                                                                                                                                                                                                                     | EA            | \$65.00  |
| 246 35 2 | Securitron | UNL-12          |              | Securitron Unlatch, For Cylindrical Locks, 12VDC, Fits standard ANSI 4-7/8" strike cutout, Motorized, no solenoids, Fully concealed installation, Maintains deadlatch function at all times, Continuous duty, Releases under pre-load, Latch status sensor is standard (SPDT), UL Listed, Operating Temperature: -20 to +125F [-29 to +52C].                           | EA            | \$321.00 |
| 246 35 2 | Securitron | UNL-24          |              | Securitron Unlatch, For Cylindrical Locks, 24VDC, Fits standard ANSI 4-7/8" strike cutout, Motorized, no solenoids, Fully concealed installation, Maintains deadlatch function at all times, Continuous duty, Releases under pre-load, Latch status sensor is standard (SPDT), UL Listed, Operating Temperature: -20 to +125F [-29 to +52C].                           | EA            | \$321.00 |
| 246 35 2 | Securitron | XMS             |              | Securitron Exit Motion Sensor, 12/24VDC, Indoor Use only, Passive Infrared Request to Exit Device, Designed to reliably release magnetic locks, Automatically cuts power to the lock, allowing the individual to exit without even realizing that the door is secured, Request to Exit (REX) output, Easily adjustable beam pattern, Adjustable time relock, UL Listed | EA            | \$200.00 |
| 246 35 2 | Securitron | ZA-32/62BK      |              | Securitron Adjustable Z-Bracket, M32/M62, Black.                                                                                                                                                                                                                                                                                                                       | EA            | \$150.00 |
| 246 35 2 | Securitron | ZA-32/62CL      |              | Securitron Adjustable Z-Bracket, M32/M62, Clear.                                                                                                                                                                                                                                                                                                                       | EA            | \$140.00 |
| 246 35 2 | Securitron | ZA-32/62SS      |              | Securitron Adjustable Z-Bracket, M32/M62, Stainless Steel.                                                                                                                                                                                                                                                                                                             | EA            | \$159.00 |
| 246 36   | Abloy      | PL330/25N       |              | PL330/25N Abloy Grade 3 Intruder Resistant Padlock, Brass Body with Chrome Finish, Case-Hardened Boron Steel Shackle with Chrome Finish, 5/16" Diameter, 63/64" Vertical Clearance, Key Removable in Locked Position.                                                                                                                                                  | EA            | \$94.67  |
| 246 36   | Abloy      | PL340/25N       |              | PL340/25N Abloy Grade 4 Intruder Resistant Padlock, Brass Body with Chrome Finish, Case-Hardened Boron Steel Shackle with Chrome Finish, 25/64" Diameter, 63/64" Vertical Clearance, Key Removable in Locked Position.                                                                                                                                                 | EA            | \$135.16 |

| SIN    | MFR_Name      | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                           | Unit_of_Issue | Retail   |
|--------|---------------|-----------------|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------|
| 246 36 | Abloy         | PL340/50N       |              | PL340/50N Abloy Grade 4 Intruder Resistant Padlock, Brass Body with Chrome Finish, Case-Hardened Boron Steel Shackle with Chrome Finish, 25/64" Diameter, 1-31/32" Vertical Clearance, Key Removable in Locked Position.      | EA            | \$136.50 |
| 246 36 | Abloy         | PL350/50N       |              | PL350/50N Abloy Intruder Resistant Padlock, Brass Body with Chrome Finish, Case-Hardened Boron Steel Shackle with Chrome Finish, 25/64" Diameter, 1-31/32" Vertical Clearance, Key Removable in Locked Position.              | EA            | \$197.67 |
| 246 36 | ALARM LOCK    | PG21-MS         |              | Door Exit Alarm, Unauthorized use of door causes alarm to sound. Inside accepts standard mortise cylinder (not included). Optional rim cylinder may be used for outside key control.                                          | EA            | \$250.00 |
| 246 36 | American Lock | A1105BLK KD     |              | 1105 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1" Vertical Clearance, 5 Pin Tumbler Cylinder, Black, Keyed Different.                  | EA            | \$13.71  |
| 246 36 | American Lock | A1105BLK KD MK  |              | 1105 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1" Vertical Clearance, 5 Pin Tumbler Cylinder, Black, Keyed Different and Master Keyed. | EA            | \$18.41  |
| 246 36 | American Lock | A1105BLU KD     |              | 1105 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1" Vertical Clearance, 5 Pin Tumbler Cylinder, Blue, Keyed Different.                   | EA            | \$13.71  |
| 246 36 | American Lock | A1105BLU KD MK  |              | 1105 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1" Vertical Clearance, 5 Pin Tumbler Cylinder, Blue, Keyed Different and Master Keyed.  | EA            | \$18.41  |
| 246 36 | American Lock | A1105BRN KD     |              | 1105 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1" Vertical Clearance, 5 Pin Tumbler Cylinder, Brown, Keyed Different.                  | EA            | \$13.71  |
| 246 36 | American Lock | A1105BRN KD MK  |              | 1105 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1" Vertical Clearance, 5 Pin Tumbler Cylinder, Brown, Keyed Different and Master Keyed. | EA            | \$18.41  |
| 246 36 | American Lock | A1105CLR KD     |              | 1105 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1" Vertical Clearance, 5 Pin Tumbler Cylinder, Clear, Keyed Different.                  | EA            | \$13.71  |
| 246 36 | American Lock | A1105CLR KD MK  |              | 1105 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1" Vertical Clearance, 5 Pin Tumbler Cylinder, Clear, Keyed Different and Master Keyed. | EA            | \$18.41  |

| SIN    | MFR_Name      | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                            | Unit_of_Issue | Retail  |
|--------|---------------|-----------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------|
| 246 36 | American Lock | A1105GRN KD     |              | 1105 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1" Vertical Clearance, 5 Pin Tumbler Cylinder, Green, Keyed Different.                   | EA            | \$13.71 |
| 246 36 | American Lock | A1105GRN KD MK  |              | 1105 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1" Vertical Clearance, 5 Pin Tumbler Cylinder, Green, Keyed Different and Master Keyed.  | EA            | \$18.41 |
| 246 36 | American Lock | A1105ORG KD     |              | 1105 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1" Vertical Clearance, 5 Pin Tumbler Cylinder, Orange, Keyed Different.                  | EA            | \$13.71 |
| 246 36 | American Lock | A1105ORG KD MK  |              | 1105 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1" Vertical Clearance, 5 Pin Tumbler Cylinder, Orange, Keyed Different and Master Keyed. | EA            | \$18.41 |
| 246 36 | American Lock | A1105PRP KD     |              | 1105 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1" Vertical Clearance, 5 Pin Tumbler Cylinder, Purple, Keyed Different.                  | EA            | \$13.71 |
| 246 36 | American Lock | A1105PRP KD MK  |              | 1105 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1" Vertical Clearance, 5 Pin Tumbler Cylinder, Purple, Keyed Different and Master Keyed. | EA            | \$18.41 |
| 246 36 | American Lock | A1105RED KD     |              | 1105 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1" Vertical Clearance, 5 Pin Tumbler Cylinder, Red, Keyed Different.                     | EA            | \$13.71 |
| 246 36 | American Lock | A1105RED KD MK  |              | 1105 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1" Vertical Clearance, 5 Pin Tumbler Cylinder, Red, Keyed Different and Master Keyed.    | EA            | \$18.41 |
| 246 36 | American Lock | A1105YLW KD     |              | 1105 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1" Vertical Clearance, 5 Pin Tumbler Cylinder, Yellow, Keyed Different.                  | EA            | \$13.71 |
| 246 36 | American Lock | A1105YLW KD MK  |              | 1105 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1" Vertical Clearance, 5 Pin Tumbler Cylinder, Yellow, Keyed Different and Master Keyed. | EA            | \$18.41 |

| SIN    | MFR_Name      | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                               | Unit_of_Issue | Retail  |
|--------|---------------|-----------------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------|
| 246 36 | American Lock | A1106BLK KD     |              | 1106 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1-1/2" Vertical Clearance, 5 Pin Tumbler Cylinder, Black, Keyed Different.                  | EA            | \$15.20 |
| 246 36 | American Lock | A1106BLK KD MK  |              | 1106 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1-1/2" Vertical Clearance, 5 Pin Tumbler Cylinder, Black, Keyed Different and Master Keyed. | EA            | \$19.90 |
| 246 36 | American Lock | A1106BLU KD     |              | 1106 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1-1/2" Vertical Clearance, 5 Pin Tumbler Cylinder, Blue, Keyed Different.                   | EA            | \$15.20 |
| 246 36 | American Lock | A1106BLU KD MK  |              | 1106 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1-1/2" Vertical Clearance, 5 Pin Tumbler Cylinder, Blue, Keyed Different and Master Keyed.  | EA            | \$19.90 |
| 246 36 | American Lock | A1106BRN KD     |              | 1106 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1-1/2" Vertical Clearance, 5 Pin Tumbler Cylinder, Brown, Keyed Different.                  | EA            | \$15.20 |
| 246 36 | American Lock | A1106BRN KD MK  |              | 1106 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1-1/2" Vertical Clearance, 5 Pin Tumbler Cylinder, Brown, Keyed Different and Master Keyed. | EA            | \$19.90 |
| 246 36 | American Lock | A1106CLR KD     |              | 1106 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1-1/2" Vertical Clearance, 5 Pin Tumbler Cylinder, Clear, Keyed Different.                  | EA            | \$15.20 |
| 246 36 | American Lock | A1106CLR KD MK  |              | 1106 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1-1/2" Vertical Clearance, 5 Pin Tumbler Cylinder, Clear, Keyed Different and Master Keyed. | EA            | \$19.90 |
| 246 36 | American Lock | A1106GRN KD     |              | 1106 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1-1/2" Vertical Clearance, 5 Pin Tumbler Cylinder, Green, Keyed Different.                  | EA            | \$15.20 |
| 246 36 | American Lock | A1106GRN KD MK  |              | 1106 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1-1/2" Vertical Clearance, 5 Pin Tumbler Cylinder, Green, Keyed Different and Master Keyed. | EA            | \$19.90 |

| SIN    | MFR_Name      | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                | Unit_O<br>f_Issue | Retail  |
|--------|---------------|-----------------|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------|
| 246 36 | American Lock | A1106ORG KD     |              | 1106 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1-1/2" Vertical Clearance, 5 Pin Tumbler Cylinder, Orange, Keyed Different.                  | EA                | \$15.20 |
| 246 36 | American Lock | A1106ORG KD MK  |              | 1106 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1-1/2" Vertical Clearance, 5 Pin Tumbler Cylinder, Orange, Keyed Different and Master Keyed. | EA                | \$19.90 |
| 246 36 | American Lock | A1106PRP KD     |              | 1106 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1-1/2" Vertical Clearance, 5 Pin Tumbler Cylinder, Purple, Keyed Different.                  | EA                | \$15.20 |
| 246 36 | American Lock | A1106PRP KD MK  |              | 1106 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1-1/2" Vertical Clearance, 5 Pin Tumbler Cylinder, Purple, Keyed Different and Master Keyed. | EA                | \$19.90 |
| 246 36 | American Lock | A1106RED KD     |              | 1106 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1-1/2" Vertical Clearance, 5 Pin Tumbler Cylinder, Red, Keyed Different.                     | EA                | \$15.20 |
| 246 36 | American Lock | A1106RED KD MK  |              | 1106 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1-1/2" Vertical Clearance, 5 Pin Tumbler Cylinder, Red, Keyed Different and Master Keyed.    | EA                | \$19.90 |
| 246 36 | American Lock | A1106YLW KD     |              | 1106 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1-1/2" Vertical Clearance, 5 Pin Tumbler Cylinder, Yellow, Keyed Different.                  | EA                | \$15.20 |
| 246 36 | American Lock | A1106YLW KD MK  |              | 1106 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 1-1/2" Vertical Clearance, 5 Pin Tumbler Cylinder, Yellow, Keyed Different and Master Keyed. | EA                | \$19.90 |
| 246 36 | American Lock | A1107BLK KD     |              | 1107 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 3" Vertical Clearance, 5 Pin Tumbler Cylinder, Black, Keyed Different.                       | EA                | \$16.63 |
| 246 36 | American Lock | A1107BLK KD MK  |              | 1107 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 3" Vertical Clearance, 5 Pin Tumbler Cylinder, Black, Keyed Different and Master Keyed.      | EA                | \$21.33 |

| SIN    | MFR_Name      | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                            | Unit_O<br>f_Issue | Retail  |
|--------|---------------|-----------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------|
| 246 36 | American Lock | A1107BLU KD     |              | 1107 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 3" Vertical Clearance, 5 Pin Tumbler Cylinder, Blue, Keyed Different.                    | EA                | \$16.63 |
| 246 36 | American Lock | A1107BLU KD MK  |              | 1107 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 3" Vertical Clearance, 5 Pin Tumbler Cylinder, Blue, Keyed Different and Master Keyed.   | EA                | \$21.33 |
| 246 36 | American Lock | A1107BRN KD     |              | 1107 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 3" Vertical Clearance, 5 Pin Tumbler Cylinder, Brown, Keyed Different.                   | EA                | \$16.63 |
| 246 36 | American Lock | A1107BRN KD MK  |              | 1107 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 3" Vertical Clearance, 5 Pin Tumbler Cylinder, Brown, Keyed Different and Master Keyed.  | EA                | \$21.33 |
| 246 36 | American Lock | A1107CLR KD     |              | 1107 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 3" Vertical Clearance, 5 Pin Tumbler Cylinder, Clear, Keyed Different.                   | EA                | \$16.63 |
| 246 36 | American Lock | A1107CLR KD MK  |              | 1107 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 3" Vertical Clearance, 5 Pin Tumbler Cylinder, Clear, Keyed Different and Master Keyed.  | EA                | \$21.33 |
| 246 36 | American Lock | A1107GRN KD     |              | 1107 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 3" Vertical Clearance, 5 Pin Tumbler Cylinder, Green, Keyed Different.                   | EA                | \$16.63 |
| 246 36 | American Lock | A1107GRN KD MK  |              | 1107 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 3" Vertical Clearance, 5 Pin Tumbler Cylinder, Green, Keyed Different and Master Keyed.  | EA                | \$21.33 |
| 246 36 | American Lock | A1107ORG KD     |              | 1107 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 3" Vertical Clearance, 5 Pin Tumbler Cylinder, Orange, Keyed Different.                  | EA                | \$16.63 |
| 246 36 | American Lock | A1107ORG KD MK  |              | 1107 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 3" Vertical Clearance, 5 Pin Tumbler Cylinder, Orange, Keyed Different and Master Keyed. | EA                | \$21.33 |
| 246 36 | American Lock | A1107PRP KD     |              | 1107 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 3" Vertical Clearance, 5 Pin Tumbler Cylinder, Purple, Keyed Different.                  | EA                | \$16.63 |

| SIN    | MFR_Name      | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                              | Unit_O<br>f_Issue | Retail  |
|--------|---------------|-----------------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------|
| 246 36 | American Lock | A1107PRP KD MK  |              | 1107 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 3" Vertical Clearance, 5 Pin Tumbler Cylinder, Purple, Keyed Different and Master Keyed.                                                                                                   | EA                | \$21.33 |
| 246 36 | American Lock | A1107RED KD     |              | 1107 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 3" Vertical Clearance, 5 Pin Tumbler Cylinder, Red, Keyed Different.                                                                                                                       | EA                | \$16.63 |
| 246 36 | American Lock | A1107RED KD MK  |              | 1107 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 3" Vertical Clearance, 5 Pin Tumbler Cylinder, Red, Keyed Different and Master Keyed.                                                                                                      | EA                | \$21.33 |
| 246 36 | American Lock | A1107YLW KD     |              | 1107 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 3" Vertical Clearance, 5 Pin Tumbler Cylinder, Yellow, Keyed Different.                                                                                                                    | EA                | \$16.63 |
| 246 36 | American Lock | A1107YLW KD MK  |              | 1107 Series American 1-1/2" Wide Solid Aluminum Body Safety Lockout Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 3" Vertical Clearance, 5 Pin Tumbler Cylinder, Yellow, Keyed Different and Master Keyed.                                                                                                   | EA                | \$21.33 |
| 246 36 | American Lock | A5200GLN KD     |              | 5200G Series American Lock Government Padlock, 1-3/4" Wide Solid Steel, Hardened Boron Shackle, 5/16" Diameter, 3/4" Horizontal Clearance, 1-1/8" Vertical Clearance, 5-Pin Rekeyable BumbStop Cylinder, Non Removable Key, Lock Body Stamped "US". 2 Keys Per Lock, Keyed Different.                                            | EA                | \$18.54 |
| 246 36 | American Lock | A5200GLN KD MK  |              | 5200G Series American Lock Government Padlock, 1-3/4" Wide Solid Steel Government Padlock, Hardened Boron Shackle, 5/16" Diameter, 3/4" Horizontal Clearance, 1-1/8" Vertical Clearance, 5-Pin Rekeyable BumbStop Cylinder, Non Removable Key, Lock Body Stamped "US". Master Keyed and Keyed Different. 2 Keys Per Lock.        | EA                | \$23.24 |
| 246 36 | American Lock | A5200GLWN KD    |              | 5200G Series American Lock Government Padlock, 1-3/4" Wide Solid Steel Government Padlock, Hardened Boron Shackle, 5/16" Diameter, 3/4" Horizontal Clearance, 1-1/8" Vertical Clearance, With Double Loop Chain, 5-Pin Rekeyable BumbStop Cylinder, Non Removable Key, Lock Body Stamped "US". 2 Keys Per Lock, Keyed Different. | EA                | \$20.51 |

| SIN    | MFR_Name       | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                               | Unit_of_Issue | Retail  |
|--------|----------------|-----------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------|
| 246 36 | American Lock  | A5200GLWN KD MK |              | 5200G Series American Lock Government Padlock, 1-3/4" Wide Solid Steel Government Padlock, Hardened Boron Shackle, 5/16" Diameter, 3/4" Horizontal Clearance, 1-1/8" Vertical Clearance, With Double Loop Chain, 5-Pin Rekeyable BumpStop Cylinder, Non Removable Key, Lock Body Stamped "US". 2 Keys Per Lock, Keyed Different and Master Keyed. | EA            | \$25.21 |
| 246 36 | American Locks | 1107-KA         |              | 1-1/2" Wide Solid Aluminum Body Padlock, Boron Shackle: 1/4" Diameter, 3/4" Horizontal Clearance, 3" Vertical Clearance, 5 Pin Tumbler Cylinder. Available Body Colors: Black, Blue, Brown, Clear, Green, Orange, Purple, Red, & Yellow. A1107                                                                                                    | EA            | \$17.58 |
| 246 36 | American Locks | A3106WO-BLU     |              | A3106 Series American Lock 1-1/2" Wide Blue Aluminum Body Padlock, Accepts Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP, Keymark, Medeco & Peaks. Core Not Included, Boron Shackle: 1/4"Diameter, 3/4" Horizontal Clearance, 1-1/2" Vertical Clearance, Blue.                                                                | EA            | \$16.22 |
| 246 36 | American Locks | A3106WO-RED     |              | A3106 Series American Lock 1-1/2" Wide Blue Aluminum Body Padlock, Accepts Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP, Keymark, Medeco & Peaks. Core Not Included, Boron Shackle: 1/4"Diameter, 3/4" Horizontal Clearance, 1-1/2" Vertical Clearance, Red.                                                                 | EA            | \$16.22 |
| 246 36 | American Locks | A3261WO         |              | A3260 Series American Lock 2" Wide Chrome Plated Solid Steel Padlock. Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. Boron Alloy Shackle: 3/8"Diameter, 3/4" Horizontal Clearance, 2" Vertical Clearance.                                                                                | EA            | \$25.90 |
| 246 36 | American Locks | A3560WO         |              | A3560 Series American Lock 1-3/4" Wide Solid Brass Padlock. Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. Boron Alloy Shackle: 5/16"Diameter, 3/4" Horizontal Clearance, 1-1/8" Vertical Clearance.                                                                                     | EA            | \$22.08 |
| 246 36 | American Locks | A3570WO         |              | A3570 Series American Lock 2" Wide Solid Brass Padlock. Key Override: Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. Boron Alloy Shackle: 3/8"Diameter, 3/4" Horizontal Clearance, 1-1/8" Vertical Clearance.                                                                                          | EA            | \$24.51 |
| 246 36 | American Locks | A5200D          |              | A5200 Series American Lock 1-3/4" Wide Chrome Plated Solid Steel Body Padlock, Boron Alloy Shackle: 5/16" Diameter, 3/4" Horizontal Clearance, 1-1/8" Vertical Clearance, Pin Tumbler Cylinder, Keyed Differently.                                                                                                                                | EA            | \$20.99 |

| SIN    | MFR_Name       | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                       | Unit_O<br>f_Issue | Retail  |
|--------|----------------|-----------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------|
| 246 36 | American Locks | A700D           |              | A700 Series American Lock Round Body, 2-1/2" Wide Solid Steel Padlock. Boron Shackle: 7/16" Diameter, 15/16" Horizontal Clearance, 1-1/16" Vertical Clearance 5 Pin Tumbler Cylinder.                                     | EA                | \$33.45 |
| 246 36 | American Locks | A701D           |              | A701 Series American Lock Round Body, 2-1/2" Wide Solid Steel Padlock. Boron Shackle: 7/16" Diameter, 15/16" Horizontal Clearance, 2" Vertical Clearance, 5 Pin Tumbler Cylinder.                                         | EA                | \$34.96 |
| 246 36 | CCL            | K0436           |              | Sesamee Brass Padlock. 2" Solid Brass Case, Lifetime Guarantee, All Brass Mechanism, Set Your Own Combination Hardened Steel Shackle: 5/16 diameter, 1" Vertical Clearance, 1" Horizontal Clearance. 5/Box                | EA                | \$23.10 |
| 246 36 | CCL            | K0437           |              | Sesamee Brass Padlock. 2" Solid Brass Case, Lifetime Guarantee, All Brass Mechanism, Set Your Own Combination Hardened Steel Shackle: 5/16 diameter, 2 1/4" Vertical Clearance, 1" Horizontal Clearance. 5/Box            | EA                | \$24.15 |
| 246 36 | CCL            | K436            |              | Sesamee Brass Padlock. 2" Solid Brass Case, Lifetime Guarantee, All Brass Mechanism, Set Your Own Combination Hardened Steel Shackle: 5/16 diameter, 1" Vertical Clearance, 1" Horizontal Clearance. 5/Box                | EA                | \$22.05 |
| 246 36 | CCL            | K437            |              | Sesamee Brass Padlock. 2" Solid Brass Case, Lifetime Guarantee, All Brass Mechanism, Set Your Own Combination Hardened Steel Shackle: 5/16 diameter, 2 1/4" Vertical Clearance, 1" Horizontal Clearance. 5/Box            | EA                | \$23.10 |
| 246 36 | CCL            | K500-2-1/4      |              | Black Epoxy Padlock 1-7/8" Case, Lifetime Guarantee, All Brass Mechanism, Set Your Own Combination, Hardened Steel Shackle: 5/16" diameter, 2-1/4" Vertical Clearance, 1" Horizontal Clearance 5/Box                      | EA                | \$19.95 |
| 246 36 | CCL            | K500-3/4        |              | Black Epoxy Padlock 2" Case, Lifetime Guarantee, All Brass Mechanism, Set Your Own Combination, Hardened Steel Shackle: 5/16" diameter, 1" Vertical Clearance, 1" Horizontal Clearance 5/Box                              | EA                | \$18.90 |
| 246 36 | CCL            | K636            |              | Super Sesamee Full Metal Jacket Hardened Steel Padlock Hardened Steel Jacket Body: 2-1/2"W x 2-1/4"H x 1-3/8"D. Chrome Plated Molybdenum Shackle: 7/16" diameter, 1" Vertical Clearance, 7/8" Horizontal Clearance. 5/Box | EA                | \$36.75 |
| 246 36 | CCL            | K637            |              | Super Sesamee Full Metal Jacket Hardened Steel Body: 2-1/2"W x 2-1/4"H x 1-3/8"D. Chrome Plated Molybdenum Shackle: 7/16" diameter, 2" Vertical Clearance, 7/8" Horizontal Clearance. 5/Box                               | EA                | \$38.85 |
| 246 36 | CCL            | K646            |              | Super Sesamee Full Metal Jacket Hardened Steel Body: 2-1/2"W x 2-1/4"H x 1-3/8"D. Chrome Plated Molybdenum Shackle: 7/16" diameter, 1" Vertical Clearance, 7/8" Horizontal Clearance. 5/Box                               | EA                | \$52.50 |

| SIN    | MFR_Name        | MFR_Part_Number  | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                                             | Unit_of_Issue | Retail     |
|--------|-----------------|------------------|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|
| 246 36 | Corbin Russwin  | DC3210-689       |              | Grade 1 Door Closer, Exceeds ANSI A156.4 requirements, Adjustable Sizes 1 thru 6, Compliance with Building & Barrier-Free Codes, 5-Year Warranty.                                                                                                                                                                                                                                               | EA            | \$278.00   |
| 246 36 | CORBIN RUSSWIN  | DC6210-M54-689   |              | Corbin Russwin DC6210 Grade 1 Door Closer, Non-Handed, Cast Iron Body, Multi-Size, Fully Adjustable 1-6, Meets UL and UL10C Positive Pressure Requirements, Heavy-Duty Forged Steel Arm Offers Increased Strength For High-Use, High-Abuse Situations, Tri-Packed For Regular, Parallel or Top Jamb Mounting, SNB (sex nuts and bolts) Included, 689 Sprayed Aluminum Finish, 10-Year Warranty. | EA            | \$321.00   |
| 246 36 | Corbin Russwin  | ED5200-630       |              | Grade 1 Rim Stainless Steel Exit Device, 36"                                                                                                                                                                                                                                                                                                                                                    | EA            | \$1,120.00 |
| 246 36 | Corbin Russwin  | ED8200-689       |              | Grade 1 Rim Aluminum Finish Exit Device, UL Listed, 36"                                                                                                                                                                                                                                                                                                                                         | EA            | \$360.00   |
| 246 36 | Corbin Russwin  | ML2051LWA-626-LC |              | Mortise Lock, Entry Function, Complete with LWA Trim, Aluminum Finish, Less Cylinder                                                                                                                                                                                                                                                                                                            |               | \$483.00   |
| 246 36 | Don-Jo Mfg Inc. | BF-161-PC        |              | Hole Filler Plate, 2-5/8" Diameter, Covers up to 2-1/8" Hole, Prime Coat Finish                                                                                                                                                                                                                                                                                                                 |               | \$3.65     |
| 246 36 | Don-Jo Mfg Inc. | EF-161           |              | Filler Plate: 2-1/4"L x 1-1/8"W, Prime Coat Finish                                                                                                                                                                                                                                                                                                                                              |               | \$1.90     |
| 246 36 | Don-Jo Mfg Inc. | ILP-212-SL       |              | Latch Protector, Interlock Type for Inswinging Doors, 12" Length, Silver Coated 14 Gauge Steel, Bolts, Latch-Guard                                                                                                                                                                                                                                                                              |               | \$15.50    |
| 246 36 | Don-Jo Mfg Inc. | LP-207-SL        |              | Latch Protector for Outswinging Doors, 7" x 2-3/4", Silver Coated 12 Gauge Steel, Bolts, Washers & Nuts Included, Latch-Guard                                                                                                                                                                                                                                                                   |               | \$10.60    |
| 246 36 | Don-Jo Mfg Inc. | LP-211-SL        |              | Latch Protector for Outswinging Doors, 11" x 3", Silver Coated 12 Gauge Steel, Bolts, Washers & Nuts Included, Latch-Guard                                                                                                                                                                                                                                                                      |               | \$11.50    |
| 246 36 | Don-Jo Mfg Inc. | PULP-211-626     |              | Latch Protector for Outswinging Doors, 11.75" x 3.5" with Anti-Spread Pin, Brushed Chrome 12 Gauge Steel, Bolts, Washers & Nuts Included, Latch-Guard                                                                                                                                                                                                                                           |               | \$13.85    |
| 246 36 | Don-Jo Mfg Inc. | PULP-211-SL      |              | Latch Protector for Outswinging Doors, 11.75" x 3.5" with Anti-Spread Pin, Silver Coated 12 Gauge Steel, Bolts, Washers & Nuts Included, Latch-Guard                                                                                                                                                                                                                                            |               | \$13.50    |
| 246 36 | Don-Jo Mfg Inc. | ULP-211-626      |              | Latch Protector, Commercial Type for Outswinging Doors, 11.75" x 3.5", Brushed Chrome 12 Gauge Steel, Bolts, Washers & Nuts Included, Latch-Guard                                                                                                                                                                                                                                               |               | \$12.85    |
| 246 36 | Don-Jo Mfg Inc. | ULP-211-CP       |              | Latch Protector, Commercial Type for Outswinging Doors, 11.75" x 3.5", Brass Plated 12 Gauge Steel, Bolts, Washers & Nuts Included, Latch-Guard                                                                                                                                                                                                                                                 |               | \$12.85    |
| 246 36 | Don-Jo Mfg Inc. | ULP-211-SL       |              | Latch Protector, Commercial Type for Outswinging Doors, 11.75" x 3.5", Silver Coated 12 Gauge Steel, Bolts, Washers & Nuts Included, Latch-Guard                                                                                                                                                                                                                                                |               | \$12.50    |
| 246 36 | Hager Company   | 004616           |              | BB1168 4.5x4.5 26D Five Knuckle Door Hinge, Heavy Weight, Ball Bearing, Steel Pin, ANSI A8111                                                                                                                                                                                                                                                                                                   |               | \$47.15    |

| SIN    | MFR_Name                     | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                   | Unit_O<br>f_Issue | Retail   |
|--------|------------------------------|-----------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------|
| 246 36 | Hager Company                | 004645          |              | BB1168 4.5x4.5 NRP 26D Five Knuckle Door Hinge, Heavy Weight, Ball Bearing, Steel with non-removable Steel Pin, ANSI A8111                                                                                                            |                   | \$53.45  |
| 246 36 | Hager Company                | 004866          |              | BB1168 5x4.5 NRP 26D Five Knuckle Door Hinge, Heavy Weight, Ball Bearing, Steel with non-removable Steel Pin, ANSI A8111                                                                                                              |                   | \$64.35  |
| 246 36 | Hager Company                | 006547          |              | BB1191 4.5x4.5 NRP 32D Five Knuckle Door Hinge, Standard Weight, Ball Bearing, Wide Throw, Stainless Steel with non-removable SS Pin, ANSI A5112                                                                                      |                   | \$67.05  |
| 246 36 | Hager Company                | 007510          |              | BB1199 4.5x4.5 NRP 32D Five Knuckle Door Hinge, Heavy Weight, Ball Bearing, Wide Throw, Stainless Steel with non-removable SS Pin, ANSI A5111                                                                                         |                   | \$101.10 |
| 246 36 | Hager Company                | 007644          |              | BB1199 5x4.5 NRP 32D Five Knuckle Door Hinge, Heavy Weight, Ball Bearing, Stainless Steel with non-removable SS Pin, ANSI A5111                                                                                                       |                   | \$127.70 |
| 246 36 | Hager Company                | 008142          |              | BB1260 4.5 26D Steel, Full Mortise, Standard Weight, Ball Bearing, Swing Clear Hinge                                                                                                                                                  |                   | \$133.15 |
| 246 36 | Hager Company                | 010108          |              | BB1279 4.5x4.5 26D Five Knuckle Door Hinge, Standard Weight, Ball Bearing, Steel with Steel Pin, ANSI A5112                                                                                                                           |                   | \$25.85  |
| 246 36 | Hager Company                | 010140          |              | BB1279 4.5x4.5 NRP 26D Five Knuckle Door Hinge, Standard Weight, Ball Bearing, Steel with non-removable Steel Pin, ANSI A5112                                                                                                         |                   | \$32.15  |
| 246 36 | HES (Hanchett Entry Systems) | 152             |              | HES 152 Universal mounting tabs, mount inside hollow metal and aluminum jambs.                                                                                                                                                        |                   | \$19.00  |
| 246 36 | HES (Hanchett Entry Systems) | 2002            |              | HES 2002 universal AC transformer, Converts 120/208/240 VAC to 12 or 24 VAC output. 24V, 1.67Amp max. Features a safety fuse on the output side for overvoltage protection and includes mounting hardware, wirenuts and a spare fuse. |                   | \$50.00  |
| 246 36 | HES (Hanchett Entry Systems) | 1006-105        |              | HES 1006-105 trim enhancer (Good Plate) for 1006 series electric strike, black.                                                                                                                                                       |                   | \$25.00  |
| 246 36 | HES (Hanchett Entry Systems) | 1006-630        |              | Grade 1 Electric Strike, The strongest most versatile electric strike available. ANSI/BHMA A156.31, UL 1034 Burglary-resistant listed. Fail-Secure. 5-year warranty.                                                                  |                   | \$481.00 |
| 246 36 | HES (Hanchett Entry Systems) | 1006F-630       |              | Grade 1 Electric Strike, The strongest most versatile electric strike available. ANSI/BHMA A156.31, UL 1034 Burglary-resistant listed. Fail-Safe. 5-year warranty.                                                                    |                   | \$481.00 |
| 246 36 | HES (Hanchett Entry Systems) | 2001-1          |              | HES 2001-1 wire in bridge rectifier, use the wire-in bridge rectifier to convert your current from AC to DC. 35V, 2 Amp                                                                                                               |                   | \$34.00  |
| 246 36 | HES (Hanchett Entry Systems) | 2001M           |              | HES 2001M plug-in bridge rectifier, converts AC to DC. 35V, 1 Amp. Includes MOV and self-resettable fuse                                                                                                                              |                   | \$42.00  |
| 246 36 | HES (Hanchett Entry Systems) | 2002P-24        |              | HES 2002P-24 AC plug-in transformer, Converts 110/120 VAC to 24 VAC output. 5V, 0.2 Amp max.                                                                                                                                          |                   | \$50.00  |

| SIN    | MFR_Name                     | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                  | Unit_O<br>f_Issue | Retail   |
|--------|------------------------------|-----------------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------|
| 246 36 | HES (Hanchett Entry Systems) | 2005M3          |              | HES 2005M3 In-line power controller able to receive input voltages from 12-32V AC or DC. Built-in bridge rectifier. Reduces initial voltage by 25% to extend the life of the electric strike. Includes built-in resettable fuse, MOV, voltage regulation and input status LED                                        |                   | \$79.00  |
| 246 36 | HES (Hanchett Entry Systems) | 2006M           |              | HES 2006M plug-in buzzer.                                                                                                                                                                                                                                                                                            |                   | \$40.00  |
| 246 36 | HES (Hanchett Entry Systems) | 4500-105        |              | HES 4500-105 trim enhancer (Goof Plate) for 4500 series electric strike, black.                                                                                                                                                                                                                                      |                   | \$20.00  |
| 246 36 | HES (Hanchett Entry Systems) | 4500-630        |              | HES 4500 series electric strike, low profile 1-3/8" depth, heavy-duty cast stainless steel construction and two interchangeable faceplates, designed for use with cylindrical and mortise locksets up to a 3/4" throw, ANSI/BHMA A156.31, Grade 1 (#E09321, #E09322, #E09323), brushed stainless finish (US32D/630). |                   | \$515.00 |
| 246 36 | HES (Hanchett Entry Systems) | 5000-105        |              | HES 5000-105 trim enhancer (goof plate) for 5000 series electric strike, black.                                                                                                                                                                                                                                      |                   | \$15.00  |
| 246 36 | HES (Hanchett Entry Systems) | 5000-630        |              | Grade 1 Low Profile Electric Strike, ANSI/BHMA A156.31, Field selectable voltage & fail-safe or fail-secure. 5-year warranty.                                                                                                                                                                                        |                   | \$152.00 |
| 246 36 | HES (Hanchett Entry Systems) | 501A-option-613 |              | HES 501A option faceplate for 5000 & 5200 series electric strikes, 4-7/8" x 1-1/4", radius corners & flat faceplate, For use with cylindrical locksets. Includes universal mounting tabs. Aluminum frames. ANSI/BHMA Numbers: #E09321, #E09322, #E09323. bronze toned finish (US10B/613).                            |                   | \$37.00  |
| 246 36 | HES (Hanchett Entry Systems) | 501A-option-630 |              | HES 501A option faceplate for 5000 & 5200 series electric strikes, 4-7/8" x 1-1/4", radius corners & flat faceplate, For use with cylindrical locksets. Includes universal mounting tabs. Aluminum frames. ANSI/BHMA Numbers: #E09321, #E09322, #E09323, brushed stainless finish (US32D/630).                       |                   | \$21.00  |
| 246 36 | HES (Hanchett Entry Systems) | 501-option-613  |              | HES 501 option faceplate for 5000 & 5200 series electric strikes, 4-7/8" x 1-1/4", square corners & flat faceplate, For use with cylindrical locksets in ANSI metal jambs. ANSI/BHMA Numbers: #E09321, #E09322, #E09323, bronze toned finish (US10B/613).                                                            |                   | \$34.00  |
| 246 36 | HES (Hanchett Entry Systems) | 501-option-630  |              | Faceplate for 5000 series. 4-7/8" x 1-1/4", 630 finish.                                                                                                                                                                                                                                                              |                   | \$16.00  |
| 246 36 | HES (Hanchett Entry Systems) | 502-option-613  |              | HES 502 option faceplate for 5000 & 5200 series electric strikes, 7-15/16" x 1-7/16", radius corners & flat faceplate, For use with cylindrical locksets. Includes universal mounting tabs. Aluminum frames. ANSI/BHMA Numbers: #E09321, #E09322, #E09323, bronze toned finish (US10B/613).                          |                   | \$49.00  |

| SIN    | MFR_Name                     | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                                              | Unit_O<br>f_Issue | Retail   |
|--------|------------------------------|-----------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------|
| 246 36 | HES (Hanchett Entry Systems) | 502-option-630  |              | HES 502 option faceplate for 5000 & 5200 series electric strikes, 7-15/16" x 1-7/16", radius corners & flat faceplate, For use with cylindrical locksets. Includes universal mounting tabs. Aluminum frames. ANSI/BHMA Numbers: #E09321, #E09322, #E09323, brushed stainless finish (US32D/630). |                   | \$37.00  |
| 246 36 | HES (Hanchett Entry Systems) | 503-option-613  |              | HES 503 option faceplate for 5000 & 5200 series electric strikes, 6-7/8" x 1-1/4", radius corners & flat faceplate, For use with cylindrical locksets. Includes universal mounting tabs. ANSI/BHMA Numbers: #E09321, #E09322, #E09323, bronze toned finish (US10B/613).                          |                   | \$49.00  |
| 246 36 | HES (Hanchett Entry Systems) | 503-option-630  |              | HES 503 option faceplate for 5000 & 5200 series electric strikes, 6-7/8" x 1-1/4", radius corners & flat faceplate, For use with cylindrical locksets. Includes universal mounting tabs. ANSI/BHMA Numbers: #E09321, #E09322, #E09323, brushed stainless finish (US32D/630).                     |                   | \$37.00  |
| 246 36 | HES (Hanchett Entry Systems) | 504-option-613  |              | HES 504 option faceplate for 5000 & 5200 series electric strikes, 10" x 1-3/8", radius corners & flat faceplate, For use with cylindrical locksets. Four point mounting for wood installations. ANSI/BHMA Numbers: #E09321, #E09322, #E09323, bronze toned finish (US10B/613).                   |                   | \$49.00  |
| 246 36 | HES (Hanchett Entry Systems) | 504-option-630  |              | HES 504 option faceplate for 5000 & 5200 series electric strikes, 10" x 1-3/8", radius corners & flat faceplate, For use with cylindrical locksets. Four point mounting for wood installations. ANSI/BHMA Numbers: #E09321, #E09322, #E09323, brushed stainless finish (US32D/630).              |                   | \$37.00  |
| 246 36 | HES (Hanchett Entry Systems) | 5104 1-2        |              | HES 5104 1/2" Stackable Lip Extension for use with 5000 series electric strike.                                                                                                                                                                                                                  |                   | \$41.00  |
| 246 36 | HES (Hanchett Entry Systems) | 5104-1          |              | HES 5104 1" Stackable Lip Extension for use with 5000 series electric strike.                                                                                                                                                                                                                    |                   | \$47.00  |
| 246 36 | HES (Hanchett Entry Systems) | 5104-1-1/4      |              | HES 5104 1-1/4" Stackable Lip Extension for use with 5000 series electric strike.                                                                                                                                                                                                                |                   | \$49.00  |
| 246 36 | HES (Hanchett Entry Systems) | 5104-3          |              | HES 5104 3" Stackable Lip Extension for use with 5000 series electric strike.                                                                                                                                                                                                                    |                   | \$50.00  |
| 246 36 | HES (Hanchett Entry Systems) | 5200-105        |              | HES 5200-105 trim enhancer (goof plate), for 5200 series electric strike.                                                                                                                                                                                                                        |                   | \$19.00  |
| 246 36 | HES (Hanchett Entry Systems) | 5200-630        |              | Grade 1 Adjustable Electric Strike, ANSI/BHMA A156.31, UL 1034 Burglary-resistant listed. Field selectable voltage & fail-safe or fail-secure. 5-year warranty.                                                                                                                                  |                   | \$152.00 |
| 246 36 | HES (Hanchett Entry Systems) | 5204 1 1/4      |              | HES 5204 1-1/4" Stackable Lip Extension for use with 5200 series electric strike.                                                                                                                                                                                                                |                   | \$49.00  |
| 246 36 | HES (Hanchett Entry Systems) | 5204 1-2        |              | HES 5204 1/2" Stackable Lip Extension for use with 5200 series electric strike.                                                                                                                                                                                                                  |                   | \$41.00  |
| 246 36 | HES (Hanchett Entry Systems) | 5204-1          |              | HES 5204 1" Stackable Lip Extension for use with 5200 series electric strike.                                                                                                                                                                                                                    |                   | \$47.00  |

| SIN    | MFR_Name                     | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                   | Unit_O<br>f_Issue | Retail   |
|--------|------------------------------|-----------------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------|
| 246 36 | HES (Hanchett Entry Systems) | 5204-3          |              | HES 5204 3" Stackable Lip Extension for use with 5200 series electric strike.                                                                                                                                                                                         |                   | \$50.00  |
| 246 36 | HES (Hanchett Entry Systems) | 7000-105        |              | HES 7000-105 trim enhancer (goof plate), for 7000 series electric strike (790 & 792 option only).                                                                                                                                                                     |                   | \$19.00  |
| 246 36 | HES (Hanchett Entry Systems) | 7000-12-630     |              | HES 7000-630 electric strike, 12VDC, will accommodate both cylindrical and rim exit locksets, will accommodate various types of latchbolts from 5/8" to 3/4" throw, ANSI/BHMA A156.31, Grade 1 (791 and 792 options).                                                 |                   | \$210.00 |
| 246 36 | HES (Hanchett Entry Systems) | 7000-24-630     |              | HES 7000-630 electric strike, 24VDC, will accommodate both cylindrical and rim exit locksets, will accommodate various types of latchbolts from 5/8" to 3/4" throw, ANSI/BHMA A156.31, Grade 1 (791 and 792 options).                                                 |                   | \$210.00 |
| 246 36 | HES (Hanchett Entry Systems) | 791-option-613  |              | HES 791 option faceplate for 7000 series electric strikes, 4-7/8" x 1-1/4", For use with Cylindrical locksets up to 5/8" throw. ANSI/BHMA Numbers: #E09322, #E09323, bronze toned finish (US10B/613).                                                                 |                   | \$66.00  |
| 246 36 | HES (Hanchett Entry Systems) | 791-option-630  |              | HES 791 option faceplate for 7000 series electric strikes, 4-7/8" x 1-1/4", For use with Cylindrical locksets up to 5/8" throw. ANSI/BHMA Numbers: #E09322, #E09323, brushed stainless finish (US32d/630).                                                            |                   | \$52.00  |
| 246 36 | HES (Hanchett Entry Systems) | 792-option-613  |              | HES 791 option faceplate for 7000 series electric strikes, (7-15/16" x 1-7/16") For use with cylindrical locksets up to 5/8" throw. ANSI/BHMA Numbers: #E09322, #E09323, bronze toned finish (US10B/613).                                                             |                   | \$66.00  |
| 246 36 | HES (Hanchett Entry Systems) | 792-option-630  |              | HES 791 option faceplate for 7000 series electric strikes, (7-15/16" x 1-7/16") For use with cylindrical locksets up to 5/8" throw. ANSI/BHMA Numbers: #E09322, #E09323, brushed stainless finish (US32D/630).                                                        |                   | \$52.00  |
| 246 36 | HES (Hanchett Entry Systems) | 8000-630        |              | HES 8000-630 electric strike, 12/24VDC (field selectable), concealed design for use with cylindrical locksets, ANSI/BHMA A156.31, Grade 1,                                                                                                                            |                   | \$190.00 |
| 246 36 | HES (Hanchett Entry Systems) | 801A-option-613 |              | HES 801A option faceplate for 8000 & 8300 series electric strike, 4-7/8" x 1-1/4", radius corners & flat faceplate, For use with cylindrical locksets up to 5/8" throw, ANSI/BHMA Numbers: #E05031, #E09321, #E09322, #E09323, bronze toned finish (US10B/613).       |                   | \$46.00  |
| 246 36 | HES (Hanchett Entry Systems) | 801A-option-630 |              | HES 801A option faceplate for 8000 & 8300 series electric strikes, 4-7/8" x 1-1/4", radius corners & flat faceplate, For use with cylindrical locksets up to 5/8" throw, ANSI/BHMA Numbers: #E05031, #E09321, #E09322, #E09323, brushed stainless finish (US32D/630). |                   | \$32.00  |

| SIN    | MFR_Name                     | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                | Unit_of_Issue | Retail   |
|--------|------------------------------|-----------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------|
| 246 36 | HES (Hanchett Entry Systems) | 801-option-613  |              | HES 801 option faceplate for 8000 & 8300 series electric strikes, (4-7/8" x 1-1/4") For use with cylindrical locksets in ANSI metal jambs. For use with latchbolts up to 5/8" throw. ANSI/BHMA Numbers: #E05031, #E09321, #E09322, #E09323, bronze toned finish (US10B/613).                                       |               | \$42.00  |
| 246 36 | HES (Hanchett Entry Systems) | 801-option-630  |              | Faceplate for 8000 series. 4-7/8" x 1-1/4", 630 finish.                                                                                                                                                                                                                                                            |               | \$27.00  |
| 246 36 | HES (Hanchett Entry Systems) | 802-option-613  |              | HES 802 option faceplate for 8000 & 8300 series electric strikes, 7-15/16" x 1-7/16") For use with cylindrical locksets. For use with latchbolts up to 5/8" throw. Includes universal mounting tabs. Aluminum frames. ANSI/BHMA Numbers: #E05031, #E09321, #E09322, #E09323, bronze toned finish (US10B/613).      |               | \$61.00  |
| 246 36 | HES (Hanchett Entry Systems) | 802-option-630  |              | HES 802 option faceplate for 8000 & 8300 series electric strikes, 7-15/16" x 1-7/16") For use with cylindrical locksets. For use with latchbolts up to 5/8" throw. Includes universal mounting tabs. Aluminum frames. ANSI/BHMA Numbers: #E05031, #E09321, #E09322, #E09323, brushed stainless finish (US32D/630). |               | \$45.00  |
| 246 36 | HES (Hanchett Entry Systems) | 8300-630        |              | HES 8300-630 electric strike, 12/24VDC (field selectable). Designed for fast, easy installation, the 8300 fits into a standard 1" ANSI/BHMA A156.115 dustbox, ANSI/BHMA A156.31, Grade 1, UL 10C, fire-rated, 3 hour (fail secure only).                                                                           |               | \$459.00 |
| 246 36 | HES (Hanchett Entry Systems) | 9400-613        |              | HES 9400-613 electric strike, surface mounted, for use with rim mounted exit devices, 12/24VDC (field selectable), UL 1034 listed and exceeds ANSI/BHMA Grade 1 standards, NSI/BHMA, A156.31 Grade 1, bronze tone finish (US10B/613).                                                                              |               | \$511.00 |
| 246 36 | HES (Hanchett Entry Systems) | 9400-630        |              | HES 9400-630 electric strike, surface mounted, for use with rim mounted exit devices, 12/24VDC (field selectable), UL 1034 listed and exceeds ANSI/BHMA Grade 1 standards, NSI/BHMA, A156.31 Grade 1, brushed stainless finish (US32D/630).                                                                        |               | \$464.00 |
| 246 36 | HES (Hanchett Entry Systems) | 9500-613        |              | HES 9500-613 electric strike, surface mounted, for use with rim mounted exit devices, UL 10C fire-rated, 3 hour (fail secure), 12/24VDC (field selectable), UL 1034 listed and exceeds ANSI/BHMA Grade 1 standards, NSI/BHMA, A156.31 Grade 1, bronze tone finish (US10B/613).                                     |               | \$595.00 |
| 246 36 | HES (Hanchett Entry Systems) | 9500-630        |              | HES 9500-630 electric strike, surface mounted, for use with rim mounted exit devices, UL 10C fire-rated, 3 hour (fail secure), 12/24VDC (field selectable), UL 1034 listed and exceeds ANSI/BHMA Grade 1 standards, NSI/BHMA, A156.31 Grade 1, brushed stainless finish (US32d/630).                               |               | \$548.00 |

| SIN    | MFR_Name                     | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Unit_O<br>f_Issue | Retail   |
|--------|------------------------------|-----------------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------|
| 246 36 | HES (Hanchett Entry Systems) | 9600-630        |              | Grade 1 Surface Mount Electric Strike, ANSI/BHMA A156.31, UL 1034 Burglary-resistant listed. Field selectable voltage & fail-safe or fail-secure. 5-year warranty.                                                                                                                                                                                                                                                                                                                     |                   | \$470.00 |
| 246 36 | HES (Hanchett Entry Systems) | HD-option-613   |              | HES HD option faceplate for 1006 series electric strike, (4-7/8" x 1-1/4") For use with Mortise locksets with a 1" deadbolt without a deadlatch. Strike will not release when deadbolt is extended. Compatible Locksets: Sargent (7700 & 8100 series), Yale (8700). ANSI/BHMA Numbers: #E09391, #E09392, #E09393, #E09331, #E09332, #E09333, bronze toned finish (US10B/613).                                                                                                          |                   | \$59.00  |
| 246 36 | HES (Hanchett Entry Systems) | HD-option-630   |              | HES HD option faceplate for 1006 series electric strike, (4-7/8" x 1-1/4") For use with Mortise locksets with a 1" deadbolt without a deadlatch. Strike will not release when deadbolt is extended. Compatible Locksets: Sargent (7700 & 8100 series), Yale (8700). ANSI/BHMA Numbers: #E09391, #E09392, #E09393, #E09331, #E09332, #E09333, brushed stainless finish (US32D/630).                                                                                                     |                   | \$46.00  |
| 246 36 | HES (Hanchett Entry Systems) | HM-option-613   |              | HES HM option faceplate for 1006 series electric strike, (4-7/8" x 1-1/4") For use with Mortise locksets with a 1" deadbolt with a deadlatch positioned below the latchbolt. Strike will not release when deadbolt is extended. Compatible Locksets: Accurate, Best (45H & 47H, and 34H-37H), Corbin/Russwin, Falcon, Sargent (7800, 8200, & 9200 series), Yale (8800). ANSI/BHMA Numbers: #E09391, #E09392, #E09393, #E09331, #E09332, #E09333, bronze toned finish (US10B/613).      |                   | \$59.00  |
| 246 36 | HES (Hanchett Entry Systems) | HM-option-630   |              | HES HM option faceplate for 1006 series electric strike, (4-7/8" x 1-1/4") For use with Mortise locksets with a 1" deadbolt with a deadlatch positioned below the latchbolt. Strike will not release when deadbolt is extended. Compatible Locksets: Accurate, Best (45H & 47H, and 34H-37H), Corbin/Russwin, Falcon, Sargent (7800, 8200, & 9200 series), Yale (8800). ANSI/BHMA Numbers: #E09391, #E09392, #E09393, #E09331, #E09332, #E09333, brushed stainless finish (US32D/630). |                   | \$46.00  |
| 246 36 | HES (Hanchett Entry Systems) | H-option-613    |              | HES H option faceplate for 1006 series electric strike, (4-7/8" x 1-1/4") For use with Mortise locksets with a 1" deadbolt without a deadlatch. Strike will not release when deadbolt is extended. Compatible Locksets: Arrow, Baldwin, Marks, Omnia, PDQ, Others. ANSI/BHMA Numbers: #E09391, #E09392, #E09393, #E09331, #E09332, #E09333, bronze toned finish (US10B/613).                                                                                                           |                   | \$59.00  |

| SIN    | MFR_Name                     | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                                                                                                         | Unit_O<br>f_Issue | Retail  |
|--------|------------------------------|-----------------|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------|
| 246 36 | HES (Hanchett Entry Systems) | H-option-630    |              | HES H option faceplate for 1006 series electric strike, (4-7/8" x 1-1/4") For use with Mortise locksets with a 1" deadbolt without a deadlatch. Strike will not release when deadbolt is extended. Compatible Locksets: Arrow, Baldwin, Marks, Omnia, PDQ, Others. ANSI/BHMA Numbers: #E09391, #E09392, #E09393, #E09331, #E09332, #E09333, brushed stainless finish (US32D/630).                                                                           |                   | \$46.00 |
| 246 36 | HES (Hanchett Entry Systems) | J-option-613    |              | HES J option faceplate for 1006 series electric strike, (4-7/8" x 1-1/4") for use with cylindrical locksets up to 3/4" throw and all locksets with center-lined bolts. ANSI/BHMA Numbers: #E09321, #E09322, #E09323, bronze toned finish (US10B/613).                                                                                                                                                                                                       |                   | \$46.00 |
| 246 36 | HES (Hanchett Entry Systems) | J-option-630    |              | HES J option faceplate for 1006 series electric strike, (4-7/8" x 1-1/4") for use with cylindrical locksets up to 3/4" throw and all locksets with center-lined bolts. ANSI/BHMA Numbers: #E09321, #E09322, #E09323, brushed stainless finish (US32D/630).                                                                                                                                                                                                  |                   | \$31.00 |
| 246 36 | HES (Hanchett Entry Systems) | KD-option-613   |              | HES KD option faceplate for 1006 series electric strike, (4-7/8" x 1-1/4") For use with Mortise locksets with a deadlatch positioned above the latchbolt. Compatible Locksets: Jackson, Sargent (7700 & 8100), Schlage, Yale (8700). ANSI/BHMA Numbers: #E09321, #E09322, #E09323, bronze toned finish (US10B/613),                                                                                                                                         |                   | \$46.00 |
| 246 36 | HES (Hanchett Entry Systems) | KD-option-630   |              | Faceplate for 1006 series. 4-7/8" x 1-1/4", 630 finish.                                                                                                                                                                                                                                                                                                                                                                                                     |                   | \$31.00 |
| 246 36 | HES (Hanchett Entry Systems) | KM-option-613   |              | HES KM option faceplate for 1006 Series electric strike, (4-7/8" x 1-1/4") For use with Mortise locksets with a deadlatch positioned below the latchbolt. Compatible Locksets: Accurate, Arrow, Best*, Corbin/Russwin, Falcon (1992 M Series), Sargent (7800, 8200 & 9200 series), Yale (8800) *For Best 45H & 47H deadlatch below, and Best 34H - 37H deadlatch above. ANSI/BHMA Numbers: #E09321, #E09322, #E09323, bronze toned finish (US10B/613).      |                   | \$46.00 |
| 246 36 | HES (Hanchett Entry Systems) | KM-option-630   |              | HES KM option faceplate for 1006 Series electric strike, (4-7/8" x 1-1/4") For use with Mortise locksets with a deadlatch positioned below the latchbolt. Compatible Locksets: Accurate, Arrow, Best*, Corbin/Russwin, Falcon (1992 M Series), Sargent (7800, 8200 & 9200 series), Yale (8800) *For Best 45H & 47H deadlatch below, and Best 34H - 37H deadlatch above. ANSI/BHMA Numbers: #E09321, #E09322, #E09323, brushed stainless finish (US32D/630). |                   | \$31.00 |

| SIN    | MFR_Name                     | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                                                                                                     | Unit_of_Issue | Retail  |
|--------|------------------------------|-----------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------|
| 246 36 | HES (Hanchett Entry Systems) | K-option-613    |              | HES K option faceplate for 1006 series electric strike, (4-7/8" x 1-1/4") For use with Mortise locksets with a deadlatch positioned above the latchbolt.<br>Compatible Locksets: Baldwin, Marks, PDQ, Others. ANSI/BHMA Numbers: #E09321, #E09322, #E09323, bronze toned finish (US10B/613).                                                                                                                                                            |               | \$46.00 |
| 246 36 | HES (Hanchett Entry Systems) | K-option-630    |              | HES K option faceplate for 1006 series electric strike, (4-7/8" x 1-1/4") For use with Mortise locksets with a deadlatch positioned above the latchbolt.<br>Compatible Locksets: Baldwin, Marks, PDQ, Others. ANSI/BHMA Numbers: #E09321, #E09322, #E09323, brushed stainless finish (US32D/630).                                                                                                                                                       |               | \$31.00 |
| 246 36 | HES (Hanchett Entry Systems) | ND-option-613   |              | HES ND option faceplate for 1006 series electric strike, (4-7/8" x 1-1/4") For use with Mortise locksets where the deadbolt is used for night-latch function only. Compatible Locksets: Sargent (7700 & 8100 series), Yale (8700).<br>ANSI/BHMA Numbers: #E09391, #E09392, #E09393, #E09331, #E09332, #E09333, bronze toned finish (US10B/613).                                                                                                         |               | \$59.00 |
| 246 36 | HES (Hanchett Entry Systems) | ND-option-630   |              | HES ND option faceplate for 1006 series electric strike, (4-7/8" x 1-1/4") For use with Mortise locksets where the deadbolt is used for night-latch function only. Compatible Locksets: Sargent (7700 & 8100 series), Yale (8700).<br>ANSI/BHMA Numbers: #E09391, #E09392, #E09393, #E09331, #E09332, #E09333, brushed stainless finish (US32D/630).                                                                                                    |               | \$46.00 |
| 246 36 | HES (Hanchett Entry Systems) | NM-option-613   |              | HES NM option faceplate for 1006 series electric strike, (4-7/8" x 1-1/4") For use with Mortise locksets with a deadlatch positioned below the latchbolt and where the deadbolt is used for night-latch function only. Compatible Locksets: Best (45H & 47H, and 34H-37H), Corbin/Russwin, Falcon, Sargent (7800, 8200 & 9200 series).<br>ANSI/BHMA Numbers: #E09391, #E09392, #E09393, #E09331, #E09332, #E09333, bronze toned finish US10B/613).      |               | \$59.00 |
| 246 36 | HES (Hanchett Entry Systems) | NM-option-630   |              | HES NM option faceplate for 1006 series electric strike, (4-7/8" x 1-1/4") For use with Mortise locksets with a deadlatch positioned below the latchbolt and where the deadbolt is used for night-latch function only. Compatible Locksets: Best (45H & 47H, and 34H-37H), Corbin/Russwin, Falcon, Sargent (7800, 8200 & 9200 series).<br>ANSI/BHMA Numbers: #E09391, #E09392, #E09393, #E09331, #E09332, #E09333, brushed stainless finish US32D/630). |               | \$46.00 |

| SIN    | MFR_Name                     | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                        | Unit_of_Issue | Retail   |
|--------|------------------------------|-----------------|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------|
| 246 36 | HES (Hanchett Entry Systems) | N-option-613    |              | HES N option faceplate for 1006 series electric strike, (4-7/8" x 1-1/4") For use with Mortise locksets where the deadbolt is used for night-latch function only. Compatible Locksets: Accurate, Arrow, Baldwin, Marks, Omnia, PDQ, Others. ANSI/BHMA Numbers: #E09391, #E09392, #E09393, #E09331, #E09332, #E09333, bronze toned finish (US10B/613).      |               | \$59.00  |
| 246 36 | HES (Hanchett Entry Systems) | N-option-630    |              | HES N option faceplate for 1006 series electric strike, (4-7/8" x 1-1/4") For use with Mortise locksets where the deadbolt is used for night-latch function only. Compatible Locksets: Accurate, Arrow, Baldwin, Marks, Omnia, PDQ, Others. ANSI/BHMA Numbers: #E09391, #E09392, #E09393, #E09331, #E09332, #E09333, brushed stainless finish (US32D/630). |               | \$46.00  |
| 246 36 | HPC Inc.                     | KEKAB-120       |              | 120 Key Capacity, 17" x 13" x 3.25" Single-Tag System. Mount on a wall, near a desk or a work station. Heavy-gauge steel construction. Tags and 5-wafer key-retaining lock included. Sand color. Key Cabinet. Key Storage.                                                                                                                                 |               | \$159.90 |
| 246 36 | HPC Inc.                     | KEKAB-160X      |              | 160 Key Capacity, 20" x 16.5" x 5" Single-Tag System. Mount on a wall, near a desk or a work station. Heavy-gauge steel construction. Tags and 5-wafer key-retaining lock included. Sand color. Key Cabinet. Key Storage.                                                                                                                                  |               | \$205.10 |
| 246 36 | HPC Inc.                     | KEKAB-240       |              | 240 Key Capacity, 20" x 16.5" x 5" Single-Tag System. Mount on a wall, near a desk or a work station. Heavy-gauge steel construction. Tags and 5-wafer key-retaining lock included. Sand color. Key Cabinet. Key Storage.                                                                                                                                  |               | \$275.10 |
| 246 36 | HPC Inc.                     | KEKAB-30        |              | 30 Key Capacity, 12" x 8" x 2.5" Single-Tag System. Mount on a wall, near a desk or a work station. Heavy-gauge steel construction. Tags and 5-wafer key-retaining lock included. Sand color. Key Cabinet. Key Storage.                                                                                                                                    |               | \$68.30  |
| 246 36 | HPC Inc.                     | KEKAB-330       |              | 330 Key Capacity, 20" x 16.5" x 5" Single-Tag System. Mount on a wall, near a desk or a work station. Heavy-gauge steel construction. Tags and 5-wafer key-retaining lock included. Sand color. Key Cabinet. Key Storage.                                                                                                                                  |               | \$339.90 |
| 246 36 | HPC Inc.                     | KEKAB-40        |              | 40 Key Capacity, 12" x 8" x 2.5" Single-Tag System. Mount on a wall, near a desk or a work station. Heavy-gauge steel construction. Tags and 5-wafer key-retaining lock included. Sand color. Key Cabinet. Key Storage.                                                                                                                                    |               | \$81.00  |
| 246 36 | HPC Inc.                     | KEKAB-60        |              | 60 Key Capacity, 17" x 13" x 3.25" Single-Tag System. Mount on a wall, near a desk or a work station. Heavy-gauge steel construction. Tags and 5-wafer key-retaining lock included. Sand color. Key Cabinet. Key Storage.                                                                                                                                  |               | \$113.00 |
| 246 36 | HPC Inc.                     | KEKAB-8         |              | 8 Key Capacity, 6.625" x 5.75" x 2" Single-Tag System. Mount on a wall, near a desk or a work station. Heavy-gauge steel construction. Tags and 5-wafer key-retaining lock included. Sand color. Key Cabinet. Key Storage.                                                                                                                                 |               | \$53.00  |

| SIN    | MFR_Name            | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                       | Unit_O<br>f_Issue | Retail   |
|--------|---------------------|-----------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------|
| 246 36 | HPC Inc.            | KEKAB-80        |              | 80 Key Capacity, 17" x 13" x 3.25" Single-Tag System. Mount on a wall, near a desk or a work station. Heavy-gauge steel construction. Tags and 5-wafer key-retaining lock included. Sand color. Key Cabinet. Key Storage  |                   | \$131.00 |
| 246 36 | HPC Inc.            | KEKAB-8-RED     |              | 8 Key Capacity, 6.625" x 5.75" x 2" Single-Tag System. Mount on a wall, near a desk or a work station. Heavy-gauge steel construction. Tags and 5-wafer key-retaining lock included. RED color. Key Cabinet. Key Storage. |                   | \$59.90  |
| 246 36 | Kaba Access Control | 204231-26D-41   |              | Kaba Access Control Wrap Plate For 1000-Series, L1000-Series, and 5000-Series, 10-1/2" Height x 5" Depth, Satin Chrome-US26D/626 finish.                                                                                  |                   | \$60.00  |
| 246 36 | KSP                 | 206-A-26D       |              | 6-Pin Small Format Interchangeable Uncombined Core (SFIC) "A" Keyway                                                                                                                                                      |                   | \$13.21  |
| 246 36 | KSP                 | 206-E-26D       |              | 6-Pin Small Format Interchangeable Uncombined Core (SFIC) "E" Keyway                                                                                                                                                      |                   | \$13.21  |
| 246 36 | KSP                 | 206-F-26D       |              | 6-Pin Small Format Interchangeable Uncombined Core (SFIC) "F" Keyway                                                                                                                                                      |                   | \$13.21  |
| 246 36 | KSP                 | 206-G-26D       |              | 6-Pin Small Format Interchangeable Uncombined Core (SFIC) "G" Keyway                                                                                                                                                      |                   | \$13.21  |
| 246 36 | KSP                 | 206-H-26D       |              | 6-Pin Small Format Interchangeable Uncombined Core (SFIC) "H" Keyway                                                                                                                                                      |                   | \$13.21  |
| 246 36 | KSP                 | 206-J-26D       |              | 6-Pin Small Format Interchangeable Uncombined Core (SFIC) "J" Keyway                                                                                                                                                      |                   | \$13.21  |
| 246 36 | KSP                 | 206-K-26D       |              | 6-Pin Small Format Interchangeable Uncombined Core (SFIC) "K" Keyway                                                                                                                                                      |                   | \$13.21  |
| 246 36 | KSP                 | 207-A-26D       |              | 7-Pin Small Format Interchangeable Uncombined Core (SFIC) "A" Keyway                                                                                                                                                      |                   | \$14.01  |
| 246 36 | KSP                 | 207-E-26D       |              | 7-Pin Small Format Interchangeable Uncombined Core (SFIC) "E" Keyway                                                                                                                                                      |                   | \$14.01  |
| 246 36 | KSP                 | 207-F-26D       |              | 7-Pin Small Format Interchangeable Uncombined Core(SFIC) "F" Keyway                                                                                                                                                       |                   | \$14.01  |
| 246 36 | KSP                 | 207-G-26D       |              | 7-Pin Small Format Interchangeable Uncombined Core (SFIC) "G" Keyway                                                                                                                                                      |                   | \$14.01  |
| 246 36 | KSP                 | 207-H-26D       |              | 7-Pin Small Format Interchangeable Uncombined Core (SFIC) "H" Keyway                                                                                                                                                      |                   | \$14.01  |
| 246 36 | KSP                 | 207-J-26D       |              | 7-Pin Small Format Interchangeable Uncombined Core (SFIC) "J" Keyway                                                                                                                                                      |                   | \$14.01  |
| 246 36 | KSP                 | 207-K-26D       |              | 7-Pin Small Format Interchangeable Uncombined Core (SFIC) "K" Keyway                                                                                                                                                      |                   | \$14.01  |
| 246 36 | KSP                 | 307-601-26D     |              | Small Format Interchangeable Core (SFIC) 6/7 Pin Mortise Cylinder Housing. Fixed Adams Rite Cam.                                                                                                                          |                   | \$16.31  |
| 246 36 | KSP                 | 308-26D         |              | Small Format Interchangeable Core (SFIC) 6/7 Pin Rim Cylinder Housing                                                                                                                                                     |                   | \$16.31  |
| 246 36 | KSP                 | 407-26D         |              | Small Format Interchangeable Core (SFIC) 6/7 Pin Mortise Cylinder Housing. Removable Cam.                                                                                                                                 |                   | \$16.31  |
| 246 36 | LCN                 | P1261-AL        |              | Grade 1, Economical Cast Iron Door Closer, Certified under ANSI Standard A156.4 Adjustable spring sizes 1 thru 5, Parallel bracket included. Aluminum Finish.                                                             |                   | \$235.00 |
| 246 36 | LCN                 | P1261-DKBRZ     |              | Grade 1, Economical Cast Iron Door Closer, Certified under ANSI Standard A156.4 Adjustable spring sizes 1 thru 5, Parallel bracket included. Dark Bronze Finish.                                                          |                   | \$235.00 |

| SIN    | MFR_Name | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                                                               | Unit_of_Issue | Retail   |
|--------|----------|-----------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------|
| 246 36 | LCN      | P4040XP-AL      |              | Grade 1 Maximum Durability Door Closer, Meets ADA requirements, Certified under ANSI Standard A156.4, UL listed, 44% increased bearing load capacity, 3/4" pinion, 5/8" wide bearing, New V-shield seal with 20% longer life. Aluminum Finish.                                                                                                                                                    |               | \$427.00 |
| 246 36 | LCN      | P4040XP-DKBRZ   |              | Grade 1 Maximum Durability Door Closer, Meets ADA requirements, Certified under ANSI Standard A156.4, UL listed, 44% increased bearing load capacity, 3/4" pinion, 5/8" wide bearing, New V-shield seal with 20% longer life. Dark Bronze Finish.                                                                                                                                                 |               | \$427.00 |
| 246 36 | Master   | 1-KA            |              | Laminated Steel Pin Tumbler Padlock, Case 1-3/4" wide, Shackle: 5/16" diameter, 15/16" vertical clearance, 3/4" horizontal clearance, Keyed Alike.                                                                                                                                                                                                                                                |               | \$12.40  |
| 246 36 | Master   | 21KZW1          |              | Padlock, 1 3/4" body, 1 1/2" shackle, rekeyable, zero bitted                                                                                                                                                                                                                                                                                                                                      |               | \$16.74  |
| 246 36 | Master   | 21LFKZW1        |              | Padlock, 1 3/4" body, 15/16" shackle, rekeyable, zero bitted                                                                                                                                                                                                                                                                                                                                      |               | \$18.34  |
| 246 36 | Master   | 25KZW1          |              | Padlock, 2" body, 1 1/2" shackle                                                                                                                                                                                                                                                                                                                                                                  |               | \$20.08  |
| 246 36 | Master   | 3-KA            |              | Laminated Steel Pin Tumbler Padlock, Case 1-9/16" wide, Shackle: 9/32" diameter, 3/4" vertical clearance, 5/8" horizontal clearance, Keyed Alike.                                                                                                                                                                                                                                                 |               | \$10.91  |
| 246 36 | Master   | 5-KA            |              | Laminated Steel Pin Tumbler Padlock, Case 2" wide, Shackle: 3/8" diameter, 1" vertical clearance, 15/16" horizontal clearance, Keyed Alike.                                                                                                                                                                                                                                                       |               | \$15.49  |
| 246 36 | Master   | 6121KZW1        |              | Padlock, 2 1/8" body, 1 1/8" shackle, pro series, heavy duty, zero bitted                                                                                                                                                                                                                                                                                                                         |               | \$23.12  |
| 246 36 | Master   | 6421WO          |              | Pro Series Padlock for Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. 2-1/8" wide body, Shackle: 5/16" diameter, 1-1/8" vertical clearance, 7/8" horizontal clearance                                                                                                                                                                                  |               | \$26.46  |
| 246 36 | Norton   | 1601-689        |              | 1600 Series Grade 1 Surface Door Closer. ANSI/BHMA A156.4, UL Listed, Non-Handed, Adjustable Sizes 3 thru 6. Separate and Independent Latch, Sweep and Back-Check Adjustments. 10-Year Warranty, Tri-Packed for Standard, Top Jamb or Parallel Arm Mounting. Stacked Valves, Rack & Pinion Design, Cast Aluminum Body. Packed with Thru Bolts and Grommet Nuts (TBGN), Aluminum Finish, (689).    |               | \$200.00 |
| 246 36 | Norton   | 1601-690        |              | 1600 Series Grade 1 Surface Door Closer. ANSI/BHMA A156.4, UL Listed, Non-Handed, Adjustable Sizes 3 thru 6. Separate and Independent Latch, Sweep and Back-Check Adjustments. 10-Year Warranty, Tri-Packed for Standard, Top Jamb or Parallel Arm Mounting. Stacked Valves, Rack & Pinion Design, Cast Aluminum Body. Packed with Thru Bolts and Grommet Nuts (TBGN), Dark Bronze Finish, (690). |               | \$200.00 |

| SIN    | MFR_Name | MFR_Part_Number      | Product_Name | Product_Description                                                                                                                                                                                                  | Unit_of_Issue | Retail   |
|--------|----------|----------------------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------|
| 246 36 | Norton   | 7500-689             |              | 7500 Series Grade 1 Surface Door Closer. ANSI/BHMA 156.4, UL Listed, ADA Compliant, 10-Year Warranty, Non-Handed, Rack & Pinion Design, Cast Aluminum Body, Adjustable Sizes 1 through 6, Aluminum Finish, (689).    |               | \$399.00 |
| 246 36 | Norton   | 7500-690             |              | 7500 Series Grade 1 Surface Door Closer. ANSI/BHMA 156.4, UL Listed, ADA Compliant, 10-Year Warranty, Non-Handed, Rack & Pinion Design, Cast Aluminum Body, Adjustable Sizes 1 through 6, Dark Bronze Finish, (690). |               | \$399.00 |
| 246 36 | Olympus  | 100DR-1-3/8"-26D-KD  |              | Pin Tumbler Door Deadbolt Lock, National D4291/D4292 Keyway. Available Keyed Alike/Keyed Different                                                                                                                   |               | \$28.03  |
| 246 36 | Olympus  | 100DR-7/8"-26D-KA101 |              | Pin Tumbler Door Deadbolt Lock, National D4291/D4292 Keyway. Available Keyed Alike/Keyed Different                                                                                                                   |               | \$28.03  |
| 246 36 | Olympus  | 100DR-7/8"-26D-KA103 |              | Pin Tumbler Door Deadbolt Lock, National D4291/D4292 Keyway. Available Keyed Alike/Keyed Different                                                                                                                   |               | \$28.03  |
| 246 36 | Olympus  | 100DR-7/8"-26D-KA915 |              | Pin Tumbler Door Deadbolt Lock, National D4291/D4292 Keyway. Available Keyed Alike/Keyed Different                                                                                                                   |               | \$28.03  |
| 246 36 | Olympus  | 100DR-7/8"-26D-KD    |              | Pin Tumbler Door Deadbolt Lock, National D4291/D4292 Keyway. Available Keyed Alike/Keyed Different                                                                                                                   |               | \$28.03  |
| 246 36 | Olympus  | 12-2-26D             |              | Large Cabinet Lock Angle Strike                                                                                                                                                                                      |               | \$2.60   |
| 246 36 | Olympus  | 12-4-2P              |              | Adjustable Cabinet Lock Frameless Strike                                                                                                                                                                             |               | \$7.50   |
| 246 36 | Olympus  | 200DW-7/8"-26D-KA101 |              | Pin Tumbler Drawer Deadbolt Lock, National D4291/D4292 Keyway. Available Keyed Alike/Keyed Different                                                                                                                 |               | \$28.03  |
| 246 36 | Olympus  | 200DW-7/8"-26D-KA103 |              | Pin Tumbler Drawer Deadbolt Lock, National D4291/D4292 Keyway. Available Keyed Alike/Keyed Different                                                                                                                 |               | \$28.03  |
| 246 36 | Olympus  | 200DW-7/8"-26D-KA107 |              | Pin Tumbler Drawer Deadbolt Lock, National D4291/D4292 Keyway. Available Keyed Alike/Keyed Different                                                                                                                 |               | \$28.03  |
| 246 36 | Olympus  | 200DW-7/8"-26D-KA915 |              | Pin Tumbler Drawer Deadbolt Lock, National D4291/D4292 Keyway. Available Keyed Alike/Keyed Different                                                                                                                 |               | \$28.03  |
| 246 36 | Olympus  | 200DW-7/8"-26D-KD    |              | Pin Tumbler Drawer Deadbolt Lock, National D4291/D4292 Keyway. Available Keyed Alike/Keyed Different                                                                                                                 |               | \$28.03  |
| 246 36 | Olympus  | 300SD-26D-KA101      |              | Pin Tumbler Sliding Door Lock, National D4291/D4292 Keyway. Available Keyed Alike/Keyed Different                                                                                                                    |               | \$39.59  |
| 246 36 | Olympus  | 300SD-26D-KA915      |              | Pin Tumbler Sliding Door Lock, National D4291/D4292 Keyway. Available Keyed Alike/Keyed Different                                                                                                                    |               | \$39.59  |
| 246 36 | Olympus  | 300SD-26D-KD         |              | Pin Tumbler Sliding Door Lock, National D4291/D4292 Keyway. Available Keyed Alike/Keyed Different                                                                                                                    |               | \$39.59  |
| 246 36 | Olympus  | 700LCA-26D           |              | Cabinet Door Lock, Less Cylinder, Accepts Schlage and many other Pin tumbler retrofit cylinders, Cylinder Not Included.                                                                                              |               | \$45.69  |
| 246 36 | Olympus  | 700SC-26D-KD         |              | Cabinet Pin Tumbler Door Lock, Schlage SC-1 Keyway                                                                                                                                                                   |               | \$54.78  |
| 246 36 | Olympus  | 720LM/DM-26D         |              | Cam Lock for Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. Similar to Best 3L Series. Fits 6/7 pin cores. Core Not Included.                                             |               | \$41.73  |

| SIN    | MFR_Name | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                      | Unit_Of_Issue | Retail  |
|--------|----------|-----------------|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------|
| 246 36 | Olympus  | 721DR-26D       |              | Deadbolt Door Lock for Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. Similar to Best 3L Series. Fits 6/7 pin cores. Core Not Included.                                                       |               | \$48.15 |
| 246 36 | Olympus  | 721DW-US26D     |              | Deadbolt Drawer Lock for Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. Similar to Best 3L Series. Fits 6/7 pin cores. Core Not Included.                                                     |               | \$48.15 |
| 246 36 | Olympus  | 800LCA-26D      |              | Cabinet Drawer Lock, Less Cylinder, Accepts Schlage and many other Pin tumbler retrofit cylinders. Less Cylinder.                                                                                                                        |               | \$45.69 |
| 246 36 | Olympus  | B7-A-OBIT       |              | B7 Series Cam Lock, Best keyway utility cam lock, Retrofits to Best 5E series, currently available in "A" "E" & "G" keyways. Additional keyways coming soon. 3/4" diameter, 1-1/8" length, Pin tumbler, drilled 7-pin, ANSI.BHMA E70261. |               | \$31.03 |
| 246 36 | Olympus  | B7-E-OBIT       |              | B7 Series Cam Lock, Best keyway utility cam lock, Retrofits to Best 5E series, currently available in "A" "E" & "G" keyways. Additional keyways coming soon. 3/4" diameter, 1-1/8" length, Pin tumbler, drilled 7-pin, ANSI.BHMA E70261. |               | \$31.03 |
| 246 36 | Olympus  | B7-G-OBIT       |              | B7 Series Cam Lock, Best keyway utility cam lock, Retrofits to Best 5E series, currently available in "A" "E" & "G" keyways. Additional keyways coming soon. 3/4" diameter, 1-1/8" length, Pin tumbler, drilled 7-pin, ANSI.BHMA E70261. |               | \$31.03 |
| 246 36 | Olympus  | DCN1-26D-KA101  |              | DCN Series Pin Tumbler Cam Lock, National keyway, Length with straight cam: 1-1/16". Available Keyed Alike/Keyed Different                                                                                                               |               | \$21.19 |
| 246 36 | Olympus  | DCN1-26D-KA107  |              | DCN Series Pin Tumbler Cam Lock, National keyway, Length with straight cam: 1-1/16". Available Keyed Alike/Keyed Different                                                                                                               |               | \$21.19 |
| 246 36 | Olympus  | DCN1-26D-KA915  |              | DCN Series Pin Tumbler Cam Lock, National keyway, Length with straight cam: 1-1/16". Available Keyed Alike/Keyed Different                                                                                                               |               | \$21.19 |
| 246 36 | Olympus  | DCN1-26D-KD     |              | DCN Series Pin Tumbler Cam Lock, National keyway, Length with straight cam: 1-1/16". Available Keyed Alike/Keyed Different                                                                                                               |               | \$21.19 |
| 246 36 | Olympus  | DCN2-26D-KA101  |              | DCN Series Pin Tumbler Cam Lock, National keyway, Length with straight cam: 1-3/16". Available Keyed Alike/Keyed Different                                                                                                               |               | \$21.19 |
| 246 36 | Olympus  | DCN2-26D-KA107  |              | DCN Series Pin Tumbler Cam Lock, National keyway, Length with straight cam: 1-3/16". Available Keyed Alike/Keyed Different                                                                                                               |               | \$21.19 |
| 246 36 | Olympus  | DCN2-26D-KA915  |              | DCN Series Pin Tumbler Cam Lock, National keyway, Length with straight cam: 1-3/16". Available Keyed Alike/Keyed Different                                                                                                               |               | \$21.19 |
| 246 36 | Olympus  | DCN2-26D-KD     |              | DCN Series Pin Tumbler Cam Lock, National keyway, Length with straight cam: 1-3/16". Available Keyed Alike/Keyed Different                                                                                                               |               | \$21.19 |
| 246 36 | Olympus  | DCN3-26D-KA915  |              | DCN Series Pin Tumbler Cam Lock, National keyway, Length with straight cam: 1-7/16". Available Keyed Alike/Keyed Different                                                                                                               |               | \$21.19 |

| SIN    | MFR_Name            | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                                                        | Unit_O<br>f_Issue | Retail   |
|--------|---------------------|-----------------|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------|
| 246 36 | Olympus             | DCN3-26D-KD     |              | DCN Series Pin Tumbler Cam Lock, National keyway, Length with straight cam: 1-7/16". Available Keyed Alike/Keyed Different                                                                                                                                                                                 |                   | \$21.19  |
| 246 36 | Olympus             | DCN4-26D-KA-103 |              | DCN Series Pin Tumbler Cam Lock, National keyway, Length with straight cam: 1-13/16". Available Keyed Alike/Keyed Different                                                                                                                                                                                |                   | \$21.19  |
| 246 36 | Olympus             | DCN4-26D-KD     |              | DCN Series Pin Tumbler Cam Lock, National keyway, Length with straight cam: 1-13/16". Available Keyed Alike/Keyed Different                                                                                                                                                                                |                   | \$21.19  |
| 246 36 | Olympus             | FC10-26D-KA101  |              | Pin Tumbler File Cabinet Lock, Replaces HON F24 & F28 Available Keyed Alike/Keyed Different                                                                                                                                                                                                                |                   | \$27.82  |
| 246 36 | Olympus             | FC10-26D-KD     |              | Pin Tumbler File Cabinet Lock, Replaces HON F24 & F28 Available Keyed Alike/Keyed Different                                                                                                                                                                                                                |                   | \$27.82  |
| 246 36 | Olympus             | N078-26D-KA-101 |              | Pin Tumbler Diamond Back Drawer Lock, National D4291/D4292 Keyway. Barrel length: 1-1/8", Available Keyed Alike/Keyed Different                                                                                                                                                                            |                   | \$23.33  |
| 246 36 | Olympus             | N078-26D-KD     |              | Pin Tumbler Diamond Back Drawer Lock, National D4291/D4292 Keyway. Barrel length: 1-1/8", Available Keyed Alike/Keyed Different                                                                                                                                                                            |                   | \$23.33  |
| 246 36 | Olympus             | T37-KA-101      |              | T-Bolt Pin Tumbler Metal Desk/ Drawer Lock, National D4291/D4292 Keyway. Barrel length: 1-1/8", Available Keyed Alike/Keyed Different                                                                                                                                                                      |                   | \$24.77  |
| 246 36 | Olympus             | T37-KA-103      |              | T-Bolt Pin Tumbler Metal Desk/ Drawer Lock, National D4291/D4292 Keyway. Barrel length: 1-1/8", Available Keyed Alike/Keyed Different                                                                                                                                                                      |                   | \$24.77  |
| 246 36 | Olympus             | T37-KA-107      |              | T-Bolt Pin Tumbler Metal Desk/ Drawer Lock, National D4291/D4292 Keyway. Barrel length: 1-1/8", Available Keyed Alike/Keyed Different                                                                                                                                                                      |                   | \$24.77  |
| 246 36 | Olympus             | T37-KA-915      |              | T-Bolt Pin Tumbler Metal Desk/ Drawer Lock, National D4291/D4292 Keyway. Barrel length: 1-1/8", Available Keyed Alike/Keyed Different                                                                                                                                                                      |                   | \$24.77  |
| 246 36 | Olympus             | T37-KD          |              | T-Bolt Pin Tumbler Metal Desk/ Drawer Lock, National D4291/D4292 Keyway. Barrel length: 1-1/8", Available Keyed Alike/Keyed Different                                                                                                                                                                      |                   | \$24.77  |
| 246 36 | Sargent & Greenleaf | 1810-001        |              | S&G 1881 # 12 Strike Only For Double Doors                                                                                                                                                                                                                                                                 |                   | \$38.94  |
| 246 36 | Sargent & Greenleaf | 1810-002        |              | S&G 1881 # 13 Strike Only For Mortise Floor                                                                                                                                                                                                                                                                |                   | \$38.94  |
| 246 36 | Sargent & Greenleaf | 1810-003        |              | S&G 1881 # 14 Strike Only For Standard Door                                                                                                                                                                                                                                                                |                   | \$38.94  |
| 246 36 | Sargent & Greenleaf | 1810-004        |              | S&G 1881 # 15 Strike Only For Mortise Door                                                                                                                                                                                                                                                                 |                   | \$38.94  |
| 246 36 | Sargent & Greenleaf | 1881-001        |              | S&G 1881 Series Sliding Mechanical Deadbolt, 1" Bolt Throw, Secured in Locked or Unlocked Position, Hardened steel bolt pins resist sawing and over one ton of thrust, Surface mount, accept any 5/16" (8 mm) diameter shackle padlock, No Strike Included.                                                |                   | \$116.68 |
| 246 36 | Sargent & Greenleaf | 1881-002        |              | S&G 1881 Series Sliding Mechanical Deadbolt, 1" Bolt Throw, Secured in Locked or Unlocked Position, Hardened steel bolt pins resist sawing and over one ton of thrust, Surface mount, accept any 5/16" (8 mm) diameter shackle padlock, #12 Double Door Strike Included. Old Part Number SM181 #12 Strike. |                   | \$159.12 |

| SIN    | MFR_Name            | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                                                          | Unit_O<br>f_Issue | Retail     |
|--------|---------------------|-----------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------|
| 246 36 | Sargent & Greenleaf | 1881-003        |              | S&G 1881 Series Sliding Mechanical Deadbolt, 1" Bolt Throw, Secured in Locked or Unlocked Position, Hardened steel bolt pins resist sawing and over one ton of thrust, Surface mount, accept any 5/16" (8 mm) diameter shackle padlock, #13 Mortise Floor Strike Included. Old Part Number SM181 #13 Strike. |                   | \$159.12   |
| 246 36 | Sargent & Greenleaf | 1881-004        |              | S&G 1881 Series Sliding Mechanical Deadbolt, 1" Bolt Throw, Secured in Locked or Unlocked Position, Hardened steel bolt pins resist sawing and over one ton of thrust, Surface mount, accept any 5/16" (8 mm) diameter shackle padlock, #14 Surface Mount Strike Included. Old Part Number SM181 #15 Strike. |                   | \$159.12   |
| 246 36 | Sargent & Greenleaf | 1881-005        |              | S&G 1881 Series Sliding Mechanical Deadbolt, 1" Bolt Throw, Secured in Locked or Unlocked Position, Hardened steel bolt pins resist sawing and over one ton of thrust, Surface mount, accept any 5/16" (8 mm) diameter shackle padlock, #14 Surface Mount Strike Included. Old Part Number SM181 #14 Strike. |                   | \$159.12   |
| 246 36 | Sargent & Greenleaf | 2740-100        |              | 2740 Series Electromechanical Safe Lock, Meets Federal Specification FF-L-2740A, Government tested to EMP. Lock Kit includes: Lock, Dial, Spindle, Ring Spy Cover, Accessories, Documentation.                                                                                                               |                   | \$1,843.00 |
| 246 36 | Sargent & Greenleaf | 2740-102        |              | 2740 Series Electromechanical Safe Lock, Meets Federal Specification FF-L-2740A, Government tested to EMP. Lock body only, change key included.                                                                                                                                                              |                   | \$1,617.34 |
| 246 36 | Sargent & Greenleaf | 2740-200        |              | S&G 2740 Black Setup Module With Cable and 9-Volt Battery For Use With 2740-100 Electromechanical Safe Lock.                                                                                                                                                                                                 |                   | \$154.91   |
| 246 36 | Sargent & Greenleaf | 2890-061        |              | S&G Type N Hard Plate for 2890                                                                                                                                                                                                                                                                               |                   | \$440.00   |
| 246 36 | Sargent & Greenleaf | 2890-071        |              | S&G Type D Hard Plate for 2891                                                                                                                                                                                                                                                                               |                   | \$1,089.00 |
| 246 36 | Sargent & Greenleaf | 2890-100        |              | S&G 2890 Pedestrian Door Lock, Dial, & Ring (No Dial Ring Mounting Plate, No Strike), Built To Requirements of Federal Specification FF-L-2890.                                                                                                                                                              |                   | \$2,075.00 |
| 246 36 | Sargent & Greenleaf | 2890-200        |              | S&G 2890 Pedestrian Door Lock, Dial, & Ring "N" Dial Ring Mounting Plate, (No Strike), Built To Requirements of Federal Specification FF-L-2890.                                                                                                                                                             |                   | \$2,423.76 |
| 246 36 | Sargent & Greenleaf | 2890-201        |              | S&G 2890 Pedestrian Door Lock, Dial, & Ring, "N" Dial Ring Mounting Plate, #1 Strike, Built To Requirements of Federal Specification FF-L-2890.                                                                                                                                                              |                   | \$2,458.66 |
| 246 36 | Sargent & Greenleaf | 2890-202        |              | S&G 2890 Pedestrian Door Lock, Dial, & Ring, "N" Dial Ring Mounting Plate, #2 Strike, Built To Requirements of Federal Specification FF-L-2890.                                                                                                                                                              |                   | \$2,467.66 |
| 246 36 | Sargent & Greenleaf | 2890-203        |              | S&G 2890 Pedestrian Door Lock, Dial, & Ring, "N" Dial Ring Mounting Plate, #3 Strike, Built To Requirements of Federal Specification FF-L-2890.                                                                                                                                                              |                   | \$2,463.64 |
| 246 36 | Sargent & Greenleaf | 2890-204        |              | S&G 2890 Pedestrian Door Lock, Dial, & Ring, "N" Dial Ring Mounting Plate, #9 Strike, Built To Requirements of Federal Specification FF-L-2890.                                                                                                                                                              |                   | \$2,504.06 |

| SIN    | MFR_Name            | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                       | Unit_O<br>f_Issue | Retail     |
|--------|---------------------|-----------------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------|
| 246 36 | Sargent & Greenleaf | 2890-300        |              | S&G 2890 Pedestrian Door Lock, Dial, & Ring "D" Dial Ring Mounting Plate, (No Strike), Built To Requirements of Federal Specification FF-L-2890.                                                                                                          |                   | \$2,943.73 |
| 246 36 | Sargent & Greenleaf | 2890-301        |              | S&G 2890 Pedestrian Door Lock, Dial, & Ring, "D" Dial Ring Mounting Plate, #1 Strike, Built To Requirements of Federal Specification FF-L-2890.                                                                                                           |                   | \$2,978.66 |
| 246 36 | Sargent & Greenleaf | 2890-302        |              | S&G 2890 Pedestrian Door Lock, Dial, & Ring, "D" Dial Ring Mounting Plate, #2 Strike, Built To Requirements of Federal Specification FF-L-2890.                                                                                                           |                   | \$2,987.66 |
| 246 36 | Sargent & Greenleaf | 2890-303        |              | S&G 2890 Pedestrian Door Lock, Dial, & Ring, "D" Dial Ring Mounting Plate, #3 Strike, Built To Requirements of Federal Specification FF-L-2890.                                                                                                           |                   | \$2,983.64 |
| 246 36 | Sargent & Greenleaf | 2890-304        |              | S&G 2890 Pedestrian Door Lock, Dial, & Ring, "D" Dial Ring Mounting Plate, #9 Strike, Built To Requirements of Federal Specification FF-L-2890.                                                                                                           |                   | \$3,024.06 |
| 246 36 | Sargent & Greenleaf | 2890-400        |              | S&G 2890 Pedestrian Door Lock Deadbolt Lock, (No 2740 Lock, Dial, Ring, Dial Ring Mounting Plate, No Strike), Built To Requirements of Federal Specification FF-L-2890.                                                                                   |                   | \$515.00   |
| 246 36 | Sargent & Greenleaf | 2937-001        |              | 2937 Mechanical Combination Safe Lock, National Stock #5340-01-566-7405, Three all-metal wheel construction.                                                                                                                                              |                   | \$456.19   |
| 246 36 | Sargent & Greenleaf | 2937-002        |              | S&G 2937 Spy Proof Black and White Dial with Spindle.                                                                                                                                                                                                     |                   | \$114.05   |
| 246 36 | Sargent & Greenleaf | 2937-200        |              | S&G Mechanical Safe Lock, Dial, Dial Ring, Spindle, Dust Cover, Mosler Bolt, Meets United States Federal Specification FF-L-2937, National Stock Number 5340-01-566-7405.                                                                                 |                   | \$635.40   |
| 246 36 | Sargent & Greenleaf | 6730-100        |              | S&G 6730 series, Group 2 UL Listed Mechanical Safe Lock, It features a brass lever, three brass and aluminum combination wheels, Brass four-way drive cam allows mounting RH, LH, VU, or VD, Metal wheels (brass and aluminum) for long, dependable life. |                   | \$148.50   |
| 246 36 | Sargent & Greenleaf | 8077-108        |              | 8077 High Security Padlock, Meets federal specification FF-P-110J, 125,000 available combinations, Old part number 8077AD.                                                                                                                                |                   | \$418.30   |
| 246 36 | Sargent & Greenleaf | 8497-001        |              | S&G 8497 "Brute" #1 Strike Only. For Inswinging Door.                                                                                                                                                                                                     |                   | \$49.39    |
| 246 36 | Sargent & Greenleaf | 8497-002        |              | S&G 8497 "Brute" #2 Strike Only. For Outswinging Door.                                                                                                                                                                                                    |                   | \$59.29    |
| 246 36 | Sargent & Greenleaf | 8497-003        |              | S&G 8497 "Brute" #3 Strike Only. For Inswinging Door.                                                                                                                                                                                                     |                   | \$54.87    |
| 246 36 | Sargent & Greenleaf | 8497-004        |              | S&G 8497 "Brute" #9 Strike Only. For Outswinging Double Doors.                                                                                                                                                                                            |                   | \$99.33    |
| 246 36 | Sargent & Greenleaf | 8497-100        |              | S&G 8497 "BRUTE" Electromechanical Door Deadbolt with #1 Strike For Inswinging Door.                                                                                                                                                                      |                   | \$845.00   |
| 246 36 | Sargent & Greenleaf | 8497-101        |              | S&G 8497 "BRUTE" Electromechanical Door Deadbolt with #2 Strike For Outswinging Door.                                                                                                                                                                     |                   | \$854.66   |
| 246 36 | Sargent & Greenleaf | 8497-102        |              | S&G 8497 "BRUTE" Electromechanical Door Deadbolt with #3 Strike For Inswinging Door.                                                                                                                                                                      |                   | \$850.20   |
| 246 36 | Sargent & Greenleaf | 8497-103        |              | S&G 8497 "BRUTE" Electromechanical Door Deadbolt with #9 Strike For Outswinging Double Doors.                                                                                                                                                             |                   | \$894.21   |

| SIN    | MFR_Name            | MFR_Part_Number      | Product_Name | Product_Description                                                                                                                                                | Unit_O<br>f_Issue | Retail     |
|--------|---------------------|----------------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------|
| 246 36 | Sargent & Greenleaf | 8497-105             |              | S&G 8497 "BRUTE" Electromechanical Door Deadbolt For Inswinging Door. No Strike                                                                                    |                   | \$795.62   |
| 246 36 | Sargent & Greenleaf | 8497-106             |              | S&G 8497 "BRUTE" Electromechanical Door Deadbolt For Out swinging Door. No Strike                                                                                  |                   | \$795.62   |
| 246 36 | Sargent & Greenleaf | 8555-101             |              | S&G Group 1 Automatic Deadbolt, 8500 Lock with #1 Strike                                                                                                           |                   | \$1,411.41 |
| 246 36 | Sargent & Greenleaf | 8555-102             |              | S&G Group 1 Automatic Deadbolt, 8500 Lock with #2 Strike                                                                                                           |                   | \$1,442.60 |
| 246 36 | Sargent & Greenleaf | 8555-103             |              | S&G Group 1 Automatic Deadbolt, 8500 Lock with #3 Strike                                                                                                           |                   | \$1,438.38 |
| 246 36 | Sargent & Greenleaf | 8555-104             |              | S&G Group 1 Automatic Deadbolt, 8500 Lock with #4 Strike                                                                                                           |                   | \$1,481.38 |
| 246 36 | Sargent & Greenleaf | 8555-105             |              | S&G Group 1 Deadbolt, 8500 Lock With Tube For 3.4" Thick Door, With Out Strike                                                                                     |                   | \$1,385.29 |
| 246 36 | Schlage             | 40-100-C123-626      |              | A, AL, D, H, ND Multiple Tailpiece Cylinder Pack                                                                                                                   |                   | \$52.00    |
| 246 36 | Schlage             | 40-100-C-626         |              | A, AL, D, H, ND Multiple Tailpiece Cylinder Pack                                                                                                                   |                   | \$52.00    |
| 246 36 | Schlage             | 40-100-CE-626        |              | A, AL, D, H, ND Multiple Tailpiece Cylinder Pack                                                                                                                   |                   | \$52.00    |
| 246 36 | Schlage             | 40-100-E-626         |              | A, AL, D, H, ND Multiple Tailpiece Cylinder Pack                                                                                                                   |                   | \$52.00    |
| 246 36 | Schlage             | A53LD-ORB-626-11-096 |              | Grade 2 Entry Lock, Orbit Design, Less Cylinder, 2-3/4" Backset                                                                                                    |                   | \$148.00   |
| 246 36 | Schlage             | A53LD-PLY-626-11-096 |              | Grade 2 Entry Lock, Plymouth Design, Less Cylinder, 2-3/4" Backset                                                                                                 |                   | \$148.00   |
| 246 36 | Schlage             | AL10S-SAT-626-11-116 |              | Grade 2 Passage Lever, Saturn Design, Lock, Loverset, 2-3/4" Backset                                                                                               |                   | \$181.00   |
| 246 36 | Schlage             | AL53BD-SAT-626       |              | Grade 2 Entry Lever, Saturn Design, Lock, Loverset, 2-3/4" Backset<br>Small Format Interchangeable Core (SFIC)<br>Arrow, Best, Falcon, KSP etc. Core Not Included. |                   | \$264.00   |
| 246 36 | Schlage             | AL53JD-SAT-626       |              | Grade 2 Entry Lever, Saturn Design, Lock, Loverset<br>Large Format Interchangeable Core (LFIC)<br>Core Not Included, 2-3/4" Backset                                |                   | \$237.00   |
| 246 36 | Schlage             | AL53LD-SAT-626       |              | Grade 2 Entry Lever, Saturn Design, Lock, Less Cylinder, Loverset, 2-3/4" Backset                                                                                  |                   | \$212.00   |
| 246 36 | Schlage             | B560BD-626-12-287    |              | Grade 2 Single Cylinder Deadbolt, Small Format Interchangeable Core (SFIC)<br>Arrow, Best, Falcon, KSP etc. Core Not Included, 6-Way Deadbolt                      |                   | \$90.00    |
| 246 36 | Schlage             | B560P-626-12-287-K4  |              | Grade 2 Single Cylinder Deadbolt, 6-Way Deadbolt                                                                                                                   |                   | \$66.00    |
| 246 36 | Schlage             | B562P-626-12-287-K4  |              | Grade 2 Double Cylinder Deadbolt, 6-Way Deadbolt                                                                                                                   |                   | \$89.00    |
| 246 36 | Schlage             | B571-626-12-287      |              | Grade 2 Indicator Deadbolt, Turn-knob inside, "Occupied/Vacant" Outside, 6-Way Deadbolt                                                                            |                   | \$54.00    |
| 246 36 | Schlage             | B660BD-626-12-631    |              | Grade 2 Single Cylinder Deadbolt, Small Format Interchangeable Core (SFIC)<br>Arrow, Best, Falcon, KSP etc. Core Not Included.                                     |                   | \$156.00   |
| 246 36 | Schlage             | B660J-626-12-631     |              | Grade 2 Single Cylinder Deadbolt, Large Format Interchangeable Core (LFIC) Core Not Included. 2-3/4" Backset.                                                      |                   | \$129.00   |
| 246 36 | Schlage             | B660P-626-12-631KA4  |              | Grade 2 Single Cylinder Deadbolt, 2-3/4" Backset                                                                                                                   |                   | \$156.00   |
| 246 36 | Schlage             | L9050L-038-626       |              | Office and Inner Entry Function Mortise Lock, Less Cylinder, 03 Trim, "B" Rose.                                                                                    |                   | \$503.00   |

| SIN    | MFR_Name  | MFR_Part_Number | Product_Name | Product_Description                                                                                                                       | Unit_of_Issue | Retail   |
|--------|-----------|-----------------|--------------|-------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------|
| 246 36 | Schlage   | ND10S-RHO-626   |              | Grade 1 Passage Lever, Rhodes Design, Lock, Leverset                                                                                      |               | \$351.00 |
| 246 36 | Schlage   | ND40S-RHO-626   |              | Grade 1 Privacy Lever, Rhodes Design, Lock, Leverset                                                                                      |               | \$405.00 |
| 246 36 | Schlage   | ND53LD-RHO-626  |              | Grade 1 Entry Function Lever, Rhodes Design, Lock, Less Cylinder, Leverset                                                                |               | \$427.00 |
| 246 36 | Schlage   | ND80LD-RHO-626  |              | Grade 1 Storeroom Function Lever, Rhodes Design, Lock, Less Cylinder, Leverset                                                            |               | \$427.00 |
| 246 36 | Schlage   | ND82CD-RHO-626  |              | Grade 1 Institutional Function Lever, Keyed Both Sides, both sides always locked, Rhodes Design, Lock, Less Cylinders, Leverset           |               | \$465.00 |
| 246 36 | SDI/USCAN | K110SX630       |              | Grade 1 Passage Function Knob Lock, Lockset                                                                                               |               | \$108.10 |
| 246 36 | SDI/USCAN | K140SX630       |              | Grade 1 Privacy Function Knob Lock, Lockset                                                                                               |               | \$110.50 |
| 246 36 | SDI/USCAN | K150D-IC-630    |              | Grade 1 Entry Function Knob Lock, Lockset, Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included.      |               | \$142.00 |
| 246 36 | SDI/USCAN | K150DX630       |              | Grade 1 Entry Function Knob Lock, Lockset, SC1 Keyway.                                                                                    |               | \$134.00 |
| 246 36 | SDI/USCAN | K170D-IC-630    |              | Grade 1 Classroom Function Knob Lock, Lockset, Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included.  |               | \$140.00 |
| 246 36 | SDI/USCAN | K170DX630       |              | Grade 1 Classroom Function Knob Lock, Lockset, SC1 Keyway.                                                                                |               | \$139.00 |
| 246 36 | SDI/USCAN | K180D-IC-630    |              | Grade 1 Storeroom Function Knob Lock, Lockset, Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included.  |               | \$140.00 |
| 246 36 | SDI/USCAN | K180DX630       |              | Grade 1 Storeroom Function Knob Lock, Lockset, SC1 Keyway.                                                                                |               | \$139.00 |
| 246 36 | SDI/USCAN | USL110SX626     |              | Grade 1 Passage Function Lever Lock, Leverset                                                                                             |               | \$162.00 |
| 246 36 | SDI/USCAN | USL140SX626     |              | Grade 1 Privacy Function Lever Lock, Leverset                                                                                             |               | \$164.00 |
| 246 36 | SDI/USCAN | USL150D-IC-626  |              | Grade 1 Entry Function Lever Lock, Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. Leverset     |               | \$165.00 |
| 246 36 | SDI/USCAN | USL150DX626     |              | Grade 1 Entry Function Lever Lock, SC1 Keyway, Leverset,                                                                                  |               | \$165.00 |
| 246 36 | SDI/USCAN | USL170D-IC-626  |              | Grade 1 Classroom Function Lever Lock, Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. Leverset |               | \$165.00 |
| 246 36 | SDI/USCAN | USL170DX626     |              | Grade 1 Classroom Function Lever Lock, SC1 Keyway, Leverset                                                                               |               | \$165.00 |
| 246 36 | SDI/USCAN | USL180D-IC-626  |              | Grade 1 Storeroom Function Lever Lock, Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included. Leverset |               | \$165.00 |

| SIN    | MFR_Name   | MFR_Part_Number | Product_Name | Product_Description                                                                                                                                                                                                                                                                                                                                   | Unit_of_Issue | Retail     |
|--------|------------|-----------------|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|
| 246 36 | SDI/USCAN  | USL180DX626     |              | Grade 1 Storerroom Function Lever Lock, SC1 Keyway, Leverset                                                                                                                                                                                                                                                                                          |               | \$165.00   |
| 246 36 | SDI/USCAN  | USL212SX626     |              | Grade 2 Passage Function Lever, Lock, Leverset                                                                                                                                                                                                                                                                                                        |               | \$82.10    |
| 246 36 | SDI/USCAN  | USL242SX626     |              | Grade 2 Privacy Function Lever, Lock, Leverset                                                                                                                                                                                                                                                                                                        |               | \$90.00    |
| 246 36 | SDI/USCAN  | USL252D-ICX626  |              | Grade 2 Entry Function Lever, Lock, Leverset, Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included.                                                                                                                                                                                                               |               | \$100.00   |
| 246 36 | SDI/USCAN  | USL252DX626     |              | Grade 2 Entry Function Lever, Lock, Leverset, SC1 Keyway.                                                                                                                                                                                                                                                                                             |               | \$100.00   |
| 246 36 | SDI/USCAN  | USL272D-ICX626  |              | Grade 2 Classroom Function Lever, Lock, Leverset Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included                                                                                                                                                                                                             |               | \$106.00   |
| 246 36 | SDI/USCAN  | USL272DX626     |              | Grade 2 Classroom Function Lever, Lock, Leverset, SC1 Keyway.                                                                                                                                                                                                                                                                                         |               | \$106.00   |
| 246 36 | SDI/USCAN  | USL282D-ICX626  |              | Grade 2 Storerroom Function Lever, Lock, Leverset Small Format Interchangeable Core (SFIC) Arrow, Best, Falcon, KSP etc. Core Not Included                                                                                                                                                                                                            |               | \$106.00   |
| 246 36 | SDI/USCAN  | USL282DX626     |              | Grade 2 Storerroom Function Lever, Lock, Leverset, SC1 Keyway.                                                                                                                                                                                                                                                                                        |               | \$106.00   |
| 246 36 | Von Duprin | 22EO-SP28-36"   |              | Rim Exit Device, Exit Only                                                                                                                                                                                                                                                                                                                            |               | \$468.00   |
| 246 36 | Von Duprin | 990DT-US26D     |              | Dummy Outside Trim, Pull Handle                                                                                                                                                                                                                                                                                                                       |               | \$204.00   |
| 246 36 | Von Duprin | 990EO-US26D     |              | Blank Trim Plate                                                                                                                                                                                                                                                                                                                                      |               | \$131.00   |
| 246 36 | Von Duprin | 990NL-R&V-US26D |              | Night Latch Trim, Pull Handle & Keyed Mortise Cylinder (not included) Key retracts latch                                                                                                                                                                                                                                                              |               | \$219.00   |
| 246 36 | Von Duprin | 990TP-R-US26D   |              | Thumb Turn Trim & Keyed Mortise Cylinder (not included) Key unlocks thumbpiece                                                                                                                                                                                                                                                                        |               | \$292.00   |
| 246 36 | Von Duprin | 996L-R&V-US26D  |              | Lever Outside Trim & Keyed Mortise Cylinder (not included) Key locks lever                                                                                                                                                                                                                                                                            |               | \$473.00   |
| 246 36 | Von Duprin | 99EO-US26D-36"  |              | Rim Exit Device, Exit Only                                                                                                                                                                                                                                                                                                                            |               | \$1,176.00 |
| 246 36 | Von Duprin | 99EO-US28-36"   |              | Rim Exit Device, Exit Only                                                                                                                                                                                                                                                                                                                            |               | \$1,038.00 |
| 246 36 | Yale       | CRR8808FL-626   |              | Yale 8800 Series Classroom Function Mortise Lock, Carmel Lever Design w/ Copenhagen Rose, Quick Reversible Latchbolt, Allows for Easy Field Reversible Handing), 1" Throw Deadbolt, Non-Handed Curved Lip Strike, PARA Keyway, 2 Keys Per Lock, ANSI F05, 3 Hour UL listed, Fits 1-3/4" Thick Door, 2-3/4" Backset, Satin Chrome Finish, US26D (626). |               | \$544.00   |